



Pad Mount Transformers 3 Phase

Pad Mount Transformers - 3PH



Larson Electronics three-phase pad mount transformers offer superior power distribution for public locations, residential projects, outdoor areas and commercial sites. These applications include solar power generation projects, manufacturing and industrial operations, cryptocurrency mining, warehouses and utility grid solutions. The pad mount transformers in this catalog are suitable for concrete pad installation along service drops of power distribution lines and are capable of servicing small neighborhoods or single large buildings. Heavy-duty, tamperproof construction ensures security and long-term use in outdoor areas. Installed without fencing, the systems offer space-saving and cost-effective benefits for businesses.

This catalog includes three-phase pad mount transformers up to 12,000 KVA (12 MVA), consisting of a rectangular coils. A wide selection of three-phase primary and secondary voltages is available, including dual voltage.

Transformers can be ordered with or without tap changers, with our without load break (LBOR) switches, and a variety of accessories.

Transformers with live front and dead

front bushing configurations are available in this catalog. Live front bushings are equipped with a top-located spade and enable direct access to connections. Dead front bushings are insulated for arc flash protection and facilitate "plug and play" connections using a load break or dead break elbow. Choose between radial feed and loop feed configurations to meet the power distribution requirements of specific sites or facilities.

Systems come standard with a four-position load break switch offer enhanced controls for operators. The positions on the load break switch are: A side on + transformer on, B side on + transformer on, A and B sides + transformer on, and A and B sides + transformer off. Systems can be configured with a single two-position or three two-position switches instead of the single four-position switch on request.

Transformers can be ordered with high elbow surge arrestors for over voltage and transient voltage protection. Systems without surge arrestors that have mounting provisions for customer-

provided surge arrestors are also available in this catalog. Three-phase pad mount transformers can be ordered with bayonet protection fuses.

Larson Electronics pad mount transformers are offered with mineral oil, biodegradable ester oil (vegetable oil), or FR-3 oil insulation fluid. Our standard biodegradable fluid (KNAN) features a higher heat capacity, flash point and fire point than mineral oil making this option safer. This non-toxic fluid also sustains higher load conditions compared to other types of insulation fluid. Larson Electronics pad mount transformers are available with 55°C, 65°C or dual 55°C/65°C temperature rise. Low temperature rise translates to reduced heat waste, stable performance and longer lifespan. Transformers with dual temperature rise operate at standard 55°C temperature rise or at a slightly higher capacity at 65°C temperature rise. Standard systems are rated for 65°C, air cooled and does not contain fans or mounting provisions for fans.

The transformers in this catalog can be ordered with aluminum or copper windings. Aluminum windings are low

Pad Mount Transformers - 3PH



cost and feature lower eddy losses than copper windings. Copper windings are heavy-duty and offer increased reliability during operation.

Larson Electronics three-phase pad mount transformers conform to NEMA and ANSI C57.12 standards. Models that meet DOE 2016 efficiency standards are available in this catalog for compliance.

Larson Electronics is a leading manufacturer of industrial power distribution systems and transformers. In addition to three-phase pad mount transformers, the company offers large-scale power solutions for businesses, including substations, single-phase pad mount transformers, overhead pole mount transformers dry type transformers portable power distribution and more.

Standard Configurations:

- Loop feed primary configuration
- Dead front primary, live front secondary
- 15-300 KVA come equipped with 200A Load Break Elbows with Inserts
- 500-3750 KVA come equipped with 600A Dead Break Elbows
- 4000-12000 KVA come equipped with 900A Dead Break Elbows
- KNAN Cooling Class
- Biodegradable Natural Vegetable Ester Oil (NON-PCB Fluid)
- 5-Position tap changer: (2) 2.5% above & (2) 2.5% below taps
- 4-Position Load Break Switch (LBOR)
- Analog Liquid Level Gauge
- Analog Temperature Gauge
- Analog Pressure/Vacuum Gauge
- Automatic Action Pressure Relief Device
- Fill Port
- Drain Port w/ Sampler Valve
- 65°C Temperature Rise over Ambient
- 40°C Ambient Temperature Rating
- 3300ft (1000 meter) elevation rating
- K-1 Harmonic Mitigation

Other configurations can be configured on request.

Pad Mount Transformers - Color Options


Larson Electronics LLC offers a variety of color selections for our pad mounted transformers. The standard color is Munsell™ 7GY 3.29/1.5 Pad-Mount Green. However we do offer additional color options. Please see below for the color choice selection of our primary choices. Additional custom options available upon request.



Munsell™ 7GY
3.29/1.5 Pad-Mount
Green



Munsell™ 9GY
1.5/2.6 Canadian
Green




Munsell™ 5BG
7.0/0.4 Light Grey
(ANSI #70)



Munsell™ 10bg 6/1
Blue Grey



Munsell™ 10bg 6/1
Steel Blue




Munsell™ N 9/
Safety White



Federal Standard
Desert Tan FS-
595B-33446



Federal Standard
Eagle Feather Tan
FS-595-23578



Federal Standard
Tobacco Brown FS-
595C-30108

Pad Mount Transformers - 3PH

MT-PML-R1-3P-DMA-6KVA-DRB-RT-DF-A-6-AM-AZ-1ZZ-M1

Series	Family	
MT	PML	Pad mount

Build Spec	
R1	USA Stock
R2	Standard Build
R4	Solar Step Up
R6	Standard Build, ANSI Type I
R8	Standard Build, ANSI Type II
K4	Harmonic K-Factor 4
K9	Harmonic K-Factor 9
K13	Harmonic K-Factor 13
K20	Harmonic K-Factor 20
R11	AES Spec
R12	Albany GA Spec
R13	Ameren Spec
R14	American Electric Power Spec
R15	Austin Energy Spec
R16	AVANGRID Spec
R17	CenterPoint Energy Spec
R18	Con Edison Spec
R19	Consumers Energy
R20	CPS Spec
R21	Dominion Energy Spec
R22	DTE Energy Spec
R23	Duke Energy Spec
R24	Entergy Spec
R25	Eversource Energy Spec

Build Spec	
R26	EWEB Spec
R27	Exelon Spec
R28	FirstEnergy Spec
R29	Florida Power & Light Spec
R30	Georgia Power Company Spec
R31	Huntsville AL Spec
R32	Jacksonville Electric Authority (JEA) Spec
R33	MidAmerican Energy Spec
R34	Nashville Electric Service Spec
R35	National Grid Spec
R36	New York Power Authority Spec
R37	NextEra Energy Resources Spec
R38	Northeast Utilities Spec
R39	NRG Energy Spec
R40	Oncor Spec
R41	Pacific Gas and Electric Company (PG&E) Spec
R42	PPL Corp Spec
R33	Public Service Enterprise Group (PSEG) Spec
R34	Puget Sound Energy Spec
R35	Seminole Electric Cooperative Spec
R36	Southern California Edison Spec
R37	Southern Company Spec
R38	Tennessee Valley Authority Spec
R39	Xcel Energy Spec

Pad Mount Transformers - 3PH

MT-PML-R1-3P-DMA-6KVA-DRB-RT-DF-A-6-AM-AZ-1ZZ-M1

Phase (System)	
3P	3-Phase
1P	1-Phase

Primary Config	
D	Delta
Y	Wye
G	Grounded Wye

KV Group	"Primary Voltage (Either Wye or Delta, not dual wound)"	
35KV	MA	34500Y/19920 (Wye) / 34500V (Delta)
35KV	MB	33560Y/19737 (Wye) / 33560V (Delta)
35KV	MX	33260Y/19200 (Wye) / 33260V (Delta)
35KV	MC	33000Y/19050 (Wye) / 33000V (Delta)
35KV	NM	29791Y/17200 (Wye) / 29791V (Delta)
35KV	MD	27600Y/16000 (Wye) / 27600V (Delta)
35KV	ME	26400Y/15240 (Wye) / 26400V (Delta)
25KV	MF	24940Y/14400 (Wye) / 24940V (Delta)
25KV	MY	24000Y/13857 (Wye) / 24000V (Delta)
25KV	MW	23900Y/13800 (Wye) / 23900V (Delta)
25KV	NY	23000Y/13280 (Wye) / 23000V (Delta)
25KV	MG	22960Y/13256 (Wye) / 22960V (Delta)
25KV	NN	22860Y/13200 (Wye) / 22860V (Delta)
25KV	RF	22000Y/12702 (Wye) / 22000V (Delta)
25KV	MH	21600Y/12470 (Wye) / 21600V (Delta)
25KV	MJ	20900Y/12067 (Wye) / 20900V (Delta)
25KV	MK	20780Y/12000 (Wye) / 20780V (Delta)
25KV	NX	19800Y/11430 (Wye) / 19800V (Delta)
25KV	ML	19050Y/11000 (Wye) / 19050V (Delta)
25KV	MM	18000Y/10393 (Wye) / 18000V (Delta)
15KV	MN	14400Y/8320 (Wye) / 14400V (Delta)
15KV	MP	13800Y/7968 (Wye) / 13800V (Delta)
15KV	MQ	13200Y/7620 (Wye) / 13200V (Delta)
15KV	MR	12470Y/7200 (Wye) / 12470V (Delta)
15KV	MT	12000Y/6930 (Wye) / 12000V (Delta)
15KV	MU	11950Y/6900 (Wye) / 11950V (Delta)
15KV	MZ	11778Y/6800 (Wye) / 11778V (Delta)

KV Group	"Primary Voltage (Either Wye or Delta, not dual wound)"	
15KV	MV	11000Y/6351 (Wye) / 11000V (Delta)
15KV	NA	9090Y/5248 (Wye) / 9090V (Delta)
15KV	NB	8320Y/4800 (Wye) / 8320V (Delta)
15KV	NC	7200Y/4160 (Wye) / 7200V (Delta)
15KV	NW	6600Y/3810 (Wye) / 6600V (Delta)
15KV	ND	5250Y/3031 (Wye) / 5250V (Delta)
5KV	NE	4800Y/2771 (Wye) / 4800V (Delta)
5KV	NF	4160Y/2400 (Wye) / 4160V (Delta)
5KV	NG	3300Y/1905 (Wye) / 3300V (Delta)
5KV	NH	2400Y/1386 (Wye) / 2400V (Delta)
5KV	NJ	1000Y/577 (Wye) / 1000V (Delta)
1KV	RB	820Y/474 (Wye) / 820V (Delta)
1KV	ZB	800Y/462 (Wye) / 800V (Delta)
1KV	RC	700Y/404 (Wye) / 700V (Delta)
1KV	A	690Y/400 (Wye) / 690V (Delta)
600V	C	600Y/347 (Wye) / 600V (Delta)
600V	D	575Y/332 (Wye) / 575V (Delta)
600V	E	480Y/277 (Wye) / 480V (Delta)
600V	F	460Y/266 (Wye) / 460V (Delta)
600V	RD	433Y/250 (Wye) / 433V (Delta)
600V	H	420Y/243 (Wye) / 420V (Delta)
600V	J	415Y/240 (Wye) / 415V (Delta)
600V	RA	405Y/234 (Wye) / 405V (Delta)
600V	K	400Y/231 (Wye) / 400V (Delta)
600V	L	380Y/220 (Wye) / 380V (Delta)
600V	T	208Y/120 (Wye) / 208V (Delta)
600V	U	200Y/115 (Wye) / 200V (Delta)

Capacity	
6KVA	6 KVA
9KVA	9 KVA
15KVA	15 KVA
30KVA	30 KVA
45KVA	45 KVA
75KVA	75 KVA
112.5KVA	112.5 KVA
225KVA	225 KVA (0.225 MVA)
300KVA	300 KVA (0.3 MVA)
500KVA	500 KVA (0.5 MVA)
600KVA	600 KVA (0.6 MVA)
700KVA	700 KVA (0.7 MVA)
750KVA	750 KVA (0.75 MVA)

Capacity	
800KVA	800 KVA (0.8 MVA)
1MVA	1000 KVA (1 MVA)
1.25MVA	1250 KVA (1.25 MVA)
1.5MVA	1500 KVA (1.5 MVA)
1.75MVA	1750 KVA (1.75 MVA)
2MVA	2000 KVA (2 MVA)
2.25MVA	2250 KVA (2.25 MVA)
2.5MVA	2500 KVA (2.5 MVA)
2.55MVA	2550 KVA (2.55 MVA)
3MVA	3000 KVA (3 MVA)
3.25MVA	3250 KVA (3.25 MVA)
3.5MVA	3500 KVA (3.5 MVA)
3.75MVA	3750 KVA (3.75 MVA)

Capacity	
4MVA	4000 KVA (4 MVA)
4.2MVA	4200 KVA (4.2 MVA)
4.25MVA	4250 KVA (4.25 MVA)
4.5MVA	4500 KVA (4.5 MVA)
5MVA	5000 KVA (5 MVA)
5.5MVA	5500 KVA (5.5 MVA)
6MVA	6000 KVA (6 MVA)
6.5MVA	6500 KVA (6.5 MVA)
7MVA	7000 KVA (7 MVA)
7.5MVA	7500 KVA (7.5 MVA)
8MVA	8000 KVA (8 MVA)
9MVA	9000 KVA (9 MVA)
10MVA	10000 KVA (10 MVA)

Pad Mount Transformers - 3PH

MT-PML-R1-3P-DMA-6KVA-DRB-RT-DF-A-6-AM-AZ-1ZZ-M1

Secondary Config	
D	Delta
Y	Wye
G	Grounded Wye

Secondary Voltage (Either Wye or Delta, not dual wound)	
RB	820Y/474 (Wye) / 820V/410 Delta
ZB	800Y/462 (Wye) / 800V/400 (Delta)
RC	700Y/404 (Wye) / 700V/350 Delta
A	690Y/400 (Wye) / 690V/345 (Delta)
C	600Y/347 (Wye) / 600V/300 (Delta)
D	575Y/332 (Wye) / 575V/288 (Delta)
E	480Y/277 (Wye) / 480V/240 (Delta)
F	460Y/266 (Wye) / 460V/230 (Delta)
RD	433Y/250 (Wye) / 433V/217 Delta
H	420Y/243 (Wye) / 420V/210 (Delta)
J	415Y/240 (Wye) / 415V/208 (Delta)
RA	405Y/234 (Wye) / 405V/203 (Delta)
K	400Y/231 (Wye) / 400V/200 Delta
L	380Y/220 (Wye) / 380V/190 (Delta)
N	250Y/145 (Wye) / 250V/125 (Delta)
P	240Y/139 (Wye) / 240V/120 (Delta)
Q	230Y/133 (Wye) / 230V/115 (Delta)
R	220Y/127 (Wye) / 220V/110 (Delta)
T	208Y/120 (Wye) / 208V (Delta)
U	200Y/115 (Wye) / 200V (Delta)

Feed Type	
RT	Radial Feed
LT	Loop Feed

Front	
DF	Dead Front
LF	Live Front

Tap Changer	
A	(4) 2.5% taps, 2AN 2BN
B	(4) 5% taps, 2AN 2BN

Frequency	
6	60 Hz
5	50 Hz
56	50/60 Hz
1	120 Hz
4	400 Hz
2	25 Hz
3	100 Hz

Temp Rise	
A	55°C
B	65°C
C	55/65°C
D	75°C
E	55-75°C

Fluids	
M	Mineral Oil
F	FR-3
B	Biodegradable
MF	Mineral Oil w/ fans
FF	FR-3 w/ fans
BF	Biodegradable w/ fans
MP	Mineral Oil w/ fan provisions w/o fans
FP	FR-3 w/ fan provisions w/o fans
BP	Biodegradable w/ fan provisions w/o fans

Windings		Housing	
A	Aluminum	Z	Coated Steel
C	Copper	S	Stainless Tank

Surge		Fuses	
1	No	Z	No
2	Yes	B	Bayonet
		C	Bayonet w/ ELSP
		D	Dry-well
		V	VFI fuses
		H	bayonet w/ backup

Load Break	
Z	No
2	2 position
4	4-position
6	(3) 2-position switches
3	(2) 2-position

Model Revision	
M1	Model 1
M2	Model 2
M3	Model 3
M4	Model 4
M5	Model 5
M6	Model 6
M7	Model 7
M8	Model 8
M9	Model 9
M10	Model 10
M11	Model 11
M12	Model 12
M13	Model 14
M14	Model 14
M15	Model 15
M16	Model 16
M17	Model 17
M18	Model 18
M19	Model 19
M20	Model 20

5 kV Primary Transformers

4800GrdY/2771 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNE-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4800GrdY/2771 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNE-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4800GrdY/2771 Primary - 600Y/347 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNE-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4800GrdY/2771 Primary - 690Y/400 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNE-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4800GrdY/2771 Primary - 415Y/240 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNE-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4800GrdY/2771 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNE-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNE-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNE-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNE-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNE-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4800GrdY/2771	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4160GrdY/2400 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNF-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4160GrdY/2400 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNF-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4160GrdY/2400 Primary - 600Y/347 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNF-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4160GrdY/2400 Primary - 690Y/400 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNF-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4160GrdY/2400 Primary - 415Y/240 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNF-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

4160GrdY/2400 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNF-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNF-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNF-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNF-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNF-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	4160GrdY/2400	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	60 Kv	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

2400GrdY/1386 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNH-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

2400GrdY/1386 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNH-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

2400GrdY/1386 Primary - 600Y/347 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNH-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

2400GrdY/1386 Primary - 690Y/400 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNH-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

2400GrdY/1386 Primary - 415Y/240 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNH-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole

5 kV Primary Transformers

2400GrdY/1386 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNH-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNH-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNH-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNH-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNH-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	2400GrdY/1386	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	45 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12470GrdY/7200 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMR-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12470GrdY/7200 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMR-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12470GrdY/7200 Primary - 600Y/347 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMR-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12470GrdY/7200 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMR-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12470GrdY/7200 Primary - 415Y/240 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMR-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12470GrdY/7200 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMR-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMR-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMR-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMR-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMR-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12470Grdy/7200	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13200GrdY/7620 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMQ-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13200GrdY/7620 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMQ-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13200GrdY/7620 Primary - 600Y/347 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMQ-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13200GrdY/7620 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMQ-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13200GrdY/7620 Primary - 415Y/240 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMQ-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13200GrdY/7620 Primary - 380Y/220 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMQ-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMQ-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMQ-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMQ-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMQ-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13200GrdY/7620	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13800GrdY/7968 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMP-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13800GrdY/7968 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMP-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13800GrdY/7968 Primary - 600Y/347 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMP-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13800GrdY/7968 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMP-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13800GrdY/7968 Primary - 415Y/240 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMP-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

13800GrdY/7968 Primary - 380Y/220 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMP-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMP-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMP-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMP-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMP-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	13800GrdY/7968	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

14400GrdY/8320 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMN-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

14400GrdY/8320 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMN-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

14400GrdY/8320 Primary - 600Y/347 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMN-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

14400GrdY/8320 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMN-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

14400GrdY/8320 Primary - 415Y/240 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMN-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

14400GrdY/8320 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMN-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMN-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMN-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMN-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMN-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	14400GrdY/8320	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12000GrdY/6930 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMT-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12000GrdY/6930 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMT-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12000GrdY/6930 Primary - 600Y/347 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMT-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12000GrdY/6930 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMT-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12000GrdY/6930 Primary - 415Y/240 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMT-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

12000GrdY/6930 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMT-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMT-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMT-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMT-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMT-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	12000GrdY/6930	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11950GrdY/6900 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMU-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11950GrdY/6900 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMU-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11950GrdY/6900 Primary - 600Y/347 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMU-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11950GrdY/6900 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMU-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11950GrdY/6900 Primary - 415Y/240 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMU-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11950GrdY/6900 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMU-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMU-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMU-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMU-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMU-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11950GrdY/6900	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11950GrdY/6900 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMV-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11000GrdY/6351 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMV-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11000GrdY/6351 Primary - 600Y/347 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMV-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11000GrdY/6351 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMV-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11000GrdY/6351 Primary - 415Y/240 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMV-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

11000GrdY/6351 Primary - 380Y/220 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMV-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMV-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMV-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMV-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMV-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	11000GrdY/6351	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	95 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

8320GrdY/4800 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNB-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

8320GrdY/4800 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNB-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

8320GrdY/4800 Primary - 600Y/347 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNB-15KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	15	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-30KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	30	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-45KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	45	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-75KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	75	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-112.5KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	112.5	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-150KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	150	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-225KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	225	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-300KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	300	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-500KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-750KVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.75MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-2MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.25MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2250	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.7MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3750	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-4MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	4000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	5000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-6MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	6000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-7.5MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	7500	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-10MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	10000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-12MVA-YC-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	12000	600Y/347	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

8320GrdY/4800 Primary - 690Y/400 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNB-15KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	15	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-30KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	30	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-45KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	45	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-75KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	75	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-112.5KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	112.5	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-150KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	150	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-225KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	225	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-300KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	300	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-500KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-750KVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.75MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-2MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.25MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2250	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.7MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3750	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-4MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	4000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	5000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-6MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	6000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-7.5MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	7500	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-10MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	10000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-12MVA-YA-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	12000	690Y/400	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

8320GrdY/4800 Primary - 415Y/240 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNB-15KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	15	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-30KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	30	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-45KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	45	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-75KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	75	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-112.5KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	112.5	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-150KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	150	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-225KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	225	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-300KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	300	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-500KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-750KVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.75MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-2MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.25MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2250	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.7MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3750	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-4MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	4000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	5000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-6MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	6000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-7.5MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	7500	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-10MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	10000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-12MVA-YJ-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	12000	415Y/240	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole

15 kV Primary Transformers

8320GrdY/4800 Primary - 380Y/220 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNB-15KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	15	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-30KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	30	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-45KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	45	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-75KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	75	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-112.5KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	112.5	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-150KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	150	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-225KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	225	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-300KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	300	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-500KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNB-750KVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-1.75MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	1750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNB-2MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.25MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2250	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-2.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	2500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-3.7MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	3750	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNB-4MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	4000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	5000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-6MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	6000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-7.5MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	7500	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-10MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	10000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNB-12MVA-YL-LT-DF-A6-BB-CZ-2B4-M1	8320GrdY/4800	12000	380Y/220	Loop	Copper	(1) 4-Pos	Steel	75 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

24940YGrdY/14400 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMF-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMF-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

24940YGrdY/14400 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMF-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMF-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMF-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMF-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMF-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMF-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMF-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMF-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMF-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	24940YGrdY/14400	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

20780YGrdY/12000 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMK-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMK-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

20780YGrdY/12000 Primary - 480Y/277 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMK-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMK-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMK-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMK-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMK-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMK-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMK-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMK-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMK-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	20780YGrdY/12000	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

23900GrdY/13800 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMW-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMW-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

23900GrdY/13800 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMW-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMW-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMW-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMW-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMW-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMW-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMW-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMW-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMW-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

22860GrdY/13200 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNN-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNN-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

25 kV Primary Transformers

22860GrdY/13200 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GNN-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GNN-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNN-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNN-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNN-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNN-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GNN-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GNN-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GNN-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	22860GrdY/13200	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	125 kV	60 Hz	KNAN	12-Hole

35 kV Primary Transformers

34500GrdY/19920 Primary - 208Y/120 Secondary											
SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMA-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMA-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole

35 kV Primary Transformers

34500GrdY/19920 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMA-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMA-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMA-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMA-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMA-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMA-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMA-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMA-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMA-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	34500GrdY/19920	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole

35 kV Primary Transformers

27600GrdY/16000 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMD-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMD-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole

35 kV Primary Transformers

27600GrdY/16000 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GMD-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GMD-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMD-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMD-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMD-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMD-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GMD-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GMD-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GMD-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	27600GrdY/16000	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole

35 kV Primary Transformers

26400GrdY/15240 Primary - 208Y/120 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GME-15KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	15	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-30KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	30	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-45KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	45	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-75KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	75	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-112.5KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	112.5	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-150KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	150	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-225KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	225	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-300KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	300	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-500KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GME-750KVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-1MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-1.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-1.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-1.75MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-2MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	2000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-2.25MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	2250	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-2.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	2500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-3MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	3000	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-3.5MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	3500	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-3.7MVA-YT-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	3750	208Y/120	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole

35 kV Primary Transformers

26400GrdY/15240 Primary - 480Y/277 Secondary

SKU	Primary Voltage	KVA	Secondary Voltage	Feed	Winding	LBOR	Housing	Pri. BIL	Freq.	Cooling	Sec. Terminal
MT-PML-R7-3P-GME-15KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	15	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-30KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	30	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-45KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	45	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-75KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	75	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-112.5KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	112.5	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-150KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	150	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-225KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	225	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-300KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	300	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-500KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	4-Hole
MT-PML-R7-3P-GME-750KVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GME-1MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GME-1.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GME-1.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GME-1.75MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	1750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	6-Hole
MT-PML-R7-3P-GME-2MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	2000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-2.25MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	2250	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-2.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	2500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-3MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	3000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-3.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	3500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-3.7MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	3750	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	10-Hole
MT-PML-R7-3P-GME-4MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	4000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	5000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-6MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	6000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-7.5MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	7500	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-10MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	10000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole
MT-PML-R7-3P-GME-12MVA-YE-LT-DF-A6-BB-CZ-2B4-M1	26400GrdY/15240	12000	480Y/277	Loop	Copper	(1) 4-Pos	Steel	150 kV	60 Hz	KNAN	12-Hole

LARSON ELECTRONICS LLC
9419 E US HWY 175
KEMP, TX 75143

Web: larsonelectronics.com
Email: sales@larsonelectronics.com
Phone: 1-800-369-6671
Intl: +1-214-616-6180
Fax: 903-498-3364

FOLLOW US

facebook.com/LarsonElectronics
twitter.com/LarsonLights
youtube.com/LEMagnalight
instagram.com/LarsonLights

