






LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 5.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 8.78 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 8.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 3.43 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 10.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 2.19 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 12.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 1.53 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 15.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 0.98 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 18.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 0.68 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 20.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 0.55 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 25.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 0.35 Fc
Arrangement: Single




LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 30.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 0.24 Fc
Arrangement: Single



LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 35.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 0.18 Fc
Arrangement: Single



LARSON ELECTRONICS LLC
EPL-LED7W-STCHN
10 WATT EXPLOSION PROOF LED LIGHT, 25 DEGREE
STANCHION MOUNT

Horizontal Footcandles
Scale: 1 Inch = 10 Ft.
Light Loss Factor = 1.00
Lumens Per Lamp = 1050
Total Lamp Lumens = 1050
Mounting Height = 40.00 Ft, Tilt = 25 Degrees
Maximum Calculated Value = 0.14 Fc
Arrangement: Single