



IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

DESCRIPTIVE INFORMATION (From Photometric File)

IESNA:LM-63-2002

[TEST] 173027

[TESTLAB] RADIANT IMAGING PROSOURCE

[TESTDATE] 06-10-2017

[ISSUEDATE] 06-10-2017

[MANUFAC] LARSON ELECTRONICS LLC

[LUMCAT] SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K

[MORE] IRON X SERIES

[LUMINAIRE] CLASS 1 DIV 1 EXPLOSION PROOF SOLAR LED STREET LIGHT FIXTURE

[MORE] 60 DEGREE BEAM, CLASS 1 DIV 2 SOLAR ARRAY, 5000K

[LAMP] CREE CXB1512

[LAMPPOSITION] 0,0

[OTHER] EVERFINE GO-R5000 V2

[_SEARCH_]SOURCETYPE] LED

[_SEARCH_]APPLICATION] INDOOR, OUTDOOR, HARBOR, INDUSTRIAL, WATER TREATMENT, OIL FIELD, REFINERY, HIGH

[_SEARCH_]MOUNTING] CEILING, SURFACE

[_SEARCH_]CERTIFICATION] NEC, UL

[_SEARCH_]COLORTEMP] 5000K

[_SEARCH_]CRI] 85

[_SEARCH_]CLASSIFICATION] CLASS II, DIVISION 1, DIVISION 2, GROUP E, GROUP F, GROUP G, IP67,

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	6 H x 6 V
Maximum Candela	5449.61
Maximum Candela Angle	0H 1V
Horizontal Beam Angle (50%)	55.7
Vertical Beam Angle (50%)	56.3
Horizontal Field Angle (10%)	109.6
Vertical Field Angle (10%)	108.9
Lumens Per Lamp	6054.13 (1 lamp)
Total Lamp Lumens	6054.13
Beam Lumens	2921
Beam Efficiency	48 %
Field Lumens	5818
Field Efficiency	96 %
Spill Lumens	276
Luminaire Lumens	6093
Total Efficiency	101 %
Total Luminaire Watts	48.98
Ballast Factor	1.00

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES****AXIAL CANDELA**

DEG.	HOR.	DEG.	VERT.
90	.06	90	0
85	.22	85	.71
75	15.95	75	19.81
65	41.59	65	44.17
55	292.61	55	489.64
47.5	1042.11	47.5	1265.37
42.5	1476.52	42.5	1606.22
37.5	1711.91	37.5	1824.03
33	1944.77	33	2123.49
29	2325.25	29	2581.05
25.5	2773.74	25.5	3067.43
22.5	3204.44	22.5	3514.94
19.5	3651.63	19.5	3964.42
17	4022.4	17	4324.7
15	4299.15	15	4585.09
13	4557.79	13	4818.94
11	4782.48	11	5014.14
9	4976.81	9	5174.3
7	5134.68	7	5296.69
5	5260.99	5	5386.43
3	5346.15	3	5448.23
1	5397.79	1	5449.61
0	5410.7	0	5410.7
-1	5417.88	-1	5446.48
-3	5401.83	-3	5415.09
-5	5363.18	-5	5352.33
-7	5298.44	-7	5268.63
-9	5209.14	-9	5150.42
-11	5092.2	-11	5006.05
-13	4944.82	-13	4825.07
-15	4759.88	-15	4584.97
-17	4545.13	-17	4364
-19.5	4225.35	-19.5	4023.59
-22.5	3799.02	-22.5	3577.18
-25.5	3356.85	-25.5	3119.95
-29	2839.15	-29	2628.21
-33	2319.8	-33	2168.59
-37.5	1909.62	-37.5	1841.49
-42.5	1669	-42.5	1601.86
-47.5	1402.27	-47.5	1245.61
-55	680.62	-55	484.33
-65	51.45	-65	46.98
-75	25.64	-75	21.9
-85	3.52	-85	1.24
-90	0	-90	.1

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES****CANDELA TABULATION**

Maximum Candela = 5449.61

Beam Edge = 2724.805 Cd (50% of Max.)

Field Edge = 544.961 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	-90.0	-85.0	-75.0	-65.0	-55.0	-47.5	-42.5	-37.5	-33.0	-29.0
90.0	0.00	0.04	0.11	0.14	0.07	0.02	0.01	0.03	0.04	0.06
85.0	0.00	0.07	0.28	0.72	0.74	0.77	0.89	1.19	1.42	1.67
75.0	0.00	0.13	2.29	6.29	9.32	11.52	12.85	15.46	17.64	19.30
65.0	0.00	0.48	6.07	15.68	23.60	29.13	32.61	36.25	38.80	41.02
55.0	0.00	0.95	10.85	25.51	37.87	44.90	51.08	64.15	118.65	198.47
47.5	0.00	1.45	14.31	32.80	47.21	84.09	204.01	398.03	589.32 *	772.31 *
42.5	0.00	1.77	16.46	36.66	56.75	229.70	478.28	742.23 *	976.77 *	1180.75 *
37.5	0.00	2.10	18.55	38.83	99.13	465.18	779.85 *	1092.98 *	1325.97 *	1489.29 *
33.0	0.00	2.37	20.33	41.67	181.98	678.71 *	1043.66 *	1353.47 *	1540.35 *	1640.33 *
29.0	0.00	2.62	21.57	43.57	274.37	871.25 *	1247.99 *	1519.17 *	1654.79 *	1763.33 *
25.5	0.00	2.82	22.50	45.38	358.47	1014.13 *	1390.10 *	1610.31 *	1744.00 *	1876.20 *
22.5	0.00	2.99	23.27	46.61	410.65	1115.23 *	1485.66 *	1671.89 *	1823.37 *	2010.79 *
19.5	0.00	3.13	23.92	47.94	492.22	1200.04 *	1539.47 *	1734.52 *	1911.97 *	2164.04 *
17.0	0.00	3.23	24.37	48.76	543.63	1257.55 *	1576.11 *	1770.59 *	1993.82 *	2316.81 *
15.0	0.00	3.30	24.73	49.42	580.75 *	1296.89 *	1602.58 *	1800.31 *	2064.94 *	2438.23 *
13.0	0.00	3.36	24.97	50.07	607.43 *	1327.68 *	1623.21 *	1825.72 *	2122.93 *	2561.51 *
11.0	0.00	3.56	25.23	50.60	629.95 *	1353.10 *	1635.56 *	1849.59 *	2190.58 *	2638.64 *
9.0	0.00	3.55	25.43	51.12	649.91 *	1374.73 *	1647.96 *	1871.27 *	2236.44 *	2711.85 *
7.0	0.00	3.54	25.57	51.46	665.28 *	1389.93 *	1657.45 *	1890.02 *	2269.34 *	2769.52 *
5.0	0.00	3.54	25.83	51.65	675.78 *	1399.01 *	1664.88 *	1900.61 *	2298.58 *	2812.62 *
3.0	0.00	3.53	25.75	51.83	686.88 *	1408.83 *	1672.79 *	1908.68 *	2316.53 *	2835.94 *
1.0	0.00	3.52	25.68	51.58	682.71 *	1404.46 *	1670.26 *	1911.52 *	2323.57 *	2844.44 *
0.0	0.00	3.52	25.64	51.45	680.62 *	1402.27 *	1669.00 *	1909.62 *	2319.80 *	2839.15 *
-1.0	0.00	3.52	25.68	51.63	682.50 *	1403.56 *	1670.10 *	1912.04 *	2325.55 *	2846.82 *
-3.0	0.00	3.54	25.75	51.99	686.24 *	1406.12 *	1672.30 *	1910.27 *	2322.14 *	2842.53 *
-5.0	0.00	3.55	25.82	51.87	674.77 *	1394.30 *	1663.96 *	1903.35 *	2306.99 *	2821.91 *
-7.0	0.00	3.56	25.57	51.72	663.95 *	1383.08 *	1656.04 *	1894.01 *	2280.88 *	2783.76 *
-9.0	0.00	3.57	25.44	51.35	648.32 *	1366.30 *	1645.68 *	1875.25 *	2253.53 *	2732.49 *
-11.0	0.00	3.58	25.25	50.74	627.27 *	1344.34 *	1631.62 *	1852.94 *	2210.36 *	2663.66 *
-13.0	0.00	3.39	25.01	50.15	603.26 *	1317.88 *	1616.45 *	1828.17 *	2143.92 *	2591.20 *
-15.0	0.00	3.34	24.78	49.41	578.13 *	1284.59 *	1595.15 *	1799.91 *	2083.10 *	2466.17 *
-17.0	0.00	3.27	24.43	48.68	541.92	1244.30 *	1564.73 *	1771.28 *	2010.95 *	2342.21 *
-19.5	0.00	3.18	24.00	47.82	489.38	1187.59 *	1523.38 *	1730.97 *	1919.19 *	2188.48 *
-22.5	0.00	3.04	23.36	46.39	410.97	1101.59 *	1464.10 *	1665.14 *	1824.14 *	2023.48 *
-25.5	0.00	2.89	22.58	45.29	356.12	1001.27 *	1365.87 *	1592.99 *	1739.64 *	1878.56 *
-29.0	0.00	2.69	21.63	43.54	273.75	858.06 *	1224.04 *	1492.55 *	1641.32 *	1756.88 *
-33.0	0.00	2.43	20.30	41.70	185.60	671.20 *	1020.95 *	1319.85 *	1506.80 *	1621.68 *
-37.5	0.00	2.15	18.65	39.18	105.31	455.87	761.20 *	1060.85 *	1285.13 *	1449.99 *
-42.5	0.00	1.82	16.71	36.52	59.16	230.69	468.90	718.36 *	943.50 *	1137.10 *
-47.5	0.00	1.50	14.67	32.65	47.05	92.09	206.03	382.83	571.39 *	740.60 *
-55.0	0.00	0.99	11.18	25.87	37.98	45.14	51.81	73.43	129.84	201.22
-65.0	0.00	0.51	6.57	16.36	24.06	29.60	32.75	36.43	38.83	41.45
-75.0	0.00	0.15	2.51	7.09	10.11	12.35	13.90	16.59	18.56	20.13
-85.0	0.00	0.07	0.33	0.88	0.96	1.10	1.29	1.58	1.80	2.03
-90.0	0.00	0.05	0.15	0.20	0.10	0.02	0.01	0.03	0.05	0.06

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0.07	0.08	0.07	0.06	0.05	0.05	0.04	0.03	0.03	0.02
85.0	1.88	2.04	1.95	1.84	1.74	1.63	1.59	1.43	1.27	1.11
75.0	20.83	21.85	22.05	21.96	21.92	21.75	21.60	21.39	21.13	20.98
65.0	42.88	44.28	45.36	45.84	46.14	46.32	46.33	46.18	45.91	45.54
55.0	280.77	348.17	407.88	447.94	480.36	498.43	508.68	516.62	519.81	517.54
47.5	917.87 *	1025.81 *	1124.23 *	1195.62 *	1223.08 *	1246.45 *	1265.07 *	1275.86 *	1282.24 *	1284.20 *
42.5	1323.50 *	1428.61 *	1496.90 *	1544.76 *	1576.94 *	1589.14 *	1596.79 *	1605.92 *	1611.93 *	1614.10 *
37.5	1583.33 *	1642.25 *	1699.20 *	1735.88 *	1766.28 *	1789.34 *	1806.62 *	1818.77 *	1830.65 *	1833.18 *
33.0	1722.80 *	1794.22 *	1868.46 *	1934.96 *	1988.19 *	2043.39 *	2088.41 *	2115.35 *	2131.67 *	2142.70 *
29.0	1857.03 *	1973.49 *	2097.43 *	2221.92 *	2324.40 *	2424.65 *	2507.34 *	2556.75 *	2590.91 *	2607.11 *
25.5	2023.01 *	2190.01 *	2395.41 *	2571.71 *	2707.42 *	2836.29 *	2950.52 *	3035.73 *	3078.58 *	3103.76 *
22.5	2225.23 *	2444.44 *	2687.83 *	2900.53 *	3067.24 *	3216.92 *	3354.15 *	3473.67 *	3525.44 *	3558.06 *
19.5	2457.48 *	2730.07 *	3001.50 *	3237.59 *	3425.52 *	3591.87 *	3742.28 *	3877.73 *	3966.89 *	3999.97 *
17.0	2658.62 *	2969.19 *	3277.18 *	3511.86 *	3704.85 *	3887.04 *	4053.00 *	4197.42 *	4315.28 *	4357.19 *
15.0	2818.13 *	3155.58 *	3485.28 *	3738.29 *	3929.88 *	4105.63 *	4285.26 *	4434.14 *	4558.59 *	4627.59 *
13.0	2966.91 *	3333.26 *	3678.28 *	3945.74 *	4138.52 *	4309.98 *	4486.96 *	4643.53 *	4764.87 *	4845.71 *
11.0	3103.79 *	3495.35 *	3856.22 *	4137.49 *	4342.38 *	4515.09 *	4663.69 *	4811.58 *	4931.00 *	5023.60 *
9.0	3191.36 *	3619.90 *	4019.65 *	4305.31 *	4512.92 *	4686.30 *	4831.73 *	4951.84 *	5062.04 *	5143.89 *
7.0	3267.94 *	3699.93 *	4119.78 *	4443.86 *	4653.57 *	4822.94 *	4965.84 *	5077.73 *	5164.11 *	5250.21 *
5.0	3317.94 *	3761.10 *	4186.16 *	4506.72 *	4730.38 *	4916.42 *	5070.61 *	5173.00 *	5260.35 *	5321.46 *
3.0	3350.98 *	3792.49 *	4221.98 *	4542.05 *	4760.96 *	4948.42 *	5099.86 *	5222.62 *	5317.04 *	5370.89 *
1.0	3363.58 *	3806.45 *	4233.93 *	4554.47 *	4769.72 *	4955.20 *	5103.50 *	5222.14 *	5313.01 *	5380.15 *
0.0	3356.85 *	3799.02 *	4225.35 *	4545.13 *	4759.88 *	4944.82 *	5092.20 *	5209.14 *	5298.44 *	5363.18 *
-1.0	3365.50 *	3808.72 *	4235.60 *	4552.96 *	4767.22 *	4950.80 *	5096.56 *	5211.85 *	5297.46 *	5359.57 *
-3.0	3357.49 *	3799.39 *	4226.38 *	4538.28 *	4754.21 *	4934.53 *	5081.03 *	5191.59 *	5273.54 *	5315.16 *
-5.0	3330.95 *	3772.81 *	4193.56 *	4504.28 *	4718.71 *	4897.96 *	5039.42 *	5128.17 *	5201.40 *	5241.49 *
-7.0	3282.56 *	3721.80 *	4137.65 *	4443.93 *	4644.05 *	4797.12 *	4927.33 *	5024.65 *	5094.06 *	5170.11 *
-9.0	3214.73 *	3642.18 *	4038.79 *	4314.79 *	4502.46 *	4660.23 *	4789.67 *	4891.25 *	4991.30 *	5065.50 *
-11.0	3130.11 *	3522.49 *	3879.29 *	4151.03 *	4340.12 *	4495.59 *	4624.48 *	4754.57 *	4859.29 *	4941.92 *
-13.0	2993.75 *	3357.49 *	3701.88 *	3964.85 *	4147.68 *	4304.92 *	4460.44 *	4592.00 *	4695.89 *	4770.91 *
-15.0	2841.22 *	3176.69 *	3506.98 *	3758.79 *	3947.39 *	4111.76 *	4274.87 *	4401.45 *	4507.96 *	4574.33 *
-17.0	2685.97 *	2987.72 *	3296.00 *	3531.15 *	3723.57 *	3899.83 *	4056.77 *	4184.73 *	4290.30 *	4341.90 *
-19.5	2485.44 *	2750.52 *	3016.92 *	3253.48 *	3437.84 *	3603.86 *	3753.16 *	3878.81 *	3969.14 *	4019.24 *
-22.5	2248.10 *	2473.89 *	2706.56 *	2913.98 *	3074.57 *	3226.58 *	3359.98 *	3476.75 *	3540.82 *	3583.37 *
-25.5	2037.72 *	2212.65 *	2420.88 *	2590.13 *	2721.37 *	2843.35 *	2957.63 *	3039.46 *	3095.68 *	3127.18 *
-29.0	1855.71 *	1980.06 *	2114.89 *	2241.88 *	2342.09 *	2442.75 *	2518.65 *	2574.57 *	2615.21 *	2641.12 *
-33.0	1711.30 *	1784.54 *	1860.84 *	1929.52 *	1989.52 *	2047.69 *	2104.05 *	2136.47 *	2159.17 *	2176.21 *
-37.5	1546.71 *	1616.00 *	1679.40 *	1716.22 *	1747.69 *	1773.34 *	1795.40 *	1814.25 *	1830.02 *	1838.00 *
-42.5	1275.75 *	1377.39 *	1448.54 *	1495.37 *	1529.12 *	1552.08 *	1565.83 *	1580.37 *	1591.93 *	1599.59 *
-47.5	877.44 *	983.08 *	1075.49 *	1142.09 *	1175.67 *	1201.25 *	1223.21 *	1240.38 *	1251.20 *	1256.13 *
-55.0	273.68	337.40	394.20	431.60	457.77	479.22	486.62	490.42	497.54	500.30
-65.0	43.58	44.96	46.24	46.77	47.15	47.43	47.61	47.74	47.75	47.65
-75.0	21.31	22.26	22.62	22.72	22.82	22.79	22.78	22.73	22.63	22.65
-85.0	2.23	2.39	2.33	2.25	2.17	2.08	2.07	1.92	1.77	1.62
-90.0	0.08	0.09	0.09	0.09	0.09	0.09	0.10	0.10	0.10	0.10

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85.0	0.95	0.79	0.71	0.68	0.61	0.55	0.49	0.42	0.36	0.26
75.0	20.51	20.04	19.81	19.63	19.26	18.90	18.23	17.67	17.07	16.43
65.0	45.16	44.50	44.17	44.01	43.70	43.14	42.59	41.99	41.33	40.64

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

CANDELA TABULATION - (Cont.)

55.0	515.26	498.18	489.64	481.16	464.22	433.71	404.17	370.86	333.83	296.03
47.5	1287.96 *	1272.91 *	1265.37 *	1254.50 *	1232.78 *	1191.20 *	1150.77 *	1104.03 *	1050.12 *	991.28 *
42.5	1617.09 *	1609.85 *	1606.22 *	1598.64 *	1583.51 *	1556.29 *	1528.62 *	1495.75 *	1456.83 *	1416.12 *
37.5	1833.14 *	1828.72 *	1824.03 *	1816.39 *	1796.45 *	1772.98 *	1748.04 *	1714.98 *	1680.90 *	1644.97 *
33.0	2143.05 *	2133.85 *	2123.49 *	2110.11 *	2073.09 *	2029.82 *	1981.55 *	1933.99 *	1883.03 *	1826.67 *
29.0	2609.45 *	2597.02 *	2581.05 *	2558.92 *	2495.86 *	2420.00 *	2335.26 *	2243.08 *	2144.65 *	2080.26 *
25.5	3106.58 *	3088.52 *	3067.43 *	3038.44 *	2958.40 *	2862.97 *	2750.08 *	2621.52 *	2510.26 *	2413.07 *
22.5	3557.29 *	3538.24 *	3514.94 *	3481.38 *	3386.50 *	3273.25 *	3137.87 *	2977.92 *	2876.88 *	2756.96 *
19.5	4005.92 *	3989.34 *	3964.42 *	3924.41 *	3812.26 *	3679.98 *	3523.91 *	3387.89 *	3266.89 *	3120.76 *
17.0	4366.62 *	4350.69 *	4324.70 *	4279.18 *	4150.90 *	3999.52 *	3831.02 *	3717.44 *	3584.63 *	3424.51 *
15.0	4631.98 *	4612.43 *	4585.09 *	4535.65 *	4401.99 *	4242.61 *	4097.18 *	3972.76 *	3828.00 *	3652.45 *
13.0	4854.68 *	4842.63 *	4818.94 *	4766.84 *	4623.49 *	4455.69 *	4344.05 *	4215.49 *	4054.86 *	3864.10 *
11.0	5040.97 *	5034.62 *	5014.14 *	4958.24 *	4812.31 *	4674.17 *	4568.92 *	4435.82 *	4262.23 *	4025.25 *
9.0	5187.62 *	5188.85 *	5174.30 *	5113.78 *	4955.31 *	4855.38 *	4757.66 *	4620.91 *	4407.03 *	4162.29 *
7.0	5294.42 *	5305.85 *	5296.69 *	5227.64 *	5067.15 *	5018.82 *	4915.22 *	4731.03 *	4515.92 *	4264.20 *
5.0	5365.57 *	5389.80 *	5386.43 *	5304.88 *	5191.43 *	5138.96 *	4997.56 *	4805.95 *	4597.62 *	4351.62 *
3.0	5410.20 *	5430.15 *	5448.23 *	5324.73 *	5286.19 *	5178.02 *	5028.82 *	4870.42 *	4683.93 *	4461.96 *
1.0	5420.57 *	5448.81 *	5449.61 *	5368.06 *	5308.40 *	5234.71 *	5114.03 *	4956.95 *	4763.36 *	4539.77 *
0.0	5401.83 *	5417.88 *	5410.70 *	5397.79 *	5346.15 *	5260.99 *	5134.68 *	4976.81 *	4782.48 *	4557.79 *
-1.0	5390.05 *	5383.58 *	5446.48 *	5422.35 *	5329.65 *	5249.01 *	5122.43 *	4965.31 *	4771.43 *	4547.72 *
-3.0	5333.48 *	5361.49 *	5415.09 *	5384.29 *	5335.18 *	5212.26 *	5056.48 *	4895.92 *	4708.21 *	4483.53 *
-5.0	5280.92 *	5329.33 *	5352.33 *	5326.09 *	5259.99 *	5187.96 *	5037.00 *	4843.80 *	4630.21 *	4392.16 *
-7.0	5209.94 *	5256.49 *	5268.63 *	5239.80 *	5144.97 *	5081.15 *	4962.65 *	4779.63 *	4563.63 *	4317.22 *
-9.0	5112.57 *	5147.54 *	5150.42 *	5119.12 *	5022.85 *	4929.65 *	4822.13 *	4675.54 *	4465.95 *	4225.34 *
-11.0	4981.20 *	5008.03 *	5006.05 *	4972.98 *	4868.15 *	4759.00 *	4645.46 *	4508.64 *	4342.20 *	4099.49 *
-13.0	4812.99 *	4831.40 *	4825.07 *	4790.21 *	4686.68 *	4552.38 *	4443.32 *	4310.57 *	4143.18 *	3947.89 *
-15.0	4600.91 *	4598.90 *	4584.97 *	4555.60 *	4467.28 *	4344.85 *	4218.89 *	4084.58 *	3928.39 *	3743.01 *
-17.0	4371.94 *	4377.38 *	4364.00 *	4331.24 *	4233.83 *	4111.15 *	3959.94 *	3836.03 *	3685.21 *	3513.05 *
-19.5	4040.94 *	4039.33 *	4023.59 *	3992.04 *	3898.63 *	3782.25 *	3639.10 *	3501.05 *	3362.93 *	3205.33 *
-22.5	3598.76 *	3593.96 *	3577.18 *	3548.77 *	3464.47 *	3363.36 *	3228.71 *	3085.15 *	2967.78 *	2838.03 *
-25.5	3141.91 *	3135.99 *	3119.95 *	3096.11 *	3023.27 *	2932.54 *	2829.40 *	2714.22 *	2599.55 *	2496.22 *
-29.0	2647.97 *	2640.66 *	2628.21 *	2610.02 *	2556.95 *	2492.13 *	2412.46 *	2323.65 *	2231.75 *	2155.76 *
-33.0	2181.22 *	2176.68 *	2168.59 *	2156.65 *	2122.08 *	2080.50 *	2031.60 *	1982.42 *	1930.87 *	1876.09 *
-37.5	1843.41 *	1844.03 *	1841.49 *	1835.71 *	1818.78 *	1798.04 *	1775.91 *	1747.60 *	1718.58 *	1685.03 *
-42.5	1607.82 *	1603.85 *	1601.86 *	1596.44 *	1585.61 *	1561.88 *	1538.26 *	1507.42 *	1470.60 *	1433.44 *
-47.5	1262.38 *	1251.20 *	1245.61 *	1236.68 *	1218.84 *	1182.46 *	1146.65 *	1104.53 *	1056.10 *	997.76 *
-55.0	504.92	491.19	484.33	476.66	461.34	428.03	396.89	361.89	332.54	301.12
-65.0	47.56	47.17	46.98	46.73	46.23	45.47	44.73	43.94	43.08	42.17
-75.0	22.35	22.05	21.90	21.65	21.15	20.65	19.83	19.12	18.37	17.57
-85.0	1.47	1.32	1.24	1.19	1.08	0.97	0.86	0.75	0.65	0.50
-90.0	0.10	0.10	0.10	0.10	0.09	0.08	0.07	0.06	0.05	0.04

Vert. Angles **Horizontal Angles**

	<u>15.0</u>	<u>17.0</u>	<u>19.5</u>	<u>22.5</u>	<u>25.5</u>	<u>29.0</u>	<u>33.0</u>	<u>37.5</u>	<u>42.5</u>	<u>47.5</u>
90.0	0.00	0.00	0.00	0.00	0.01	0.02	0.04	0.05	0.07	0.07
85.0	0.20	0.14	0.07	0.00	0.02	0.04	0.06	0.07	0.08	0.08
75.0	15.80	14.99	13.99	12.81	12.01	11.15	10.09	8.85	7.38	5.18
65.0	39.88	39.09	38.09	36.90	35.92	34.17	31.90	28.93	25.18	19.85
55.0	252.56	211.13	166.45	126.77	94.58	67.61	52.59	46.76	41.34	35.85
47.5	926.99 *	855.15 *	785.61 *	689.48 *	584.73 *	446.65	301.21	157.59	61.46	44.76
42.5	1359.32 *	1302.05 *	1232.99 *	1138.32 *	1014.14 *	856.80 *	653.95 *	389.90	162.97	56.60
37.5	1613.50 *	1584.19 *	1546.16 *	1471.70 *	1378.94 *	1240.34 *	1009.97 *	703.15 *	355.37	116.80
33.0	1793.53 *	1756.92 *	1710.06 *	1648.38 *	1580.86 *	1476.30 *	1277.79 *	966.96 *	576.80 *	224.46
29.0	2011.59 *	1947.62 *	1871.54 *	1792.27 *	1708.64 *	1610.46 *	1452.92 *	1179.07 *	763.18 *	349.31
25.5	2309.17 *	2202.71 *	2071.58 *	1934.45 *	1813.93 *	1695.83 *	1557.34 *	1319.44 *	911.38 *	468.82

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

CANDELA TABULATION - (Cont.)

22.5	2625.66	* 2486.22	* 2307.84	* 2092.71	* 1917.38	* 1772.65	* 1625.80	* 1418.91	* 1028.80	* 585.55	*
19.5	2963.88	* 2794.30	* 2562.39	* 2278.80	* 2036.24	* 1840.31	* 1681.36	* 1499.35	* 1140.02	* 686.21	*
17.0	3249.04	* 3042.17	* 2762.97	* 2437.57	* 2147.10	* 1902.42	* 1721.41	* 1543.97	* 1225.49	* 764.97	*
15.0	3467.36	* 3219.28	* 2911.79	* 2557.72	* 2237.40	* 1950.49	* 1753.97	* 1581.96	* 1287.92	* 821.96	*
13.0	3622.73	* 3373.87	* 3046.51	* 2669.75	* 2320.77	* 2003.59	* 1788.52	* 1612.21	* 1337.68	* 870.31	*
11.0	3774.75	* 3509.52	* 3168.85	* 2765.07	* 2405.00	* 2066.72	* 1827.51	* 1638.35	* 1370.07	* 913.40	*
9.0	3897.94	* 3617.29	* 3270.00	* 2866.24	* 2501.65	* 2133.80	* 1857.36	* 1659.66	* 1402.71	* 953.64	*
7.0	3993.46	* 3713.81	* 3382.88	* 2977.43	* 2592.49	* 2194.23	* 1884.30	* 1678.97	* 1429.10	* 985.60	*
5.0	4107.76	* 3838.89	* 3495.54	* 3069.19	* 2663.96	* 2246.63	* 1909.45	* 1691.64	* 1449.19	* 1009.53	*
3.0	4208.39	* 3935.46	* 3578.68	* 3140.37	* 2722.89	* 2288.32	* 1928.29	* 1702.73	* 1470.08	* 1034.32	*
1.0	4281.52	* 4005.96	* 3637.57	* 3192.94	* 2764.58	* 2318.49	* 1941.75	* 1710.34	* 1474.37	* 1039.51	*
0.0	4299.15	* 4022.40	* 3651.63	* 3204.44	* 2773.74	* 2325.25	* 1944.77	* 1711.91	* 1476.52	* 1042.11	*
-1.0	4289.59	* 4014.00	* 3644.11	* 3197.31	* 2767.40	* 2321.45	* 1943.16	* 1711.28	* 1475.28	* 1039.89	*
-3.0	4232.75	* 3957.94	* 3596.49	* 3153.18	* 2732.01	* 2296.72	* 1932.33	* 1705.67	* 1472.79	* 1035.45	*
-5.0	4145.15	* 3875.64	* 3522.19	* 3089.72	* 2681.07	* 2259.19	* 1915.56	* 1696.88	* 1452.97	* 1011.37	*
-7.0	4048.96	* 3768.15	* 3423.28	* 3005.59	* 2616.73	* 2211.74	* 1892.45	* 1686.85	* 1433.41	* 988.11	*
-9.0	3958.86	* 3677.27	* 3310.20	* 2901.37	* 2532.32	* 2156.09	* 1868.66	* 1669.54	* 1408.47	* 956.75	*
-11.0	3847.58	* 3568.29	* 3216.80	* 2803.98	* 2439.04	* 2091.00	* 1840.15	* 1649.51	* 1377.37	* 917.02	*
-13.0	3699.56	* 3436.33	* 3097.52	* 2710.45	* 2359.29	* 2029.54	* 1802.74	* 1626.92	* 1345.71	* 874.20	*
-15.0	3548.61	* 3278.86	* 2962.11	* 2603.36	* 2277.14	* 1974.92	* 1770.20	* 1600.53	* 1296.73	* 824.32	*
-17.0	3318.33	* 3103.05	* 2813.43	* 2483.67	* 2188.60	* 1926.74	* 1739.95	* 1564.55	* 1233.49	* 767.40	*
-19.5	3035.87	* 2855.35	* 2620.72	* 2329.63	* 2075.96	* 1864.78	* 1702.63	* 1518.26	* 1149.14	* 690.69	*
-22.5	2699.44	* 2553.50	* 2369.68	* 2145.24	* 1950.13	* 1797.65	* 1651.06	* 1435.37	* 1038.20	* 586.80	*
-25.5	2388.54	* 2272.38	* 2129.81	* 1974.37	* 1847.06	* 1724.70	* 1585.66	* 1334.68	* 919.50	* 472.45	
-29.0	2073.70	* 2000.20	* 1913.30	* 1827.15	* 1742.41	* 1644.00	* 1475.88	* 1190.35	* 767.34	* 352.16	
-33.0	1837.84	* 1799.08	* 1748.28	* 1687.30	* 1615.80	* 1503.77	* 1291.53	* 973.94	* 576.69	* 228.49	
-37.5	1653.71	* 1620.79	* 1578.68	* 1500.14	* 1400.03	* 1253.14	* 1016.08	* 703.38	* 358.44	* 119.89	
-42.5	1378.99	* 1320.90	* 1248.46	* 1153.71	* 1023.98	* 861.67	* 653.59	* 391.54	* 165.28	* 59.52	
-47.5	935.47	* 866.26	* 793.96	* 695.21	* 588.26	* 448.24	* 306.05	* 159.09	* 63.87	* 46.82	
-55.0	262.07	* 221.86	* 176.11	* 134.49	* 100.80	* 71.12	* 54.83	* 49.12	* 42.80	* 36.81	
-65.0	41.20	* 40.21	* 38.98	* 37.80	* 36.75	* 35.04	* 32.82	* 29.79	* 25.86	* 20.67	
-75.0	16.79	* 15.91	* 14.83	* 13.64	* 12.95	* 12.03	* 10.95	* 9.50	* 7.77	* 5.59	
-85.0	0.39	* 0.28	* 0.15	* 0.01	* 0.04	* 0.07	* 0.10	* 0.11	* 0.12	* 0.09	
-90.0	0.03	* 0.02	* 0.01	* 0.00	* 0.01	* 0.03	* 0.05	* 0.07	* 0.10	* 0.10	

Vert. Angles	Horizontal Angles				
	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0.04	0.01	0.02	0.05	0.06
85.0	0.07	0.01	0.03	0.05	0.06
75.0	2.31	0.09	0.05	0.07	0.06
65.0	12.06	3.72	0.27	0.08	0.06
55.0	24.75	10.69	1.94	0.07	0.06
47.5	33.86	17.23	4.31	0.11	0.06
42.5	38.28	21.39	5.86	0.12	0.06
37.5	42.19	25.26	7.66	0.10	0.06
33.0	46.89	28.98	9.44	0.13	0.06
29.0	53.35	31.69	10.79	0.15	0.06
25.5	67.80	33.93	11.75	0.17	0.06
22.5	89.46	35.43	12.53	0.18	0.06
19.5	121.84	36.88	13.24	0.19	0.06
17.0	150.54	37.79	13.76	0.19	0.06
15.0	175.09	38.28	14.19	0.20	0.06
13.0	202.01	38.39	14.52	0.20	0.06
11.0	222.95	38.49	14.86	0.21	0.06
9.0	242.53	39.33	15.16	0.21	0.06

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES****CANDELA TABULATION - (Cont.)**

7.0	259.67	40.07	15.41	0.21	0.06
5.0	273.44	40.68	15.76	0.22	0.06
3.0	287.80	41.35	15.83	0.22	0.06
1.0	291.00	41.51	15.91	0.22	0.06
0.0	292.61	41.59	15.95	0.22	0.06
-1.0	291.14	41.54	15.92	0.22	0.06
-3.0	288.22	41.43	15.85	0.22	0.06
-5.0	274.11	40.81	15.78	0.22	0.06
-7.0	260.57	40.25	15.45	0.21	0.06
-9.0	243.62	39.56	15.21	0.21	0.06
-11.0	224.22	38.76	14.93	0.21	0.06
-13.0	203.42	38.70	14.61	0.20	0.06
-15.0	176.76	38.64	14.30	0.20	0.06
-17.0	152.54	38.18	13.88	0.19	0.06
-19.5	124.14	37.31	13.36	0.19	0.06
-22.5	91.32	35.86	12.64	0.18	0.06
-25.5	70.05	34.41	11.82	0.17	0.06
-29.0	56.28	32.09	10.88	0.15	0.06
-33.0	49.25	29.36	9.58	0.13	0.06
-37.5	43.82	25.65	7.77	0.10	0.06
-42.5	39.57	21.87	5.93	0.12	0.06
-47.5	34.82	17.56	4.41	0.11	0.06
-55.0	25.38	11.16	2.04	0.07	0.06
-65.0	12.54	3.89	0.29	0.08	0.06
-75.0	2.56	0.13	0.05	0.07	0.06
-85.0	0.05	0.01	0.03	0.05	0.06
-90.0	0.06	0.01	0.02	0.05	0.06

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES****LUMEN TABULATION**

Average Of Right And Left Sides

Total Luminaire Lumens (one side of beam only) = 3046.67

Total Field Lumens (one side of beam only) = 2908.9

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>0</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>7</u>	<u>9</u>	<u>11</u>	<u>13</u>	<u>15</u>	<u>17</u>
90										
85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75	0.03	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.07
65	0.10	0.20	0.20	0.19	0.19	0.19	0.19	0.18	0.18	0.22
55	0.81	1.63	1.60	1.55	1.50	1.43	1.35	1.26	1.14	1.27
47.5	2.00 *	4.00 *	3.95 *	3.85 *	3.75 *	3.61 *	3.46 *	3.28 *	3.07 *	3.52
42.5	2.19 *	4.36 *	4.32 *	4.25 *	4.17 *	4.07 *	3.95 *	3.82 *	3.65 *	4.31 *
37.5	2.61 *	5.21 *	5.17 *	5.11 *	5.04 *	4.94 *	4.83 *	4.71 *	4.57 *	5.49 *
33	2.70 *	5.39 *	5.34 *	5.27 *	5.18 *	5.08 *	4.95 *	4.81 *	4.67 *	5.63 *
29	2.86 *	5.70 *	5.63 *	5.53 *	5.40 *	5.24 *	5.06 *	4.87 *	4.68 *	5.57 *
25.5	3.01 *	5.98 *	5.89 *	5.76 *	5.60 *	5.40 *	5.18 *	4.94 *	4.69 *	5.50 *
22.5	3.01 *	5.97 *	5.88 *	5.75 *	5.57 *	5.35 *	5.12 *	4.86 *	4.58 *	5.32 *
19.5	3.41 *	6.78 *	6.67 *	6.51 *	6.31 *	6.06 *	5.79 *	5.49 *	5.16 *	5.96 *
17	3.15 *	6.26 *	6.15 *	6.00 *	5.81 *	5.59 *	5.34 *	5.06 *	4.75 *	5.47 *
15	2.71 *	5.38 *	5.28 *	5.15 *	5.00 *	4.81 *	4.59 *	4.35 *	4.08 *	4.69 *
13	2.86 *	5.67 *	5.57 *	5.44 *	5.28 *	5.09 *	4.85 *	4.59 *	4.31 *	4.95 *
11	2.99 *	5.93 *	5.82 *	5.70 *	5.54 *	5.34 *	5.09 *	4.82 *	4.52 *	5.19 *
9	3.10 *	6.13 *	6.03 *	5.91 *	5.75 *	5.55 *	5.30 *	5.01 *	4.70 *	5.40 *
7	3.18 *	6.29 *	6.19 *	6.08 *	5.92 *	5.71 *	5.46 *	5.17 *	4.85 *	5.58 *
5	3.24 *	6.42 *	6.33 *	6.22 *	6.05 *	5.84 *	5.59 *	5.30 *	4.98 *	5.73 *
3	3.28 *	6.50 *	6.42 *	6.30 *	6.13 *	5.93 *	5.68 *	5.39 *	5.07 *	5.84 *
1	3.30 *	6.54 *	6.47 *	6.35 *	6.19 *	5.99 *	5.74 *	5.46 *	5.13 *	5.91 *
0	1.65 *	3.28 *	3.24 *	3.19 *	3.11 *	3.01 *	2.89 *	2.74 *	2.58 *	2.97 *
-1	1.65 *	3.28 *	3.24 *	3.19 *	3.11 *	3.01 *	2.89 *	2.74 *	2.58 *	2.97 *
	3.30 *	6.54 *	6.46 *	6.34 *	6.19 *	5.99 *	5.75 *	5.46 *	5.14 *	5.92 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

LUMENS TABULATION - (Cont.)

-3	3.27 *	6.49 *	6.41 *	6.29 *	6.13 *	5.93 *	5.69 *	5.40 *	5.08 *	5.86 *
-5	3.23 *	6.40 *	6.32 *	6.21 *	6.04 *	5.84 *	5.60 *	5.31 *	5.00 *	5.76 *
-7	3.17 *	6.28 *	6.19 *	6.08 *	5.92 *	5.72 *	5.47 *	5.19 *	4.88 *	5.63 *
-9	3.09 *	6.12 *	6.03 *	5.91 *	5.75 *	5.56 *	5.32 *	5.04 *	4.74 *	5.45 *
-11	2.99 *	5.93 *	5.83 *	5.71 *	5.55 *	5.36 *	5.13 *	4.86 *	4.56 *	5.25 *
-13	2.86 *	5.68 *	5.59 *	5.47 *	5.32 *	5.13 *	4.90 *	4.65 *	4.36 *	5.01 *
-15	2.72 *	5.41 *	5.32 *	5.20 *	5.05 *	4.87 *	4.65 *	4.40 *	4.13 *	4.75 *
-17	3.19 *	6.33 *	6.23 *	6.08 *	5.89 *	5.67 *	5.42 *	5.12 *	4.81 *	5.53 *
-19.5	3.47 *	6.89 *	6.78 *	6.62 *	6.41 *	6.16 *	5.88 *	5.57 *	5.23 *	6.04 *
-22.5	3.06 *	6.07 *	5.98 *	5.84 *	5.66 *	5.44 *	5.20 *	4.94 *	4.66 *	5.41 *
-25.5	3.06 *	6.09 *	6.00 *	5.87 *	5.70 *	5.50 *	5.28 *	5.03 *	4.77 *	5.59 *
-29	2.92 *	5.81 *	5.74 *	5.64 *	5.50 *	5.34 *	5.16 *	4.96 *	4.75 *	5.64 *
-33	2.75 *	5.47 *	5.42 *	5.35 *	5.25 *	5.14 *	5.00 *	4.86 *	4.71 *	5.67 *
-37.5	2.62 *	5.23 *	5.19 *	5.12 *	5.05 *	4.95 *	4.84 *	4.71 *	4.56 *	5.47 *
-42.5	2.17 *	4.32 *	4.28 *	4.21 *	4.13 *	4.03 *	3.91 *	3.77 *	3.60 *	4.24 *
-47.5	1.97 *	3.94 *	3.88 *	3.78 *	3.67 *	3.54 *	3.40 *	3.22 *	3.02 *	3.46
-55	0.81	1.61	1.58	1.52	1.46	1.39	1.33	1.24	1.13	1.26
-65	0.10	0.21	0.21	0.21	0.20	0.20	0.20	0.19	0.19	0.22
-75	0.04	0.07	0.07	0.07	0.07	0.07	0.06	0.06	0.06	0.07
-85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	104.65	207.85	204.98	200.89	195.59	189.13	181.54	172.92	163.38	189.84

Vert. Horizontal Angles

Angles	19.5	22.5	25.5	29	33	37.5	42.5	47.5	55	65
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85	0.08	0.07	0.08	0.08	0.08	0.07	0.05	0.05	0.04	0.01
75	0.25	0.24	0.26	0.27	0.26	0.24	0.19	0.20	0.14	0.04
65	1.29	1.05	0.94	0.76	0.58	0.48	0.38	0.41	0.29	0.10
55	3.74	3.18	2.99	2.49	1.81	1.12	0.57	0.47	0.33	0.11

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

LUMENS TABULATION - (Cont.)

47.5											
	4.76 *	4.24 *	4.20 *	3.77 *	2.94	1.89	0.89	0.53	0.27	0.10	
42.5	6.21 *	5.73 *	5.96 *	5.70 *	4.82 *	3.43	1.78	0.99	0.34	0.11	
37.5	6.42 *	6.02 *	6.46 *	6.46 *	5.84 *	4.51 *	2.57	1.49	0.43	0.11	
33	6.29 *	5.88 *	6.33 *	6.48 *	6.12 *	5.04 *	3.10	1.92	0.53	0.11	
29	6.09 *	5.58 *	5.95 *	6.10 *	5.89 *	5.07 *	3.30 *	2.16	0.60	0.10	
25.5	5.80 *	5.21 *	5.45 *	5.52 *	5.36 *	4.74 *	3.23 *	2.20	0.62	0.09	
22.5	6.43 *	5.69 *	5.84 *	5.81 *	5.61 *	5.04 *	3.55 *	2.52	0.73	0.09	
19.5	5.87 *	5.14 *	5.19 *	5.07 *	4.85 *	4.38 *	3.16 *	2.33	0.70	0.08	
17	5.02 *	4.38 *	4.38 *	4.21 *	3.98 *	3.61 *	2.65 *	2.00	0.62	0.07	
15	5.30 *	4.60 *	4.57 *	4.36 *	4.07 *	3.69 *	2.74 *	2.10	0.66	0.07	
13	5.55 *	4.81 *	4.75 *	4.49 *	4.16 *	3.76 *	2.81 *	2.19 *	0.70	0.07	
11	5.77 *	5.00 *	4.92 *	4.61 *	4.23 *	3.81 *	2.87 *	2.27 *	0.73	0.07	
9	5.96 *	5.16 *	5.06 *	4.71 *	4.29 *	3.86 *	2.92 *	2.33 *	0.76	0.07	
7	6.12 *	5.29 *	5.18 *	4.80 *	4.34 *	3.90 *	2.96 *	2.38 *	0.78	0.07	
5	6.24 *	5.39 *	5.27 *	4.87 *	4.38 *	3.93 *	2.99 *	2.42 *	0.80	0.07	
3	6.31 *	5.45 *	5.33 *	4.91 *	4.40 *	3.94 *	3.01 *	2.44 *	0.81	0.07	
1	3.17 *	2.74 *	2.68 *	2.46 *	2.21 *	1.97 *	1.50 *	1.22 *	0.41	0.04	
0	3.17 *	2.74 *	2.68 *	2.46 *	2.21 *	1.97 *	1.50 *	1.22 *	0.41	0.04	
-1	6.33 *	5.46 *	5.34 *	4.92 *	4.41 *	3.95 *	3.01 *	2.44 *	0.81	0.07	
-3	6.26 *	5.41 *	5.29 *	4.88 *	4.39 *	3.93 *	2.99 *	2.42 *	0.80	0.07	
-5	6.16 *	5.32 *	5.21 *	4.82 *	4.36 *	3.90 *	2.96 *	2.38 *	0.78	0.07	
-7	6.01 *	5.20 *	5.10 *	4.75 *	4.31 *	3.87 *	2.92 *	2.33 *	0.76	0.07	
-9	5.83 *	5.05 *	4.97 *	4.65 *	4.26 *	3.82 *	2.87 *	2.26 *	0.73	0.07	
-11	5.61 *	4.87 *	4.81 *	4.54 *	4.18 *	3.77 *	2.81 *	2.18 *	0.70	0.07	
-13	5.36 *	4.66 *	4.63 *	4.40 *	4.10 *	3.71 *	2.73 *	2.09	0.66	0.07	
-15	5.08 *	4.43 *	4.43 *	4.26 *	4.01 *	3.62 *	2.64 *	1.99	0.62	0.07	
-17	5.94 *	5.21 *	5.26 *	5.12 *	4.88 *	4.39 *	3.15 *	2.32	0.70	0.08	
-19.5	6.53 *	5.78 *	5.91 *	5.86 *	5.64 *	5.04 *	3.53 *	2.51	0.73	0.09	

IES FLOOD REPORT
 PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

LUMENS TABULATION - (Cont.)

-22.5	5.90 *	5.29 *	5.51 *	5.57 *	5.38 *	4.73 *	3.21 *	2.19	0.62	0.09
-25.5	6.19 *	5.65 *	6.01 *	6.14 *	5.90 *	5.05 *	3.28 *	2.15	0.61	0.10
-29	6.36 *	5.93 *	6.37 *	6.50 *	6.09 *	5.00 *	3.07	1.91	0.54	0.11
-33	6.46 *	6.04 *	6.45 *	6.42 *	5.76 *	4.45 *	2.54	1.49	0.44	0.11
-37.5	6.19 *	5.68 *	5.89 *	5.61 *	4.74 *	3.37	1.76	0.99	0.35	0.11
-42.5	4.68 *	4.16 *	4.12 *	3.70 *	2.89	1.86	0.90	0.54	0.27	0.10
-47.5	3.67	3.12	2.93	2.47	1.81	1.13	0.59	0.49	0.33	0.12
-55	1.29	1.05	0.95	0.79	0.62	0.50	0.38	0.41	0.30	0.10
-65	0.26	0.24	0.26	0.27	0.27	0.25	0.20	0.21	0.15	0.05
-75	0.08	0.08	0.08	0.09	0.08	0.07	0.06	0.06	0.04	0.01
-85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
-90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Total	206.03	182.25	183.99	176.15	160.57	136.88	94.30	69.22	22.68	3.30

Vert. Angles	Horizontal Angles			
	<u>75</u>	<u>85</u>	<u>90</u>	<u>Total</u>
90				
	0.00	0.00	0.03	
85				
	0.00	0.00	1.20	
75				
	0.01	0.00	3.94	
65				
	0.01	0.00	19.84	
55				
	0.02	0.00	51.33	
47.5				
	0.01	0.00	62.68	
42.5				
	0.02	0.00	82.77	
37.5				
	0.02	0.00	89.35	
33				
	0.02	0.00	92.37	
29				
	0.02	0.00	92.84	
25.5				
	0.02	0.00	89.65	
22.5				
	0.02	0.00	99.47	
19.5				
	0.01	0.00	90.35	
17				
	0.01	0.00	76.97	

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES****LUMENS TABULATION - (Cont.)**

15	0.01	0.00	80.81
13	0.01	0.00	84.22
11	0.01	0.00	87.17
9	0.01	0.00	89.59
7	0.01	0.00	91.51
5	0.01	0.00	92.91
3	0.01	0.00	93.79
1	0.01	0.00	47.06
0	0.01	0.00	47.07
-1	0.01	0.00	93.82
-3	0.01	0.00	92.99
-5	0.01	0.00	91.67
-7	0.01	0.00	89.85
-9	0.01	0.00	87.52
-11	0.01	0.00	84.70
-13	0.01	0.00	81.39
-15	0.01	0.00	77.67
-17	0.01	0.00	91.36
-19.5	0.02	0.00	100.70
-22.5	0.02	0.00	90.78
-25.5	0.02	0.00	93.99
-29	0.02	0.00	93.35
-33	0.02	0.00	89.80
-37.5	0.02	0.00	82.47
-42.5	0.01	0.00	61.91
-47.5	0.02	0.00	50.56
-55	0.01	0.00	19.75
-65	0.01	0.00	4.10


IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES****LUMENS TABULATION - (Cont.)**

-75	0.00	0.00	1.30
-85	0.00	0.00	0.04
-90			
Total	0.54	0.01	3046.66

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-60DB-50K.IES

AXIAL CANDELA DISPLAY




Maximum Candela = 5449.61 Located At Horizontal Angle = 0, Vertical Angle = 1

H - Horizontal Axial Candela

V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 5449.61 Located At Horizontal Angle = 0, Vertical Angle = 1
50% Maximum Candela = 2724.805
10% Maximum Candela = 544.961



IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

DESCRIPTIVE INFORMATION (From Photometric File)

IESNA:LM-63-2002

[TEST] 173032

[TESTLAB] RADIANT IMAGING PROSOURCE

[TESTDATE] 06-10-2017

[ISSUEDATE] 06-10-2017

[MANUFAC] LARSON ELECTRONICS LLC

[LUMCAT] SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K

[MORE] IRON X SERIES

[LUMINAIRE] CLASS 1 DIV 1 EXPLOSION PROOF SOLAR LED STREET LIGHT FIXTURE

[MORE] 125 DEGREE BEAM, CLASS 1 DIV 2 SOLAR ARRAY, 5000K

[LAMP] CREE CXB1512

[LAMPPOSITION] 0,0

[OTHER] EVERFINE GO-R5000 V2

[_SEARCH_]SOURCETYPE] LED

[_SEARCH_]APPLICATION] INDOOR, OUTDOOR, HARBOR, INDUSTRIAL, WATER TREATMENT, OIL FIELD, REFINERY, HIGH

[_SEARCH_]MOUNTING] CEILING, SURFACE

[_SEARCH_]CERTIFICATION] NEC, UL

[_SEARCH_]COLORTEMP] 5000K

[_SEARCH_]CRI] 85

[_SEARCH_]CLASSIFICATION] CLASS II, DIVISION 1, DIVISION 2, GROUP E, GROUP F, GROUP G, IP67,

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	6 H x 6 V
Maximum Candela	3074.64
Maximum Candela Angle	0H -1V
Horizontal Beam Angle (50%)	96.1
Vertical Beam Angle (50%)	96.8
Horizontal Field Angle (10%)	127.5
Vertical Field Angle (10%)	128.3
Lumens Per Lamp	6257.03 (1 lamp)
Total Lamp Lumens	6257.03
Beam Lumens	4911
Beam Efficiency	78 %
Field Lumens	6020
Field Efficiency	96 %
Spill Lumens	272
Luminaire Lumens	6291
Total Efficiency	101 %
Total Luminaire Watts	48.66
Ballast Factor	1.00

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES****AXIAL CANDELA**

DEG.	HOR.	DEG.	VERT.
90	.3	90	0
85	9.12	85	1.06
75	138.7	75	95.46
65	292.78	65	255.71
55	1062.09	55	704.64
47.5	1836.47	47.5	1562.11
42.5	2078.52	42.5	1993.14
37.5	2257.13	37.5	2199.7
33	2430.93	33	2359.09
29	2586.4	29	2517.84
25.5	2701.91	25.5	2652.02
22.5	2781.39	22.5	2747.43
19.5	2849.41	19.5	2825.61
17	2898.75	17	2881.61
15	2934.02	15	2922.01
13	2964.15	13	2957.6
11	2990.14	11	2990.46
9	3009.79	9	3017.21
7	3024.63	7	3039.27
5	3033.48	5	3056.08
3	3037.85	3	3067.97
1	3037.85	1	3073.1
0	3042.84	0	3042.84
-1	3034.46	-1	3074.64
-3	3025.51	-3	3072.23
-5	3010.66	-5	3065.13
-7	2991.11	-7	3053.02
-9	2965.68	-9	3034.78
-11	2936.86	-11	3011.75
-13	2901.81	-13	2982.27
-15	2864.47	-15	2950.5
-17	2821.45	-17	2912.84
-19.5	2759.88	-19.5	2860.22
-22.5	2671.99	-22.5	2785.75
-25.5	2566.42	-25.5	2695.14
-29	2430.17	-29	2565.23
-33	2286.06	-33	2404.52
-37.5	2127.43	-37.5	2241.73
-42.5	1852.85	-42.5	2063.12
-47.5	1361.23	-47.5	1721.62
-55	558.14	-55	874.41
-65	232.4	-65	275.97
-75	82.3	-75	119.92
-85	.83	-85	5.72
-90	0	-90	.26

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES****CANDELA TABULATION**

Maximum Candela = 3074.64

Beam Edge = 1537.32 Cd (50% of Max.)

Field Edge = 307.464 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	-90.0	-85.0	-75.0	-65.0	-55.0	-47.5	-42.5	-37.5	-33.0	-29.0
90.0	0.00	0.04	0.13	0.17	0.08	0.02	0.03	0.08	0.13	0.17
85.0	0.00	0.05	0.16	0.25	0.18	0.11	0.17	0.47	0.77	1.07
75.0	0.00	0.05	0.71	3.74	13.64	22.18	30.31	43.16	55.69	66.71
65.0	0.00	0.06	3.37	30.57	73.26	108.34	130.79	158.40	181.98	200.26
55.0	0.00	0.07	13.19	77.63	154.97	207.74	235.80	263.59	289.15	320.64 *
47.5	0.00	0.16	25.52	115.31	210.55	265.65	300.71	390.79 *	559.12 *	728.43 *
42.5	0.00	0.26	33.77	139.26	239.81	303.63	428.38 *	646.30 *	899.85 *	1151.29 *
37.5	0.00	0.38	44.20	161.03	267.20	405.91 *	659.61 *	994.58 *	1298.77 *	1566.50 *
33.0	0.00	0.47	52.38	178.63	287.32	557.04 *	917.53 *	1313.53 *	1633.03 *	1852.84 *
29.0	0.00	0.56	59.71	192.17	311.16 *	718.87 *	1147.31 *	1573.06 *	1861.59 *	2032.95 *
25.5	0.00	0.63	64.48	203.08	343.73 *	863.06 *	1333.65 *	1746.98 *	1995.29 *	2130.43 *
22.5	0.00	0.68	68.85	209.69	376.20 *	970.84 *	1480.80 *	1869.80 *	2077.45 *	2200.51 *
19.5	0.00	0.72	72.57	216.12	414.29 *	1073.04 *	1585.67 *	1964.24 *	2140.74 *	2255.70 *
17.0	0.00	0.76	75.13	220.04	445.54 *	1146.21 *	1658.61 *	2010.56 *	2181.52 *	2299.62 *
15.0	0.00	0.78	77.20	223.00	467.98 *	1198.29 *	1719.46 *	2041.62 *	2208.62 *	2332.72 *
13.0	0.00	0.80	78.47	225.56	489.94 *	1243.07 *	1758.93 *	2066.64 *	2230.37 *	2363.66 *
11.0	0.00	0.87	79.78	227.70	508.45 *	1280.63 *	1786.40 *	2087.74 *	2251.11 *	2385.49 *
9.0	0.00	0.86	80.83	229.49	525.05 *	1309.57 *	1813.89 *	2104.09 *	2266.23 *	2403.36 *
7.0	0.00	0.85	81.61	230.88	540.37 *	1332.69 *	1833.99 *	2118.63 *	2274.42 *	2417.95 *
5.0	0.00	0.85	82.94	231.85	551.17 *	1349.96 *	1846.34 *	2123.87 *	2282.03 *	2427.57 *
3.0	0.00	0.84	82.68	232.89	562.56 *	1368.72 *	1859.73 *	2127.86 *	2286.49 *	2432.14 *
1.0	0.00	0.83	82.43	232.56	559.61 *	1363.73 *	1855.15 *	2128.90 *	2287.67 *	2432.60 *
0.0	0.00	0.83	82.30	232.40	558.14 *	1361.23 *	1852.85 *	2127.43 *	2286.06 *	2430.17 *
-1.0	0.00	0.83	82.52	232.71	561.19 *	1366.16 *	1856.49 *	2129.13 *	2287.93 *	2433.04 *
-3.0	0.00	0.85	82.97	233.33	567.27 *	1376.02 *	1863.76 *	2128.62 *	2287.24 *	2433.45 *
-5.0	0.00	0.86	83.41	232.57	558.85 *	1362.18 *	1853.56 *	2125.29 *	2283.27 *	2429.71 *
-7.0	0.00	0.87	82.30	231.89	550.89 *	1349.85 *	1844.76 *	2120.87 *	2275.86 *	2420.80 *
-9.0	0.00	0.88	81.72	230.80	538.16 *	1331.71 *	1829.92 *	2107.95 *	2267.29 *	2406.73 *
-11.0	0.00	0.89	80.89	229.29	524.00 *	1307.78 *	1808.11 *	2093.59 *	2253.57 *	2389.23 *
-13.0	0.00	0.82	79.81	227.50	507.71 *	1275.34 *	1784.30 *	2075.06 *	2232.95 *	2367.41 *
-15.0	0.00	0.80	78.77	225.34	487.27 *	1235.66 *	1751.61 *	2053.12 *	2211.68 *	2335.79 *
-17.0	0.00	0.78	76.86	222.68	464.92 *	1190.82 *	1697.91 *	2026.28 *	2185.06 *	2303.52 *
-19.5	0.00	0.75	74.47	219.01	435.08 *	1122.24 *	1633.82 *	1986.58 *	2146.85 *	2259.79 *
-22.5	0.00	0.71	70.99	213.09	395.99 *	1025.55 *	1540.05 *	1905.29 *	2092.09 *	2205.85 *
-25.5	0.00	0.65	66.89	207.40	360.85 *	922.42 *	1399.34 *	1799.34 *	2021.34 *	2139.90 *
-29.0	0.00	0.59	62.36	196.72	324.36 *	779.93 *	1223.70 *	1641.18 *	1907.87 *	2058.52 *
-33.0	0.00	0.51	55.16	183.87	294.88	605.49 *	993.78 *	1396.03 *	1706.69 *	1907.62 *
-37.5	0.00	0.42	47.42	167.18	274.04	445.90 *	731.17 *	1089.08 *	1394.10 *	1654.01 *
-42.5	0.00	0.31	37.49	145.59	246.93	319.79 *	474.13 *	727.77 *	1000.49 *	1260.63 *
-47.5	0.00	0.22	28.08	122.16	218.83	272.93	318.04 *	436.98 *	622.79 *	832.43 *
-55.0	0.00	0.13	15.36	85.30	165.02	216.62	243.45	271.43	302.07	352.10 *
-65.0	0.00	0.07	4.78	35.34	83.21	120.27	143.99	171.74	194.40	211.98
-75.0	0.00	0.06	0.90	6.11	18.14	29.27	39.62	54.26	67.89	79.45
-85.0	0.00	0.06	0.18	0.29	0.35	0.28	0.49	1.09	1.68	2.30
-90.0	0.00	0.04	0.11	0.15	0.08	0.02	0.03	0.08	0.13	0.17

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0.21	0.24	0.21	0.18	0.16	0.14	0.12	0.10	0.07	0.05
85.0	1.35	1.57	1.51	1.46	1.42	1.38	1.40	1.34	1.28	1.21
75.0	75.04	82.17	86.27	88.78	90.87	92.19	93.54	94.56	95.28	96.57
65.0	215.80	226.13	234.46	238.86	242.37	245.56	248.28	250.60	252.52	254.00
55.0	367.01 *	409.53 *	478.79 *	524.44 *	559.38 *	593.89 *	621.15 *	646.70 *	667.61 *	683.99 *
47.5	895.87 *	1038.67 *	1170.75 *	1271.20 *	1332.31 *	1383.81 *	1429.90 *	1469.83 *	1502.14 *	1527.84 *
42.5	1357.78 *	1524.83 *	1654.24 *	1753.78 *	1821.94 *	1868.44 *	1898.74 *	1929.20 *	1953.21 *	1970.34 *
37.5	1760.03 *	1894.33 *	1997.55 *	2051.35 *	2092.15 *	2120.11 *	2141.33 *	2159.43 *	2176.02 *	2185.67 *
33.0	1997.95 *	2087.91 *	2156.15 *	2202.82 *	2237.85 *	2269.31 *	2296.22 *	2315.25 *	2330.04 *	2343.12 *
29.0	2127.17 *	2205.05 *	2268.20 *	2319.88 *	2358.64 *	2398.52 *	2431.04 *	2457.69 *	2479.77 *	2497.01 *
25.5	2216.23 *	2286.72 *	2360.48 *	2421.85 *	2470.18 *	2513.78 *	2554.65 *	2585.85 *	2610.00 *	2628.76 *
22.5	2286.73 *	2359.82 *	2440.24 *	2509.37 *	2560.06 *	2607.64 *	2649.14 *	2685.12 *	2708.11 *	2725.58 *
19.5	2352.09 *	2437.49 *	2518.63 *	2588.48 *	2640.32 *	2686.83 *	2727.31 *	2761.77 *	2787.00 *	2804.51 *
17.0	2405.07 *	2498.25 *	2584.72 *	2647.85 *	2697.63 *	2741.45 *	2780.48 *	2812.69 *	2841.38 *	2858.89 *
15.0	2445.83 *	2542.50 *	2630.36 *	2694.12 *	2738.23 *	2777.36 *	2816.23 *	2848.31 *	2876.80 *	2897.47 *
13.0	2483.39 *	2581.93 *	2670.12 *	2731.36 *	2772.82 *	2808.19 *	2845.14 *	2878.91 *	2907.76 *	2931.59 *
11.0	2513.74 *	2616.60 *	2703.58 *	2763.50 *	2805.05 *	2839.72 *	2870.94 *	2903.74 *	2934.24 *	2961.08 *
9.0	2536.34 *	2642.52 *	2731.21 *	2789.81 *	2830.09 *	2866.13 *	2897.02 *	2924.35 *	2954.81 *	2981.58 *
7.0	2551.90 *	2658.89 *	2747.38 *	2809.64 *	2851.08 *	2887.05 *	2918.90 *	2946.65 *	2970.14 *	2998.80 *
5.0	2563.18 *	2670.43 *	2757.95 *	2819.52 *	2862.61 *	2901.00 *	2936.36 *	2963.40 *	2988.36 *	3007.91 *
3.0	2568.74 *	2674.56 *	2762.52 *	2824.22 *	2867.15 *	2905.70 *	2940.48 *	2971.56 *	2997.66 *	3017.38 *
1.0	2569.24 *	2674.87 *	2762.65 *	2824.26 *	2867.49 *	2905.04 *	2940.24 *	2969.92 *	2995.78 *	3016.79 *
0.0	2566.42 *	2671.99 *	2759.88 *	2821.45 *	2864.47 *	2901.81 *	2936.86 *	2965.68 *	2991.11 *	3010.66 *
-1.0	2569.64 *	2675.07 *	2762.66 *	2824.03 *	2866.78 *	2904.24 *	2938.85 *	2967.66 *	2992.68 *	3011.59 *
-3.0	2570.00 *	2675.25 *	2762.58 *	2823.68 *	2865.58 *	2903.38 *	2936.62 *	2965.51 *	2988.55 *	3003.01 *
-5.0	2565.38 *	2671.81 *	2758.17 *	2818.82 *	2860.84 *	2897.61 *	2930.53 *	2953.94 *	2974.58 *	2987.77 *
-7.0	2555.12 *	2660.88 *	2748.21 *	2808.84 *	2848.82 *	2882.04 *	2911.45 *	2935.35 *	2954.25 *	2975.57 *
-9.0	2540.56 *	2645.13 *	2732.36 *	2788.90 *	2827.93 *	2861.00 *	2888.93 *	2912.05 *	2937.19 *	2957.49 *
-11.0	2518.90 *	2619.95 *	2705.08 *	2762.67 *	2802.40 *	2834.84 *	2862.88 *	2891.13 *	2915.99 *	2937.00 *
-13.0	2488.52 *	2586.39 *	2672.61 *	2731.72 *	2770.60 *	2804.05 *	2837.20 *	2866.24 *	2890.39 *	2911.95 *
-15.0	2451.30 *	2548.09 *	2632.80 *	2695.12 *	2736.93 *	2772.99 *	2808.26 *	2836.90 *	2861.49 *	2886.88 *
-17.0	2410.23 *	2503.56 *	2588.57 *	2650.00 *	2697.36 *	2738.06 *	2772.74 *	2802.14 *	2826.42 *	2855.44 *
-19.5	2356.39 *	2443.03 *	2524.65 *	2591.48 *	2641.42 *	2685.12 *	2721.62 *	2752.49 *	2779.94 *	2808.17 *
-22.5	2291.20 *	2364.71 *	2445.51 *	2513.57 *	2563.64 *	2608.43 *	2646.91 *	2680.15 *	2710.91 *	2738.79 *
-25.5	2222.54 *	2291.30 *	2364.35 *	2426.43 *	2473.71 *	2517.17 *	2555.37 *	2591.41 *	2622.40 *	2649.43 *
-29.0	2138.51 *	2211.08 *	2271.71 *	2322.29 *	2362.18 *	2400.82 *	2436.03 *	2469.62 *	2499.18 *	2523.93 *
-33.0	2029.98 *	2104.79 *	2163.43 *	2207.26 *	2240.43 *	2271.15 *	2302.09 *	2328.56 *	2349.52 *	2369.91 *
-37.5	1830.76 *	1944.36 *	2028.38 *	2072.22 *	2103.45 *	2131.65 *	2155.66 *	2177.23 *	2198.67 *	2213.30 *
-42.5	1465.55 *	1627.36 *	1748.62 *	1833.16 *	1896.44 *	1935.71 *	1965.70 *	1993.54 *	2016.32 *	2033.97 *
-47.5	1016.30 *	1160.51 *	1295.33 *	1399.82 *	1461.88 *	1518.87 *	1571.06 *	1612.81 *	1648.47 *	1677.56 *
-55.0	413.64 *	491.08 *	568.84 *	630.38 *	675.73 *	719.22 *	754.07 *	786.76 *	815.78 *	839.30 *
-65.0	226.28	235.44	243.87	249.94	254.54	258.66	262.41	265.92	268.98	271.56
-75.0	89.01	96.39	101.82	105.70	108.83	110.90	113.05	114.93	116.53	118.77
-85.0	2.90	3.70	4.23	4.60	4.85	5.07	5.59	5.62	5.64	5.66
-90.0	0.21	0.24	0.24	0.25	0.25	0.25	0.25	0.25	0.25	0.26

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0.03	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85.0	1.15	1.09	1.06	1.05	1.03	1.01	0.99	0.96	0.94	0.82
75.0	96.13	95.68	95.46	95.44	95.40	95.37	93.56	92.32	90.75	88.84
65.0	255.59	255.67	255.71	255.69	255.64	254.07	252.59	250.65	248.28	245.42

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

CANDELA TABULATION - (Cont.)

55.0	701.05 *	703.44 *	704.64 *	706.32 *	709.67 *	698.08 *	686.98 *	670.99 *	649.78 *	626.35 *
47.5	1555.19 *	1559.80 *	1562.11 *	1563.18 *	1565.31 *	1544.28 *	1524.57 *	1499.33 *	1468.90 *	1430.72 *
42.5	1987.91 *	1991.39 *	1993.14 *	1991.76 *	1989.01 *	1973.14 *	1958.40 *	1938.82 *	1913.55 *	1886.40 *
37.5	2193.75 *	2198.89 *	2199.70 *	2196.99 *	2188.15 *	2176.68 *	2164.01 *	2143.44 *	2122.82 *	2099.85 *
33.0	2352.29 *	2358.23 *	2359.09 *	2356.12 *	2345.86 *	2332.08 *	2314.64 *	2296.69 *	2271.72 *	2244.26 *
29.0	2508.91 *	2516.67 *	2517.84 *	2514.39 *	2501.91 *	2484.91 *	2463.42 *	2436.93 *	2406.36 *	2387.84 *
25.5	2642.14 *	2650.71 *	2652.02 *	2647.54 *	2632.90 *	2614.20 *	2589.41 *	2561.29 *	2536.36 *	2515.88 *
22.5	2737.83 *	2746.10 *	2747.43 *	2742.07 *	2726.13 *	2707.13 *	2682.82 *	2652.53 *	2638.12 *	2617.04 *
19.5	2816.31 *	2824.16 *	2825.61 *	2819.32 *	2801.64 *	2780.10 *	2754.84 *	2736.09 *	2721.70 *	2702.47 *
17.0	2871.50 *	2879.95 *	2881.61 *	2874.17 *	2854.21 *	2830.92 *	2804.25 *	2794.96 *	2780.49 *	2761.70 *
15.0	2910.85 *	2920.19 *	2922.01 *	2913.59 *	2891.53 *	2865.76 *	2847.69 *	2836.97 *	2823.20 *	2803.34 *
13.0	2945.84 *	2955.47 *	2957.60 *	2947.70 *	2922.91 *	2895.32 *	2885.67 *	2875.81 *	2861.05 *	2840.31 *
11.0	2976.29 *	2987.64 *	2990.46 *	2978.62 *	2949.94 *	2926.67 *	2920.52 *	2910.32 *	2894.93 *	2868.57 *
9.0	3002.14 *	3014.09 *	3017.21 *	3002.59 *	2968.96 *	2956.29 *	2951.42 *	2940.65 *	2918.67 *	2892.01 *
7.0	3021.32 *	3035.31 *	3039.27 *	3020.08 *	2981.39 *	2983.27 *	2977.81 *	2960.81 *	2939.27 *	2911.28 *
5.0	3031.89 *	3050.86 *	3056.08 *	3028.55 *	3001.75 *	3003.91 *	2994.03 *	2976.76 *	2955.15 *	2928.89 *
3.0	3033.76 *	3057.79 *	3067.97 *	3021.06 *	3018.28 *	3014.90 *	3004.58 *	2990.69 *	2971.05 *	2946.12 *
1.0	3032.98 *	3048.84 *	3073.10 *	3023.69 *	3029.75 *	3027.62 *	3019.18 *	3004.97 *	2985.38 *	2959.81 *
0.0	3025.51 *	3034.46 *	3042.84 *	3037.85 *	3037.85 *	3033.48 *	3024.63 *	3009.79 *	2990.14 *	2964.15 *
-1.0	3022.82 *	3021.46 *	3074.64 *	3054.02 *	3043.17 *	3036.27 *	3026.24 *	3010.67 *	2990.36 *	2964.23 *
-3.0	3009.95 *	3024.44 *	3072.23 *	3062.81 *	3051.08 *	3039.31 *	3024.86 *	3007.62 *	2985.73 *	2959.36 *
-5.0	3000.72 *	3035.85 *	3065.13 *	3059.64 *	3048.20 *	3039.43 *	3024.02 *	3003.10 *	2979.20 *	2950.63 *
-7.0	2988.53 *	3031.70 *	3053.02 *	3049.10 *	3037.64 *	3029.38 *	3016.64 *	2995.53 *	2970.82 *	2940.85 *
-9.0	2981.12 *	3018.04 *	3034.78 *	3032.03 *	3021.22 *	3011.15 *	2999.11 *	2982.96 *	2957.58 *	2928.15 *
-11.0	2965.44 *	2997.95 *	3011.75 *	3009.47 *	2999.62 *	2988.50 *	2976.25 *	2960.17 *	2940.19 *	2910.25 *
-13.0	2942.87 *	2970.62 *	2982.27 *	2980.59 *	2971.95 *	2959.45 *	2947.43 *	2932.12 *	2912.54 *	2887.83 *
-15.0	2914.96 *	2940.32 *	2950.50 *	2948.80 *	2940.32 *	2928.10 *	2914.41 *	2898.46 *	2880.50 *	2856.48 *
-17.0	2881.44 *	2903.90 *	2912.84 *	2911.46 *	2903.60 *	2891.61 *	2876.20 *	2860.97 *	2842.18 *	2818.89 *
-19.5	2832.00 *	2852.42 *	2860.22 *	2858.95 *	2851.31 *	2839.78 *	2824.40 *	2806.99 *	2788.80 *	2765.27 *
-22.5	2760.40 *	2778.97 *	2785.75 *	2784.79 *	2777.61 *	2766.78 *	2750.70 *	2730.23 *	2711.21 *	2686.74 *
-25.5	2671.22 *	2689.08 *	2695.14 *	2694.34 *	2686.95 *	2675.52 *	2659.97 *	2638.42 *	2615.38 *	2590.95 *
-29.0	2543.86 *	2559.87 *	2565.23 *	2564.88 *	2558.73 *	2548.21 *	2532.77 *	2513.38 *	2488.30 *	2466.52 *
-33.0	2386.62 *	2400.03 *	2404.52 *	2404.27 *	2399.14 *	2390.19 *	2377.03 *	2363.17 *	2344.60 *	2318.61 *
-37.5	2226.98 *	2238.04 *	2241.73 *	2241.27 *	2236.62 *	2229.23 *	2220.74 *	2206.16 *	2189.47 *	2170.32 *
-42.5	2051.67 *	2059.30 *	2063.12 *	2062.78 *	2062.09 *	2051.73 *	2041.67 *	2027.68 *	2010.57 *	1993.57 *
-47.5	1706.94 *	1716.72 *	1721.62 *	1722.57 *	1724.48 *	1707.74 *	1691.94 *	1669.00 *	1638.12 *	1600.78 *
-55.0	863.31 *	870.71 *	874.41 *	875.43 *	877.48 *	863.08 *	849.29 *	830.18 *	806.15 *	779.40 *
-65.0	274.22	275.39	275.97	275.93	275.85	274.31	272.84	270.94	268.60	265.69
-75.0	119.23	119.69	119.92	119.78	119.51	119.24	117.09	115.55	113.68	111.45
-85.0	5.69	5.71	5.72	5.64	5.49	5.33	5.18	5.02	4.87	4.29
-90.0	0.26	0.26	0.26	0.25	0.23	0.20	0.18	0.16	0.13	0.11

Vert. Horizontal Angles

	15.0	17.0	19.5	22.5	25.5	29.0	33.0	37.5	42.5	47.5
90.0	0.00	0.00	0.00	0.00	0.03	0.07	0.12	0.17	0.22	0.22
85.0	0.76	0.70	0.62	0.52	0.69	0.87	1.01	1.09	1.12	0.95
75.0	86.94	84.19	80.81	76.92	74.93	72.52	68.49	62.42	55.32	44.96
65.0	242.01	238.26	233.54	228.15	224.49	216.31	207.12	194.28	175.62	146.55
55.0	594.54 *	567.88 *	527.98 *	482.99 *	441.89 *	389.44 *	342.71 *	303.28	278.46	246.76
47.5	1384.43 *	1331.87 *	1281.86 *	1202.26 *	1109.37 *	988.49 *	836.06 *	644.99 *	414.88 *	306.13
42.5	1850.80 *	1808.60 *	1758.83 *	1688.84 *	1590.67 *	1457.79 *	1274.61 *	1010.42 *	701.19 *	417.62 *
37.5	2077.31 *	2059.96 *	2035.21 *	1988.11 *	1932.47 *	1842.96 *	1663.96 *	1375.91 *	1012.37 *	650.06 *
33.0	2226.83 *	2206.96 *	2176.49 *	2134.70 *	2087.60 *	2021.24 *	1904.83 *	1665.43 *	1289.91 *	867.70 *
29.0	2363.29 *	2337.74 *	2300.99 *	2255.62 *	2197.83 *	2124.77 *	2021.07 *	1859.73 *	1506.80 *	1061.19 *
25.5	2490.47 *	2460.44 *	2416.72 *	2355.93 *	2285.42 *	2198.27 *	2095.02 *	1961.11 *	1668.10 *	1225.40 *

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

CANDELA TABULATION - (Cont.)

22.5	2590.91	2560.77	2514.20	2443.16	2358.60	2264.55	2150.17	2018.98	1782.73	1358.99
19.5	2677.66	2647.43	2598.31	2520.11	2431.61	2322.26	2201.11	2068.23	1870.46	1477.47
17.0	2739.01	2706.42	2653.47	2576.87	2485.88	2369.62	2239.63	2102.39	1926.94	1559.73
15.0	2780.93	2744.09	2691.39	2615.79	2524.73	2405.28	2268.84	2131.44	1966.02	1618.02
13.0	2809.75	2774.94	2723.72	2649.44	2558.80	2441.36	2301.05	2156.38	1993.06	1669.83
11.0	2838.10	2802.22	2750.95	2678.50	2590.02	2473.68	2334.70	2179.61	2011.58	1714.05
9.0	2860.70	2825.35	2774.12	2703.65	2621.00	2504.70	2360.32	2200.67	2030.36	1750.25
7.0	2880.64	2845.03	2797.75	2729.26	2647.73	2531.46	2380.50	2220.81	2046.43	1779.32
5.0	2899.22	2865.59	2817.59	2749.96	2669.09	2552.83	2400.03	2233.68	2059.08	1801.94
3.0	2916.15	2882.12	2833.47	2765.24	2685.37	2569.74	2415.62	2245.38	2071.95	1824.85
1.0	2929.72	2894.83	2845.66	2777.54	2697.98	2582.52	2427.43	2254.39	2076.33	1832.59
0.0	2934.02	2898.75	2849.41	2781.39	2701.91	2586.40	2430.93	2257.13	2078.52	1836.47
-1.0	2933.82	2898.43	2849.05	2780.65	2700.81	2585.20	2429.85	2256.26	2077.79	1834.60
-3.0	2928.35	2893.11	2843.57	2774.53	2693.86	2577.78	2422.85	2250.98	2076.33	1830.86
-5.0	2919.36	2884.11	2834.15	2765.29	2683.20	2566.23	2411.97	2242.95	2066.29	1811.78
-7.0	2907.92	2870.38	2820.67	2750.58	2666.59	2550.17	2397.05	2233.68	2056.38	1792.85
-9.0	2894.07	2856.67	2803.51	2730.61	2646.31	2529.39	2381.42	2217.06	2043.02	1768.24
-11.0	2877.19	2838.91	2785.49	2710.49	2620.78	2503.38	2358.45	2199.46	2026.65	1738.10
-13.0	2854.54	2816.55	2762.98	2686.42	2594.57	2475.45	2330.46	2179.49	2009.86	1699.32
-15.0	2829.84	2790.71	2735.10	2657.19	2564.73	2442.90	2301.42	2156.21	1987.23	1652.95
-17.0	2793.09	2758.57	2701.88	2622.78	2530.56	2410.00	2274.58	2131.31	1953.30	1599.83
-19.5	2737.33	2704.35	2652.73	2571.18	2479.82	2363.93	2237.21	2099.94	1905.34	1523.56
-22.5	2657.98	2624.22	2574.19	2499.74	2409.33	2308.24	2188.50	2052.32	1828.74	1413.03
-25.5	2562.15	2529.64	2481.13	2413.71	2337.13	2242.99	2134.87	1996.92	1725.00	1285.43
-29.0	2437.13	2406.72	2365.39	2312.60	2248.88	2170.69	2063.78	1911.58	1578.35	1126.49
-33.0	2298.55	2273.87	2239.00	2192.51	2140.81	2071.02	1958.69	1741.87	1371.07	935.80
-37.5	2151.27	2129.65	2102.13	2056.61	2002.71	1919.44	1755.22	1475.60	1098.93	714.03
-42.5	1965.41	1928.96	1881.17	1813.13	1716.56	1581.97	1395.41	1115.00	785.36	472.96
-47.5	1558.13	1506.73	1447.85	1359.73	1257.79	1122.46	952.67	741.29	483.50	325.78
-55.0	739.48	700.09	651.74	594.10	541.94	467.60	388.15	326.09	288.88	256.27
-65.0	262.24	258.54	253.91	248.63	243.25	235.00	224.62	210.87	191.96	162.43
-75.0	109.25	106.18	102.35	97.93	95.19	90.74	85.41	78.14	68.57	55.61
-85.0	3.98	3.66	3.21	2.63	2.96	3.34	3.52	3.47	2.93	2.01
-90.0	0.09	0.06	0.03	0.00	0.04	0.09	0.15	0.21	0.29	0.29

Vert. Angles	Horizontal Angles				
	55.0	65.0	75.0	85.0	90.0
90.0	0.14	0.03	0.10	0.23	0.30
85.0	0.52	0.09	0.19	0.30	0.30
75.0	27.62	9.63	2.11	0.44	0.30
65.0	101.68	45.09	12.51	0.71	0.30
55.0	190.69	102.68	31.64	1.31	0.30
47.5	245.52	148.06	52.48	2.26	0.30
42.5	276.95	176.33	66.75	3.24	0.30
37.5	303.69	201.04	79.07	4.48	0.30
33.0	360.77	220.50	90.28	5.21	0.30
29.0	453.72	236.09	99.98	5.90	0.30
25.5	553.22	249.45	107.47	6.46	0.30
22.5	640.42	257.49	113.48	6.98	0.30
19.5	727.40	265.71	119.01	7.45	0.30
17.0	794.09	271.40	123.30	7.80	0.30
15.0	844.50	275.64	126.80	8.05	0.30
13.0	892.35	279.29	129.03	8.28	0.30
11.0	929.46	282.53	131.33	8.90	0.30
9.0	964.13	285.37	133.34	8.94	0.30

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES****CANDELA TABULATION - (Cont.)**

7.0	995.64 *	287.78	135.06	8.98	0.30
5.0	1021.74 *	289.75	137.42	9.02	0.30
3.0	1048.96 *	291.77	137.93	9.06	0.30
1.0	1057.71 *	292.44	138.44	9.12	0.30
0.0	1062.09 *	292.78	138.70	9.12	0.30
-1.0	1059.57 *	292.58	138.54	9.10	0.30
-3.0	1054.54 *	292.18	138.21	9.07	0.30
-5.0	1030.99 *	290.43	137.88	9.04	0.30
-7.0	1008.51 *	288.72	135.71	9.00	0.30
-9.0	980.54 *	286.55	134.19	8.97	0.30
-11.0	949.25 *	283.94	132.37	8.94	0.30
-13.0	915.37 *	280.92	130.25	8.33	0.30
-15.0	870.38 *	277.48	128.21	8.12	0.30
-17.0	822.85 *	273.45	124.90	7.87	0.30
-19.5	757.93 *	268.04	120.84	7.54	0.30
-22.5	676.01 *	260.05	115.59	7.09	0.30
-25.5	592.06 *	252.33	109.85	6.59	0.30
-29.0	486.82 *	239.59	102.67	6.05	0.30
-33.0	389.02 *	224.48	92.97	5.37	0.30
-37.5	317.27 *	205.25	82.14	4.66	0.30
-42.5	284.17	181.23	69.11	3.38	0.30
-47.5	252.50	154.32	55.80	2.35	0.30
-55.0	199.91	110.17	34.34	1.36	0.30
-65.0	113.98	53.01	13.96	0.72	0.30
-75.0	34.44	12.30	2.83	0.44	0.30
-85.0	0.92	0.17	0.19	0.30	0.30
-90.0	0.18	0.04	0.10	0.23	0.30

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES****LUMEN TABULATION**

Average Of Right And Left Sides

Total Luminaire Lumens (one side of beam only) = 3145.73

Total Field Lumens (one side of beam only) = 3009.94

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>0</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>7</u>	<u>9</u>	<u>11</u>	<u>13</u>	<u>15</u>	<u>17</u>
90										
85	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
75	0.15	0.29	0.29	0.29	0.29	0.29	0.28	0.28	0.27	0.31
65	0.53	1.07	1.07	1.06	1.04	1.03	1.01	0.99	0.96	1.16
55	1.46 *	2.92 *	2.90 *	2.84 *	2.77 *	2.69 *	2.59 *	2.47 *	2.35 *	2.75 *
47.5	2.59 *	5.17 *	5.12 *	5.02 *	4.90 *	4.76 *	4.58 *	4.38 *	4.15 *	4.85 *
42.5	2.71 *	5.40 *	5.36 *	5.28 *	5.19 *	5.08 *	4.95 *	4.79 *	4.60 *	5.44 *
37.5	3.19 *	6.37 *	6.33 *	6.27 *	6.19 *	6.09 *	5.98 *	5.84 *	5.68 *	6.83 *
33	3.12 *	6.23 *	6.19 *	6.14 *	6.07 *	5.99 *	5.89 *	5.77 *	5.65 *	6.87 *
29	2.97 *	5.92 *	5.88 *	5.83 *	5.76 *	5.67 *	5.57 *	5.46 *	5.34 *	6.50 *
25.5	2.75 *	5.49 *	5.45 *	5.40 *	5.33 *	5.24 *	5.15 *	5.04 *	4.92 *	5.98 *
22.5	2.47 *	4.91 *	4.88 *	4.83 *	4.77 *	4.69 *	4.61 *	4.51 *	4.41 *	5.34 *
19.5	2.54 *	5.07 *	5.04 *	4.99 *	4.92 *	4.85 *	4.77 *	4.67 *	4.56 *	5.53 *
17	2.17 *	4.33 *	4.30 *	4.25 *	4.20 *	4.15 *	4.08 *	4.00 *	3.91 *	4.73 *
15	1.77 *	3.52 *	3.49 *	3.46 *	3.42 *	3.37 *	3.32 *	3.26 *	3.18 *	3.86 *
13	1.79 *	3.56 *	3.53 *	3.50 *	3.46 *	3.42 *	3.36 *	3.30 *	3.23 *	3.92 *
11	1.81 *	3.60 *	3.57 *	3.54 *	3.50 *	3.46 *	3.40 *	3.34 *	3.26 *	3.96 *
9	1.83 *	3.63 *	3.60 *	3.57 *	3.54 *	3.49 *	3.43 *	3.37 *	3.30 *	4.00 *
7	1.84 *	3.66 *	3.63 *	3.60 *	3.56 *	3.52 *	3.46 *	3.40 *	3.32 *	4.04 *
5	1.85 *	3.68 *	3.65 *	3.62 *	3.59 *	3.54 *	3.48 *	3.42 *	3.34 *	4.06 *
3	1.86 *	3.69 *	3.67 *	3.64 *	3.60 *	3.56 *	3.50 *	3.43 *	3.36 *	4.08 *
1	1.86 *	3.69 *	3.68 *	3.65 *	3.61 *	3.57 *	3.51 *	3.44 *	3.37 *	4.09 *
0	0.93 *	1.85 *	1.84 *	1.83 *	1.81 *	1.79 *	1.76 *	1.72 *	1.69 *	2.05 *
-1	0.93 *	1.85 *	1.84 *	1.83 *	1.81 *	1.79 *	1.76 *	1.72 *	1.69 *	2.05 *
	1.86 *	3.70 *	3.68 *	3.65 *	3.62 *	3.57 *	3.51 *	3.45 *	3.37 *	4.10 *

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

LUMENS TABULATION - (Cont.)

-3	1.86 *	3.70 *	3.67 *	3.65 *	3.61 *	3.56 *	3.51 *	3.44 *	3.37 *	4.09 *
-5	1.86 *	3.69 *	3.66 *	3.64 *	3.60 *	3.55 *	3.50 *	3.43 *	3.36 *	4.08 *
-7	1.85 *	3.68 *	3.65 *	3.62 *	3.58 *	3.53 *	3.48 *	3.41 *	3.34 *	4.06 *
-9	1.84 *	3.66 *	3.63 *	3.59 *	3.56 *	3.51 *	3.45 *	3.39 *	3.32 *	4.03 *
-11	1.82 *	3.63 *	3.60 *	3.56 *	3.53 *	3.48 *	3.42 *	3.36 *	3.29 *	3.99 *
-13	1.81 *	3.59 *	3.56 *	3.53 *	3.49 *	3.45 *	3.39 *	3.33 *	3.25 *	3.95 *
-15	1.78 *	3.55 *	3.53 *	3.49 *	3.45 *	3.41 *	3.35 *	3.29 *	3.21 *	3.90 *
-17	2.20 *	4.38 *	4.34 *	4.30 *	4.25 *	4.19 *	4.12 *	4.04 *	3.95 *	4.78 *
-19.5	2.58 *	5.14 *	5.10 *	5.05 *	4.99 *	4.91 *	4.83 *	4.73 *	4.62 *	5.59 *
-22.5	2.50 *	4.99 *	4.95 *	4.90 *	4.84 *	4.76 *	4.68 *	4.58 *	4.47 *	5.41 *
-25.5	2.80 *	5.59 *	5.55 *	5.49 *	5.42 *	5.33 *	5.23 *	5.12 *	5.00 *	6.06 *
-29	3.03 *	6.03 *	5.99 *	5.93 *	5.86 *	5.77 *	5.67 *	5.56 *	5.43 *	6.60 *
-33	3.18 *	6.35 *	6.31 *	6.25 *	6.18 *	6.10 *	5.99 *	5.88 *	5.76 *	7.00 *
-37.5	3.28 *	6.54 *	6.50 *	6.44 *	6.37 *	6.27 *	6.16 *	6.04 *	5.89 *	7.11 *
-42.5	2.88 *	5.75 *	5.70 *	5.63 *	5.54 *	5.43 *	5.30 *	5.15 *	4.96 *	5.89 *
-47.5	2.96 *	5.91 *	5.85 *	5.73 *	5.60 *	5.44 *	5.24 *	5.02 *	4.76 *	5.56 *
-55	1.75 *	3.49 *	3.45 *	3.37 *	3.29 *	3.18 *	3.06 *	2.92 *	2.76 *	3.22 *
-65	0.60	1.20	1.19	1.18	1.16	1.14	1.12	1.09	1.07	1.29
-75	0.19	0.38	0.38	0.37	0.37	0.36	0.35	0.34	0.33	0.39
-85	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
-90	0.00	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Total	85.77	170.87	169.60	167.84	165.65	162.97	159.82	156.18	152.02	183.50

Vert. Horizontal Angles

Angles	<u>19.5</u>	<u>22.5</u>	<u>25.5</u>	<u>29</u>	<u>33</u>	<u>37.5</u>	<u>42.5</u>	<u>47.5</u>	<u>55</u>	<u>65</u>
90	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
85	0.35	0.33	0.35	0.35	0.33	0.28	0.21	0.20	0.11	0.02
75	1.33	1.26	1.36	1.40	1.36	1.24	0.96	0.96	0.58	0.14
65	3.01 *	2.71 *	2.81 *	2.80	2.71	2.54	2.06	2.20	1.48	0.41
55	5.27 *	4.65 *	4.66 *	4.36 *	3.81 *	3.10 *	2.28 *	2.45	1.78	0.55

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

LUMENS TABULATION - (Cont.)

47.5										
	6.04 *	5.43 *	5.50 *	5.15 *	4.38 *	3.31 *	2.11 *	2.02 *	1.48	0.49
42.5	7.75 *	7.17 *	7.50 *	7.28 *	6.41 *	4.98 *	3.08 *	2.56 *	1.68	0.59
37.5	7.90 *	7.46 *	8.03 *	8.10 *	7.46 *	6.05 *	3.85 *	2.97 *	1.69	0.60
33	7.50 *	7.13 *	7.79 *	8.07 *	7.74 *	6.57 *	4.34 *	3.30 *	1.70 *	0.59
29	6.89 *	6.55 *	7.18 *	7.52 *	7.40 *	6.53 *	4.49 *	3.46 *	1.69 *	0.55
25.5	6.13 *	5.82 *	6.38 *	6.70 *	6.68 *	6.06 *	4.31 *	3.39 *	1.62 *	0.50
22.5	6.34 *	6.01 *	6.56 *	6.90 *	6.92 *	6.40 *	4.68 *	3.77 *	1.77 *	0.52
19.5	5.44 *	5.14 *	5.60 *	5.88 *	5.91 *	5.54 *	4.14 *	3.41 *	1.59 *	0.44
17	4.43 *	4.19 *	4.57 *	4.78 *	4.81 *	4.54 *	3.44 *	2.88 *	1.35 *	0.36
15	4.50 *	4.26 *	4.63 *	4.84 *	4.87 *	4.62 *	3.54 *	3.01 *	1.41 *	0.37
13	4.56 *	4.31 *	4.69 *	4.90 *	4.93 *	4.68 *	3.62 *	3.12 *	1.46 *	0.37
11	4.61 *	4.36 *	4.75 *	4.95 *	4.98 *	4.73 *	3.69 *	3.21 *	1.50 *	0.38
9	4.65 *	4.40 *	4.79 *	5.00 *	5.02 *	4.77 *	3.74 *	3.29 *	1.54 *	0.38
7	4.68 *	4.43 *	4.82 *	5.03 *	5.05 *	4.81 *	3.78 *	3.35 *	1.58 *	0.38
5	4.70 *	4.45 *	4.85 *	5.06 *	5.07 *	4.83 *	3.82 *	3.40 *	1.61 *	0.39
3	4.71 *	4.47 *	4.87 *	5.07 *	5.08 *	4.85 *	3.84 *	3.44 *	1.63 *	0.39
1	2.36 *	2.24 *	2.44 *	2.54 *	2.55 *	2.42 *	1.92 *	1.72 *	0.82 *	0.19
0	2.36 *	2.24 *	2.44 *	2.54 *	2.55 *	2.43 *	1.92 *	1.72 *	0.82 *	0.19
-1	4.72 *	4.47 *	4.87 *	5.08 *	5.09 *	4.85 *	3.84 *	3.45 *	1.63 *	0.39
-3	4.71 *	4.47 *	4.86 *	5.07 *	5.08 *	4.84 *	3.83 *	3.43 *	1.62 *	0.39
-5	4.69 *	4.45 *	4.84 *	5.05 *	5.06 *	4.82 *	3.81 *	3.38 *	1.59 *	0.39
-7	4.67 *	4.42 *	4.81 *	5.02 *	5.04 *	4.80 *	3.77 *	3.33 *	1.57 *	0.38
-9	4.63 *	4.39 *	4.78 *	4.98 *	5.00 *	4.76 *	3.73 *	3.26 *	1.53 *	0.38
-11	4.59 *	4.35 *	4.73 *	4.94 *	4.96 *	4.72 *	3.67 *	3.19 *	1.49 *	0.38
-13	4.54 *	4.29 *	4.67 *	4.88 *	4.91 *	4.66 *	3.61 *	3.09 *	1.44 *	0.37
-15	4.48 *	4.23 *	4.61 *	4.82 *	4.85 *	4.59 *	3.52 *	2.97 *	1.39 *	0.37
-17	5.49 *	5.20 *	5.66 *	5.93 *	5.98 *	5.63 *	4.25 *	3.54 *	1.65 *	0.45
-19.5	6.42 *	6.08 *	6.64 *	6.97 *	7.01 *	6.54 *	4.84 *	3.94 *	1.84 *	0.52

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

LUMENS TABULATION - (Cont.)

-22.5	6.22 *	5.89 *	6.45 *	6.79 *	6.79 *	6.23 *	4.50 *	3.57 *	1.69 *	0.51
-25.5	6.98 *	6.64 *	7.28 *	7.65 *	7.58 *	6.77 *	4.73 *	3.68 *	1.77 *	0.56
-29	7.62 *	7.25 *	7.94 *	8.27 *	8.02 *	6.92 *	4.64 *	3.53 *	1.78 *	0.60
-33	8.08 *	7.65 *	8.29 *	8.44 *	7.88 *	6.49 *	4.18 *	3.20 *	1.76	0.62
-37.5	8.10 *	7.54 *	7.96 *	7.81 *	6.96 *	5.47 *	3.39 *	2.75 *	1.73	0.61
-42.5	6.58 *	5.96 *	6.07 *	5.72 *	4.89 *	3.70 *	2.32 *	2.14 *	1.53	0.52
-47.5	6.05 *	5.35 *	5.33 *	4.93 *	4.24 *	3.40 *	2.43 *	2.56	1.87	0.59
-55	3.51 *	3.12 *	3.19 *	3.10 *	2.92	2.69	2.19	2.35	1.61	0.46
-65	1.47	1.39	1.51	1.55	1.52	1.40	1.09	1.10	0.68	0.17
-75	0.44	0.41	0.43	0.44	0.41	0.36	0.27	0.25	0.14	0.03
-85	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00
-90	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00
Total	209.51	196.58	211.49	216.67	210.20	188.94	138.43	118.53	61.17	17.49

Vert. Angles	Horizontal Angles			
	<u>75</u>	<u>85</u>	<u>90</u>	<u>Total</u>
90				
	0.00	0.00	0.04	
85				
	0.00	0.00	5.23	
75				
	0.01	0.00	20.51	
65				
	0.04	0.00	48.53	
55				
	0.06	0.00	78.50	
47.5				
	0.06	0.00	84.76	
42.5				
	0.08	0.00	107.85	
37.5				
	0.08	0.00	112.14	
33				
	0.08	0.00	109.74	
29				
	0.08	0.00	103.09	
25.5				
	0.07	0.00	93.09	
22.5				
	0.08	0.00	96.91	
19.5				
	0.07	0.00	83.27	
17				
	0.06	0.00	68.06	

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES****LUMENS TABULATION - (Cont.)**

15	0.06	0.00	69.18
13	0.06	0.00	70.15
11	0.06	0.00	70.97
9	0.06	0.00	71.66
7	0.06	0.00	72.20
5	0.06	0.00	72.62
3	0.06	0.00	72.87
1	0.03	0.00	36.47
0	0.03	0.00	36.49
-1	0.06	0.00	72.97
-3	0.06	0.00	72.82
-5	0.06	0.00	72.50
-7	0.06	0.00	72.06
-9	0.06	0.00	71.47
-11	0.06	0.00	70.75
-13	0.06	0.00	69.87
-15	0.06	0.00	68.84
-17	0.07	0.00	84.38
-19.5	0.08	0.00	98.42
-22.5	0.07	0.00	94.80
-25.5	0.08	0.00	105.31
-29	0.09	0.00	112.53
-33	0.09	0.00	115.68
-37.5	0.08	0.00	112.98
-42.5	0.06	0.00	91.73
-47.5	0.07	0.00	88.90
-55	0.05	0.00	55.69
-65	0.02	0.00	22.95


IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES****LUMENS TABULATION - (Cont.)**

-75	0.00	0.00	6.64
-85	0.00	0.00	0.13
-90			
Total	2.48	0.01	3145.73

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-125DB-50K.IES

AXIAL CANDELA DISPLAY




Maximum Candela = 3074.64 Located At Horizontal Angle = 0, Vertical Angle = -1

H - Horizontal Axial Candela

V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 3074.64 Located At Horizontal Angle = 0, Vertical Angle = -1
50% Maximum Candela = 1537.32
10% Maximum Candela = 307.464



IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES

DESCRIPTIVE INFORMATION (From Photometric File)

IESNA:LM-63-2002

[TEST] 173038

[TESTLAB] RADIANT IMAGING PROSOURCE

[TESTDATE] 06-10-2017

[ISSUEDATE] 06-10-2017

[MANUFAC] LARSON ELECTRONICS LLC

[LUMCAT] SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K

[MORE] IRON X SERIES

[LUMINAIRE] CLASS 1 DIV 1 EXPLOSION PROOF SOLAR LED STREET LIGHT FIXTURE

[MORE] 140 DEGREE BEAM, CLASS 1 DIV 2 SOLAR ARRAY, 5000K

[LAMP] CREE CXB1512

[LAMPPOSITION] 0,0

[OTHER] EVERFINE GO-R5000 V2

[_SEARCH_]SOURCETYPE] LED

[_SEARCH_]APPLICATION] INDOOR, OUTDOOR, HARBOR, INDUSTRIAL, WATER TREATMENT, OIL FIELD, REFINERY, HIGH

[_SEARCH_]MOUNTING] CEILING, SURFACE

[_SEARCH_]CERTIFICATION] NEC, UL

[_SEARCH_]COLORTEMP] 5000K

[_SEARCH_]CRI] 85

[_SEARCH_]CLASSIFICATION] CLASS II, DIVISION 1, DIVISION 2, GROUP E, GROUP F, GROUP G, IP67,

Note: Candela values converted from Type-C to Type-B

CHARACTERISTICS

NEMA Type	6 H x 7 V
Maximum Candela	1915.89
Maximum Candela Angle	37.5H -47.5V
Horizontal Beam Angle (50%)	112.6
Vertical Beam Angle (50%)	122.1
Horizontal Field Angle (10%)	128.2
Vertical Field Angle (10%)	143.5
Lumens Per Lamp	5402.97 (1 lamp)
Total Lamp Lumens	5402.97
Beam Lumens	3999
Beam Efficiency	74 %
Field Lumens	5338
Field Efficiency	99 %
Spill Lumens	54
Luminaire Lumens	5392
Total Efficiency	100 %
Total Luminaire Watts	48.57
Ballast Factor	1.00

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES****AXIAL CANDELA**

DEG.	HOR.	DEG.	VERT.
90	.48	90	0
85	15.73	85	15.07
75	83.92	75	87.45
65	1607.09	65	1497.8
55	1731.44	55	1775.22
47.5	1220.5	47.5	1296.6
42.5	1145.06	42.5	1147.47
37.5	1003.79	37.5	1089.71
33	941.02	33	954.88
29	918.09	29	933.91
25.5	919.51	25.5	932.82
22.5	930.2	22.5	940.36
19.5	940.69	19.5	950.73
17	949.63	17	958.26
15	956.84	15	965.35
13	962.3	13	971.8
11	967.65	11	976.82
9	977.26	9	984.14
7	990.03	7	995.71
5	1000.62	5	1007.94
3	1006.84	3	1016.67
1	1009.25	1	1020.81
0	1011.29	0	1011.29
-1	1008.8	-1	1020.71
-3	1004.12	-3	1017.76
-5	993.64	-5	1009.9
-7	981.3	-7	998.54
-9	970.05	-9	985.77
-11	963.83	-11	977.26
-13	958.04	-13	971.9
-15	950.95	-15	965.14
-17	943.85	-17	957.38
-19.5	936.32	-19.5	949.53
-22.5	926.6	-22.5	939.27
-25.5	921.69	-25.5	932.28
-29	924.42	-29	932.93
-33	942.75	-33	951.49
-37.5	1097.02	-37.5	1053.36
-42.5	1129.56	-42.5	1139.39
-47.5	1309.37	-47.5	1278.15
-55	1792.8	-55	1790.73
-65	1384.49	-65	1560.14
-75	85.13	-75	90.51
-85	12.77	-85	15.8
-90	0	-90	.49

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES****CANDELA TABULATION**

Maximum Candela = 1915.89

Beam Edge = 957.945 Cd (50% of Max.)

Field Edge = 191.589 Cd (10% of Max.)

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>-90.0</u>	<u>-85.0</u>	<u>-75.0</u>	<u>-65.0</u>	<u>-55.0</u>	<u>-47.5</u>	<u>-42.5</u>	<u>-37.5</u>	<u>-33.0</u>	<u>-29.0</u>
90.0	0.00	0.07	0.21	0.28	0.14	0.03	0.04	0.12	0.19	0.25
85.0	0.00	0.08	0.27	0.90	3.06	4.23	5.42	7.59	9.28	10.73
75.0	0.00	0.09	8.05	16.34	23.06	28.15	32.63	40.52	47.31	52.92
65.0	0.00	0.27	17.80	36.57	54.49	67.98	113.88	344.46 *	612.79 *	857.30 *
55.0	0.00	2.33	28.87	61.36	366.12 *	927.45 *	1230.34 *	1499.57 *	1710.18 *	1805.59 *
47.5	0.00	4.93	39.23	98.70	1050.90 *	1571.14 *	1775.64 *	1865.32 *	1817.91 *	1702.80 *
42.5	0.00	6.29	46.49	236.94 *	1405.39 *	1781.79 *	1840.36 *	1743.24 *	1571.72 *	1407.69 *
37.5	0.00	7.48	53.75	482.81 *	1642.38 *	1822.24 *	1719.58 *	1491.73 *	1310.92 *	1184.89 *
33.0	0.00	8.52	60.05	715.25 *	1751.29 *	1764.44 *	1532.24 *	1291.11 *	1153.31 *	1098.72 *
29.0	0.00	9.51	64.86	887.07 *	1796.39 *	1662.66 *	1373.34 *	1166.61 *	1096.55 *	1144.86 *
25.5	0.00	10.27	68.62	1034.84 *	1814.12 *	1563.67 *	1264.72 *	1110.04 *	1131.55 *	1046.41 *
22.5	0.00	10.81	71.70	1114.83 *	1818.49 *	1492.08 *	1190.19 *	1093.52 *	1116.93 *	967.90 *
19.5	0.00	11.28	74.41	1192.19 *	1815.05 *	1429.92 *	1157.53 *	1121.20 *	999.87 *	930.18 *
17.0	0.00	11.63	76.34	1239.53 *	1810.54 *	1389.03 *	1137.52 *	1147.27 *	956.28 *	918.83 *
15.0	0.00	11.88	77.92	1275.43 *	1805.48 *	1361.86 *	1125.27 *	1154.96 *	939.12 *	913.52 *
13.0	0.00	12.10	79.19	1307.02 *	1799.37 *	1341.59 *	1119.61 *	1140.67 *	935.68 *	910.85 *
11.0	0.00	12.77	80.49	1333.73 *	1795.24 *	1325.77 *	1118.98 *	1115.21 *	932.97 *	912.66 *
9.0	0.00	12.77	81.66	1352.02 *	1792.06 *	1312.89 *	1118.73 *	1098.05 *	932.85 *	914.53 *
7.0	0.00	12.77	82.69	1366.34 *	1789.16 *	1304.93 *	1119.69 *	1088.33 *	934.31 *	916.64 *
5.0	0.00	12.77	84.03	1376.64 *	1788.09 *	1301.79 *	1122.43 *	1086.33 *	935.84 *	918.78 *
3.0	0.00	12.77	84.47	1387.53 *	1787.02 *	1297.95 *	1124.47 *	1084.99 *	938.03 *	920.91 *
1.0	0.00	12.77	84.91	1385.50 *	1790.87 *	1305.56 *	1127.86 *	1089.59 *	940.83 *	923.15 *
0.0	0.00	12.77	85.13	1384.49 *	1792.80 *	1309.37 *	1129.56 *	1097.02 *	942.75 *	924.42 *
-1.0	0.00	12.77	84.92	1385.51 *	1792.45 *	1307.23 *	1128.54 *	1094.63 *	941.71 *	923.77 *
-3.0	0.00	12.77	84.49	1387.54 *	1791.74 *	1302.96 *	1126.50 *	1100.72 *	940.70 *	922.79 *
-5.0	0.00	12.77	84.06	1376.57 *	1795.99 *	1310.30 *	1126.04 *	1114.34 *	940.37 *	921.93 *
-7.0	0.00	12.76	82.75	1366.12 *	1800.25 *	1317.04 *	1125.01 *	1130.50 *	940.91 *	921.32 *
-9.0	0.00	12.76	81.75	1351.54 *	1806.37 *	1328.91 *	1126.17 *	1154.28 *	941.85 *	920.92 *
-11.0	0.00	12.76	80.63	1332.83 *	1812.39 *	1346.15 *	1129.16 *	1171.71 *	945.29 *	920.94 *
-13.0	0.00	12.08	79.38	1305.36 *	1819.18 *	1366.72 *	1133.19 *	1181.94 *	955.13 *	921.25 *
-15.0	0.00	11.86	78.17	1272.70 *	1827.53 *	1392.18 *	1143.33 *	1180.40 *	969.66 *	924.60 *
-17.0	0.00	11.61	76.67	1235.47 *	1834.54 *	1425.03 *	1161.04 *	1160.07 *	1010.32 *	931.05 *
-19.5	0.00	11.26	74.84	1186.13 *	1841.36 *	1473.31 *	1188.20 *	1125.42 *	1092.61 *	947.84 *
-22.5	0.00	10.78	72.21	1103.29 *	1847.39 *	1543.11 *	1229.43 *	1108.49 *	1174.52 *	1000.55 *
-25.5	0.00	10.24	69.16	1018.98 *	1845.81 *	1623.63 *	1308.87 *	1132.34 *	1141.13 *	1134.09 *
-29.0	0.00	9.47	65.34	870.16 *	1830.57 *	1720.31 *	1425.40 *	1197.09 *	1110.25 *	1164.06 *
-33.0	0.00	8.48	60.44	691.25 *	1782.91 *	1816.37 *	1589.87 *	1331.73 *	1176.86 *	1111.58 *
-37.5	0.00	7.44	54.10	433.85 *	1663.47 *	1866.49 *	1773.60 *	1542.47 *	1348.80 *	1210.99 *
-42.5	0.00	6.25	46.65	209.37 *	1403.34 *	1812.66 *	1886.96 *	1795.62 *	1623.44 *	1456.26 *
-47.5	0.00	4.91	39.26	93.99	1021.17 *	1580.84 *	1799.37 *	1908.94 *	1871.68 *	1761.94 *
-55.0	0.00	2.36	28.87	63.20	319.70 *	894.22 *	1214.18 *	1496.39 *	1719.58 *	1827.60 *
-65.0	0.00	0.28	17.71	36.62	55.78	65.68	89.65	307.00 *	570.59 *	830.62 *
-75.0	0.00	0.09	7.86	16.17	22.88	27.82	32.00	39.84	46.69	52.17
-85.0	0.00	0.09	0.29	0.98	3.27	4.24	5.35	7.42	9.05	10.43
-90.0	0.00	0.07	0.21	0.28	0.14	0.03	0.04	0.11	0.17	0.23

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES

CANDELA TABULATION - (Cont.)

Vert. Angles	Horizontal Angles									
	<u>-25.5</u>	<u>-22.5</u>	<u>-19.5</u>	<u>-17.0</u>	<u>-15.0</u>	<u>-13.0</u>	<u>-11.0</u>	<u>-9.0</u>	<u>-7.0</u>	<u>-5.0</u>
90.0	0.30	0.35	0.30	0.26	0.23	0.20	0.17	0.14	0.11	0.08
85.0	11.90	12.85	13.20	13.50	13.73	13.95	14.49	14.59	14.70	14.80
75.0	57.55	60.91	64.59	67.87	70.54	73.28	76.03	78.56	80.88	83.55
65.0	1056.70 *	1197.12 *	1307.08 *	1359.51 *	1396.03 *	1423.69 *	1447.09 *	1464.60 *	1478.29 *	1488.28 *
55.0	1839.21 *	1843.54 *	1830.07 *	1816.54 *	1806.34 *	1796.60 *	1788.93 *	1782.68 *	1776.53 *	1773.12 *
47.5	1588.95 *	1496.96 *	1415.15 *	1355.22 *	1332.93 *	1314.99 *	1300.26 *	1291.67 *	1286.72 *	1285.45 *
42.5	1293.26 *	1215.36 *	1164.26 *	1136.01 *	1120.15 *	1118.32 *	1120.06 *	1122.84 *	1127.02 *	1133.45 *
37.5	1122.60 *	1101.23 *	1125.65 *	1144.91 *	1137.54 *	1109.43 *	1092.13 *	1082.53 *	1074.65 *	1075.07 *
33.0	1124.99 *	1126.54 *	1049.86 *	991.10 *	959.49 *	943.36 *	940.46 *	940.47 *	942.77 *	945.21 *
29.0	1073.72 *	985.57 *	939.32 *	926.40 *	921.29 *	918.83 *	918.67 *	921.17 *	923.82 *	926.56 *
25.5	959.75 *	930.43 *	919.42 *	916.55 *	915.97 *	916.60 *	917.80 *	920.48 *	923.69 *	926.61 *
22.5	926.87 *	917.58 *	914.88 *	915.58 *	917.02 *	919.38 *	922.29 *	925.59 *	929.70 *	933.76 *
19.5	915.63 *	913.03 *	914.66 *	917.05 *	920.34 *	924.80 *	930.38 *	935.63 *	940.22 *	944.03 *
17.0	911.66 *	912.44 *	915.81 *	919.85 *	925.37 *	931.46 *	937.33 *	942.56 *	946.99 *	951.33 *
15.0	910.24 *	912.91 *	918.19 *	924.52 *	930.21 *	936.14 *	942.27 *	947.74 *	953.52 *	958.04 *
13.0	909.67 *	914.11 *	921.45 *	929.17 *	935.06 *	940.59 *	946.55 *	953.28 *	959.70 *	964.93 *
11.0	910.31 *	916.03 *	925.33 *	933.54 *	939.83 *	945.27 *	951.39 *	958.59 *	965.28 *	970.41 *
9.0	913.12 *	918.61 *	928.82 *	937.32 *	943.60 *	950.37 *	957.02 *	963.11 *	969.06 *	974.98 *
7.0	915.46 *	921.52 *	931.86 *	940.23 *	947.43 *	954.91 *	961.70 *	967.01 *	972.05 *	981.30 *
5.0	917.51 *	923.85 *	934.05 *	942.35 *	949.93 *	957.74 *	964.26 *	969.95 *	978.27 *	986.87 *
3.0	919.39 *	925.35 *	935.46 *	943.60 *	951.19 *	958.85 *	965.04 *	972.36 *	984.22 *	995.32 *
1.0	920.99 *	926.38 *	936.28 *	944.07 *	951.44 *	958.69 *	964.63 *	971.64 *	983.73 *	997.08 *
0.0	921.69 *	926.60 *	936.32 *	943.85 *	950.95 *	958.04 *	963.83 *	970.05 *	981.30 *	993.64 *
-1.0	921.39 *	926.52 *	936.30 *	943.91 *	951.06 *	958.23 *	963.88 *	970.51 *	982.20 *	994.62 *
-3.0	920.63 *	925.73 *	935.57 *	943.15 *	950.22 *	957.49 *	963.08 *	969.08 *	979.77 *	989.08 *
-5.0	919.70 *	924.37 *	934.36 *	941.78 *	948.63 *	955.86 *	961.54 *	965.35 *	971.87 *	978.80 *
-7.0	918.79 *	922.79 *	932.60 *	939.91 *	945.78 *	951.92 *	957.73 *	961.38 *	964.26 *	971.14 *
-9.0	917.59 *	920.90 *	929.70 *	936.38 *	941.26 *	946.96 *	952.61 *	956.99 *	960.80 *	964.06 *
-11.0	916.21 *	918.97 *	925.30 *	932.23 *	937.09 *	941.41 *	946.54 *	952.08 *	956.68 *	959.80 *
-13.0	915.89 *	917.32 *	920.86 *	927.29 *	932.00 *	936.02 *	940.79 *	945.90 *	950.73 *	954.94 *
-15.0	916.30 *	916.16 *	917.74 *	921.79 *	926.71 *	931.29 *	935.88 *	939.80 *	943.79 *	949.34 *
-17.0	917.94 *	915.46 *	916.32 *	917.22 *	920.93 *	926.02 *	930.62 *	934.32 *	937.35 *	943.69 *
-19.5	923.09 *	916.02 *	915.26 *	915.63 *	916.30 *	918.98 *	922.85 *	926.89 *	931.61 *	937.35 *
-22.5	938.20 *	922.39 *	915.76 *	914.75 *	914.89 *	915.01 *	915.75 *	917.26 *	922.57 *	927.90 *
-25.5	992.15 *	941.00 *	923.89 *	917.54 *	915.43 *	914.43 *	914.05 *	916.03 *	919.45 *	923.07 *
-29.0	1155.38 *	1020.17 *	958.11 *	936.50 *	927.64 *	921.68 *	919.30 *	920.61 *	922.78 *	925.29 *
-33.0	1135.78 *	1186.09 *	1125.69 *	1041.27 *	999.98 *	971.53 *	955.90 *	950.40 *	948.28 *	947.34 *
-37.5	1140.51 *	1114.39 *	1133.25 *	1171.01 *	1194.83 *	1198.60 *	1182.61 *	1152.93 *	1112.66 *	1089.32 *
-42.5	1335.24 *	1250.04 *	1195.47 *	1159.66 *	1138.47 *	1127.80 *	1125.50 *	1125.46 *	1127.30 *	1131.12 *
-47.5	1651.03 *	1559.60 *	1475.75 *	1415.80 *	1380.64 *	1351.99 *	1326.91 *	1308.95 *	1295.28 *	1285.81 *
-55.0	1869.88 *	1876.73 *	1866.16 *	1855.71 *	1846.76 *	1836.39 *	1826.91 *	1818.05 *	1808.24 *	1800.53 *
-65.0	1037.40 *	1185.42 *	1305.11 *	1367.11 *	1410.89 *	1445.80 *	1475.98 *	1499.68 *	1519.44 *	1535.44 *
-75.0	56.43	59.41	63.31	66.94	69.91	73.33	76.71	79.80	82.60	85.78
-85.0	11.52	12.38	12.89	13.32	13.65	13.98	14.60	14.82	15.04	15.26
-90.0	0.28	0.32	0.34	0.36	0.38	0.39	0.41	0.42	0.44	0.45

Vert. Angles	Horizontal Angles									
	<u>-3.0</u>	<u>-1.0</u>	<u>0.0</u>	<u>1.0</u>	<u>3.0</u>	<u>5.0</u>	<u>7.0</u>	<u>9.0</u>	<u>11.0</u>	<u>13.0</u>
90.0	0.05	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01
85.0	14.91	15.02	15.07	14.83	14.34	13.85	13.36	12.87	12.39	11.49
75.0	85.11	86.67	87.45	86.14	83.51	80.89	77.34	74.17	70.91	67.57
65.0	1498.43 *	1498.01 *	1497.80 *	1493.00 *	1483.40 *	1462.65 *	1441.63 *	1416.14 *	1385.84 *	1350.10 *

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES

CANDELA TABULATION - (Cont.)

55.0	1769.93 *	1773.46 *	1775.22 *	1771.09 *	1762.82 *	1760.81 *	1758.67 *	1758.68 *	1759.26 *	1761.16 *
47.5	1283.58 *	1292.26 *	1296.60 *	1290.89 *	1279.49 *	1278.93 *	1277.97 *	1280.54 *	1286.21 *	1298.31 *
42.5	1139.40 *	1144.78 *	1147.47 *	1142.96 *	1133.95 *	1124.57 *	1114.88 *	1107.10 *	1101.01 *	1096.99 *
37.5	1077.95 *	1084.51 *	1089.71 *	1080.98 *	1066.91 *	1055.35 *	1044.88 *	1045.86 *	1051.95 *	1074.99 *
33.0	948.41 *	952.31 *	954.88 *	951.59 *	946.27 *	941.64 *	937.73 *	933.86 *	932.46 *	932.92 *
29.0	929.46 *	932.37 *	933.91 *	931.12 *	925.75 *	920.48 *	915.40 *	910.50 *	905.99 *	907.29 *
25.5	929.28 *	931.70 *	932.82 *	930.26 *	924.98 *	919.52 *	913.94 *	908.22 *	904.65 *	904.66 *
22.5	936.86 *	939.41 *	940.36 *	937.74 *	931.89 *	925.64 *	918.92 *	911.66 *	909.99 *	908.27 *
19.5	947.17 *	949.76 *	950.73 *	947.95 *	941.75 *	934.98 *	927.85 *	923.23 *	920.22 *	917.09 *
17.0	954.75 *	957.37 *	958.26 *	955.28 *	948.62 *	941.45 *	933.95 *	932.95 *	930.11 *	926.44 *
15.0	961.74 *	964.53 *	965.35 *	962.11 *	954.70 *	946.55 *	941.31 *	939.62 *	937.45 *	934.10 *
13.0	968.38 *	971.04 *	971.80 *	968.10 *	959.88 *	951.57 *	948.83 *	946.84 *	944.32 *	940.26 *
11.0	973.69 *	976.21 *	976.82 *	972.66 *	963.32 *	956.35 *	955.11 *	953.36 *	950.37 *	945.05 *
9.0	980.69 *	983.83 *	984.14 *	979.17 *	967.39 *	962.65 *	960.47 *	958.20 *	954.46 *	948.94 *
7.0	991.22 *	995.59 *	995.71 *	989.50 *	974.87 *	973.68 *	968.42 *	961.72 *	957.74 *	952.31 *
5.0	999.66 *	1007.66 *	1007.94 *	999.04 *	988.48 *	985.98 *	975.50 *	965.59 *	960.20 *	955.54 *
3.0	1003.61 *	1014.52 *	1016.67 *	1001.52 *	999.44 *	991.65 *	979.80 *	969.83 *	963.09 *	958.91 *
1.0	1007.15 *	1013.71 *	1020.81 *	1004.92 *	1003.53 *	998.21 *	987.75 *	975.61 *	966.53 *	961.44 *
0.0	1004.12 *	1008.80 *	1011.29 *	1009.25 *	1006.84 *	1000.62 *	990.03 *	977.26 *	967.65 *	962.30 *
-1.0	1003.40 *	1003.90 *	1020.71 *	1014.53 *	1006.55 *	999.91 *	989.17 *	976.89 *	967.87 *	962.85 *
-3.0	994.89 *	1003.25 *	1017.76 *	1013.19 *	1008.57 *	997.27 *	983.94 *	973.64 *	967.39 *	962.94 *
-5.0	987.70 *	1001.49 *	1009.90 *	1006.99 *	1000.25 *	995.78 *	982.89 *	972.33 *	967.38 *	962.13 *
-7.0	978.09 *	992.69 *	998.54 *	996.17 *	988.74 *	984.98 *	978.32 *	970.98 *	966.58 *	960.43 *
-9.0	970.60 *	981.35 *	985.77 *	984.35 *	979.41 *	975.91 *	972.65 *	969.06 *	964.83 *	958.44 *
-11.0	966.17 *	973.86 *	977.26 *	976.45 *	974.13 *	971.72 *	969.06 *	966.03 *	962.05 *	956.93 *
-13.0	962.37 *	969.02 *	971.90 *	971.43 *	969.63 *	966.80 *	963.91 *	960.90 *	958.47 *	954.18 *
-15.0	956.29 *	962.57 *	965.14 *	964.71 *	962.82 *	960.48 *	958.13 *	956.25 *	953.12 *	949.58 *
-17.0	949.66 *	955.06 *	957.38 *	957.28 *	956.31 *	954.81 *	952.68 *	950.59 *	947.29 *	943.02 *
-19.5	942.58 *	947.41 *	949.53 *	949.44 *	948.61 *	947.14 *	944.91 *	942.15 *	938.49 *	934.57 *
-22.5	932.83 *	937.34 *	939.27 *	939.08 *	938.01 *	936.46 *	934.74 *	932.93 *	931.29 *	929.23 *
-25.5	926.84 *	930.50 *	932.28 *	932.14 *	931.79 *	931.36 *	930.72 *	929.98 *	929.46 *	929.03 *
-29.0	928.18 *	931.27 *	932.93 *	932.77 *	932.74 *	933.04 *	933.92 *	935.40 *	938.19 *	941.13 *
-33.0	948.15 *	949.98 *	951.49 *	951.92 *	953.97 *	957.10 *	961.81 *	967.23 *	974.77 *	988.00 *
-37.5	1068.92 *	1055.47 *	1053.36 *	1056.55 *	1072.20 *	1094.92 *	1120.73 *	1160.07 *	1192.43 *	1212.16 *
-42.5	1135.19 *	1137.99 *	1139.39 *	1138.80 *	1137.62 *	1135.78 *	1134.62 *	1136.89 *	1142.50 *	1151.05 *
-47.5	1275.98 *	1277.43 *	1278.15 *	1279.60 *	1282.49 *	1297.17 *	1311.86 *	1330.78 *	1353.69 *	1382.65 *
-55.0	1792.43 *	1791.30 *	1790.73 *	1792.99 *	1797.51 *	1808.47 *	1818.64 *	1830.20 *	1841.25 *	1852.74 *
-65.0	1551.45 *	1557.24 *	1560.14 *	1555.20 *	1545.32 *	1524.30 *	1502.63 *	1475.97 *	1443.82 *	1405.61 *
-75.0	87.67	89.56	90.51	89.31	86.90	84.50	81.15	78.22	75.22	72.18
-85.0	15.47	15.69	15.80	15.54	15.01	14.48	13.95	13.42	12.90	11.96
-90.0	0.47	0.48	0.49	0.47	0.43	0.39	0.34	0.30	0.26	0.21

Vert. Angles

Horizontal Angles

	15.0	17.0	19.5	22.5	25.5	29.0	33.0	37.5	42.5	47.5
90.0	0.01	0.01	0.01	0.01	0.07	0.13	0.21	0.30	0.39	0.39
85.0	10.89	10.28	9.53	8.66	8.80	8.91	8.99	9.14	9.14	8.50
75.0	64.33	61.07	57.14	53.32	52.24	50.53	47.93	44.49	6.16	35.27
65.0	1309.66 *	1260.37 *	1192.02 *	1106.89 *	1024.46 *	879.59 *	712.20 *	505.00 *	280.92 *	103.90
55.0	1763.05 *	1764.38 *	1768.94 *	1788.01 *	1803.03 *	1805.39 *	1767.31 *	1637.98 *	1407.96 *	1108.47 *
47.5	1313.23 *	1331.58 *	1373.02 *	1432.01 *	1504.45 *	1599.16 *	1712.54 *	1831.85 *	1835.64 *	1682.76 *
42.5	1098.10 *	1110.71 *	1133.27 *	1168.84 *	1223.44 *	1304.69 *	1430.81 *	1629.16 *	1812.82 *	1831.61 *
37.5	1115.68 *	1130.60 *	1117.20 *	1086.83 *	1088.19 *	1121.86 *	1213.40 *	1395.16 *	1660.09 *	1831.27 *
33.0	940.98 *	951.53 *	972.79 *	1031.86 *	1138.15 *	1097.68 *	1111.55 *	1235.21 *	1485.70 *	1764.25 *
29.0	911.33 *	917.03 *	926.78 *	941.49 *	969.36 *	1093.94 *	1100.51 *	1144.17 *	1351.57 *	1668.72 *
25.5	904.91 *	905.97 *	909.89 *	919.93 *	938.34 *	981.81 *	1154.15 *	1106.54 *	1263.37 *	1569.46 *

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES

CANDELA TABULATION - (Cont.)

22.5	907.21 *	906.66 *	906.52 *	910.82 *	924.24 *	950.40 *	1081.35 *	1103.40 *	1204.51 *	1482.60 *
19.5	913.49 *	909.75 *	908.19 *	907.72 *	915.01 *	938.38 *	996.58 *	1144.94 *	1161.52 *	1408.08 *
17.0	921.73 *	916.83 *	910.24 *	908.13 *	910.51 *	929.41 *	971.49 *	1172.04 *	1135.97 *	1357.00 *
15.0	929.42 *	922.18 *	914.22 *	909.02 *	909.05 *	924.02 *	960.26 *	1166.57 *	1121.01 *	1324.03 *
13.0	934.56 *	927.74 *	918.56 *	910.44 *	908.51 *	919.37 *	954.11 *	1129.00 *	1113.68 *	1297.16 *
11.0	938.98 *	932.22 *	923.02 *	912.40 *	909.02 *	916.62 *	948.40 *	1080.70 *	1112.69 *	1273.84 *
9.0	942.22 *	935.74 *	927.05 *	915.59 *	910.90 *	915.19 *	944.70 *	1044.07 *	1115.91 *	1255.60 *
7.0	945.33 *	938.53 *	931.13 *	919.63 *	912.87 *	914.95 *	942.12 *	1020.73 *	1121.89 *	1241.73 *
5.0	949.38 *	942.41 *	934.53 *	923.51 *	914.88 *	915.38 *	940.35 *	1012.72 *	1130.52 *	1231.76 *
3.0	953.01 *	945.91 *	937.44 *	926.73 *	916.90 *	916.25 *	939.93 *	1006.27 *	1140.08 *	1221.43 *
1.0	955.90 *	948.70 *	939.84 *	929.32 *	918.74 *	917.37 *	940.32 *	1003.18 *	1143.40 *	1220.81 *
0.0	956.84 *	949.63 *	940.69 *	930.20 *	919.51 *	918.09 *	941.02 *	1003.79 *	1145.06 *	1220.50 *
-1.0	957.04 *	949.80 *	940.98 *	930.28 *	919.84 *	918.68 *	942.01 *	1008.58 *	1143.99 *	1222.76 *
-3.0	956.41 *	949.23 *	940.83 *	929.62 *	920.24 *	920.26 *	945.13 *	1022.83 *	1141.86 *	1227.27 *
-5.0	954.98 *	948.02 *	940.10 *	928.36 *	920.59 *	922.26 *	949.34 *	1041.32 *	1134.27 *	1241.71 *
-7.0	952.99 *	946.51 *	938.68 *	926.31 *	921.01 *	925.01 *	955.13 *	1062.38 *	1128.19 *	1255.93 *
-9.0	952.15 *	945.70 *	936.02 *	924.69 *	921.37 *	928.91 *	961.59 *	1097.93 *	1125.15 *	1274.37 *
-11.0	950.48 *	943.77 *	933.49 *	923.85 *	922.43 *	934.53 *	969.37 *	1141.68 *	1125.21 *	1297.62 *
-13.0	948.13 *	940.52 *	930.41 *	923.95 *	924.12 *	940.90 *	982.60 *	1185.62 *	1129.15 *	1326.64 *
-15.0	944.10 *	936.22 *	927.76 *	924.00 *	926.86 *	947.17 *	1000.72 *	1208.55 *	1140.52 *	1359.66 *
-17.0	937.62 *	931.65 *	925.95 *	924.42 *	930.71 *	955.47 *	1032.52 *	1195.77 *	1162.08 *	1398.96 *
-19.5	930.72 *	927.34 *	925.75 *	926.86 *	938.00 *	967.15 *	1086.87 *	1153.28 *	1196.12 *	1458.07 *
-22.5	927.85 *	926.76 *	927.21 *	933.52 *	951.06 *	988.27 *	1175.25 *	1123.40 *	1249.76 *	1543.91 *
-25.5	929.83 *	931.31 *	936.75 *	947.48 *	970.34 *	1056.35 *	1192.74 *	1136.20 *	1317.23 *	1640.06 *
-29.0	946.61 *	953.17 *	963.62 *	981.15 *	1033.31 *	1191.16 *	1126.99 *	1186.86 *	1417.88 *	1742.42 *
-33.0	1000.04 *	1020.85 *	1075.79 *	1157.13 *	1193.81 *	1129.49 *	1151.55 *	1293.38 *	1563.42 *	1834.05 *
-37.5	1207.58 *	1188.06 *	1161.19 *	1130.17 *	1134.86 *	1173.73 *	1274.81 *	1472.51 *	1741.25 *	1895.41 *
-42.5	1165.25 *	1184.80 *	1208.84 *	1246.36 *	1306.32 *	1393.71 *	1521.14 *	1717.13 *	1890.34 *	1880.53 *
-47.5	1418.42 *	1460.01 *	1498.65 *	1558.42 *	1624.91 *	1708.12 *	1810.95 *	1915.89 *	1895.12 *	1720.63 *
-55.0	1862.63 *	1871.18 *	1880.93 *	1893.44 *	1899.47 *	1889.79 *	1839.51 *	1698.90 *	1438.56 *	1112.53 *
-65.0	1361.78 *	1310.04 *	1239.36 *	1134.96 *	1039.60 *	884.19 *	701.65 *	483.54 *	261.26 *	96.48
-75.0	69.27	66.32	62.74	58.85	56.90	54.68	50.89	46.66	42.06	36.60
-85.0	11.32	10.68	9.86	8.90	9.02	9.13	9.22	9.37	9.24	8.54
-90.0	0.17	0.13	0.07	0.01	0.06	0.13	0.20	0.28	0.38	0.37

Vert. Horizontal Angles

	<u>55.0</u>	<u>65.0</u>	<u>75.0</u>	<u>85.0</u>	<u>90.0</u>
90.0	0.25	0.06	0.17	0.38	0.48
85.0	6.06	2.71	0.93	0.47	0.48
75.0	25.77	13.90	9.17	1.85	0.48
65.0	55.59	34.85	16.60	5.42	0.48
55.0	484.88 *	57.31	28.77	8.35	0.48
47.5	1167.92 *	120.14	39.80	10.03	0.48
42.5	1498.00 *	343.42 *	47.02	11.01	0.48
37.5	1709.83 *	667.67 *	53.28	12.01	0.48
33.0	1798.61 *	913.22 *	58.38	12.62	0.48
29.0	1831.81 *	1098.39 *	62.07	13.19	0.48
25.5	1840.09 *	1245.07 *	65.22	13.65	0.48
22.5	1835.82 *	1332.34 *	67.53	14.04	0.48
19.5	1822.38 *	1405.31 *	70.08	14.39	0.48
17.0	1809.26 *	1454.03 *	72.43	14.66	0.48
15.0	1797.17 *	1489.13 *	74.36	14.86	0.48
13.0	1783.79 *	1517.71 *	76.13	15.03	0.48
11.0	1772.12 *	1542.08 *	77.96	15.49	0.48
9.0	1761.26 *	1560.83 *	79.57	15.53	0.48

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES****CANDELA TABULATION - (Cont.)**

7.0	1750.33 *	1576.34 *	80.94	15.58	0.48
5.0	1741.87 *	1588.73 *	82.81	15.62	0.48
3.0	1733.16 *	1601.15 *	83.25	15.66	0.48
1.0	1732.01 *	1605.11 *	83.70	15.73	0.48
0.0	1731.44 *	1607.09 *	83.92	15.73	0.48
-1.0	1734.20 *	1605.32 *	83.71	15.71	0.48
-3.0	1739.72 *	1601.79 *	83.29	15.67	0.48
-5.0	1752.51 *	1589.75 *	82.88	15.62	0.48
-7.0	1764.83 *	1577.68 *	81.06	15.58	0.48
-9.0	1779.24 *	1562.42 *	79.74	15.54	0.48
-11.0	1793.55 *	1543.81 *	78.20	15.50	0.48
-13.0	1808.41 *	1519.18 *	76.46	15.04	0.48
-15.0	1824.79 *	1490.03 *	74.79	14.87	0.48
-17.0	1839.47 *	1454.20 *	72.96	14.67	0.48
-19.5	1855.23 *	1404.36 *	70.75	14.41	0.48
-22.5	1869.74 *	1325.13 *	68.32	14.05	0.48
-25.5	1873.37 *	1237.91 *	66.04	13.66	0.48
-29.0	1862.46 *	1084.53 *	63.15	13.20	0.48
-33.0	1823.05 *	886.58 *	59.38	12.63	0.48
-37.5	1726.87 *	646.71 *	54.21	12.02	0.48
-42.5	1511.35 *	307.82 *	47.67	11.03	0.48
-47.5	1159.08 *	118.26	40.48	10.06	0.48
-55.0	457.86 *	60.17	29.18	8.36	0.48
-65.0	58.80	36.32	16.84	5.46	0.48
-75.0	26.64	14.30	9.23	1.89	0.48
-85.0	6.20	2.99	1.04	0.47	0.48
-90.0	0.23	0.05	0.16	0.37	0.48

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES****LUMEN TABULATION**

Average Of Right And Left Sides

Total Luminaire Lumens (one side of beam only) = 2696.23

Total Field Lumens (one side of beam only) = 2669.2

* Indicates Values Inside Field Edge

Vert. Angles	Horizontal Angles									
	<u>0</u>	<u>1</u>	<u>3</u>	<u>5</u>	<u>7</u>	<u>9</u>	<u>11</u>	<u>13</u>	<u>15</u>	<u>17</u>
90										
	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
85										
	0.16	0.30	0.30	0.29	0.28	0.27	0.25	0.24	0.23	0.27
75										
	2.41 *	4.81 *	4.76 *	4.69 *	4.61 *	4.51 *	4.39 *	4.25 *	4.09 *	4.85 *
65										
	4.98 *	9.93 *	9.88 *	9.80 *	9.71 *	9.60 *	9.47 *	9.31 *	9.13 *	11.12 *
55										
	3.50 *	6.98 *	6.95 *	6.93 *	6.91 *	6.89 *	6.87 *	6.86 *	6.85 *	8.58 *
47.5										
	1.86 *	3.69 *	3.67 *	3.65 *	3.62 *	3.60 *	3.59 *	3.58 *	3.59 *	4.53 *
42.5										
	1.70 *	3.38 *	3.34 *	3.31 *	3.29 *	3.27 *	3.26 *	3.28 *	3.29 *	4.10 *
37.5										
	1.40 *	2.78 *	2.75 *	2.73 *	2.72 *	2.71 *	2.71 *	2.73 *	2.76 *	3.45 *
33										
	1.15 *	2.29 *	2.27 *	2.26 *	2.24 *	2.22 *	2.20 *	2.20 *	2.20 *	2.78 *
29										
	0.99 *	1.98 *	1.97 *	1.95 *	1.94 *	1.92 *	1.90 *	1.89 *	1.88 *	2.33 *
25.5										
	0.86 *	1.70 *	1.69 *	1.68 *	1.66 *	1.65 *	1.63 *	1.62 *	1.60 *	1.98 *
22.5										
	0.86 *	1.72 *	1.71 *	1.69 *	1.68 *	1.66 *	1.64 *	1.62 *	1.60 *	1.98 *
19.5										
	0.73 *	1.45 *	1.44 *	1.42 *	1.41 *	1.40 *	1.38 *	1.36 *	1.34 *	1.65 *
17										
	0.59 *	1.17 *	1.16 *	1.15 *	1.14 *	1.13 *	1.11 *	1.10 *	1.08 *	1.33 *
15										
	0.59 *	1.17 *	1.16 *	1.15 *	1.14 *	1.13 *	1.12 *	1.11 *	1.09 *	1.33 *
13										
	0.59 *	1.18 *	1.17 *	1.16 *	1.15 *	1.14 *	1.13 *	1.11 *	1.09 *	1.34 *
11										
	0.60 *	1.19 *	1.18 *	1.17 *	1.16 *	1.15 *	1.13 *	1.12 *	1.10 *	1.35 *
9										
	0.60 *	1.20 *	1.19 *	1.18 *	1.16 *	1.15 *	1.14 *	1.12 *	1.10 *	1.35 *
7										
	0.61 *	1.21 *	1.20 *	1.18 *	1.17 *	1.16 *	1.14 *	1.12 *	1.11 *	1.36 *
5										
	0.61 *	1.22 *	1.21 *	1.19 *	1.18 *	1.16 *	1.14 *	1.13 *	1.11 *	1.36 *
3										
	0.62 *	1.23 *	1.21 *	1.20 *	1.18 *	1.16 *	1.15 *	1.13 *	1.11 *	1.36 *
1										
	0.31 *	0.61 *	0.61 *	0.60 *	0.59 *	0.58 *	0.57 *	0.57 *	0.56 *	0.68 *
0										
	0.31 *	0.61 *	0.61 *	0.60 *	0.59 *	0.58 *	0.57 *	0.57 *	0.56 *	0.68 *
-1										
	0.62 *	1.23 *	1.21 *	1.20 *	1.18 *	1.16 *	1.15 *	1.13 *	1.11 *	1.36 *

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES

LUMENS TABULATION - (Cont.)

-3	0.62 *	1.22 *	1.21 *	1.19 *	1.18 *	1.16 *	1.15 *	1.13 *	1.11 *	1.36 *
-5	0.61 *	1.21 *	1.20 *	1.19 *	1.17 *	1.16 *	1.14 *	1.13 *	1.11 *	1.36 *
-7	0.60 *	1.20 *	1.19 *	1.18 *	1.17 *	1.15 *	1.14 *	1.12 *	1.11 *	1.36 *
-9	0.60 *	1.19 *	1.18 *	1.17 *	1.16 *	1.15 *	1.14 *	1.12 *	1.10 *	1.35 *
-11	0.59 *	1.18 *	1.17 *	1.17 *	1.16 *	1.14 *	1.13 *	1.12 *	1.10 *	1.35 *
-13	0.59 *	1.17 *	1.17 *	1.16 *	1.15 *	1.14 *	1.13 *	1.11 *	1.09 *	1.34 *
-15	0.59 *	1.17 *	1.16 *	1.15 *	1.14 *	1.13 *	1.12 *	1.11 *	1.09 *	1.34 *
-17	0.73 *	1.45 *	1.44 *	1.43 *	1.42 *	1.40 *	1.39 *	1.37 *	1.35 *	1.67 *
-19.5	0.86 *	1.72 *	1.71 *	1.70 *	1.69 *	1.67 *	1.65 *	1.64 *	1.62 *	2.00 *
-22.5	0.85 *	1.71 *	1.70 *	1.69 *	1.67 *	1.66 *	1.65 *	1.63 *	1.62 *	2.01 *
-25.5	0.99 *	1.98 *	1.98 *	1.97 *	1.96 *	1.94 *	1.93 *	1.92 *	1.91 *	2.38 *
-29	1.15 *	2.29 *	2.29 *	2.28 *	2.27 *	2.27 *	2.27 *	2.27 *	2.29 *	2.92 *
-33	1.37 *	2.76 *	2.78 *	2.81 *	2.84 *	2.88 *	2.91 *	2.92 *	2.91 *	3.63 *
-37.5	1.67 *	3.35 *	3.37 *	3.39 *	3.42 *	3.46 *	3.48 *	3.47 *	3.44 *	4.25 *
-42.5	1.84 *	3.68 *	3.68 *	3.68 *	3.68 *	3.69 *	3.71 *	3.74 *	3.78 *	4.79 *
-47.5	3.51 *	7.01 *	7.03 *	7.06 *	7.08 *	7.11 *	7.14 *	7.17 *	7.20 *	9.03 *
-55	5.10 *	10.19 *	10.15 *	10.09 *	10.01 *	9.91 *	9.78 *	9.62 *	9.43 *	11.48 *
-65	2.51 *	4.99 *	4.94 *	4.86 *	4.77 *	4.65 *	4.52 *	4.37 *	4.19 *	4.95 *
-75	0.16	0.32	0.31	0.30	0.29	0.27	0.26	0.25	0.24	0.28
-85	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
-90										
Total	51.60	102.84	102.31	101.68	100.97	100.20	99.34	98.39	97.32	119.99

Vert. Angles	Horizontal Angles									
	19.5	22.5	25.5	29	33	37.5	42.5	47.5	55	65
90	0.02	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.01	0.00
85	0.30	0.28	0.30	0.31	0.30	0.23	0.17	0.24	0.17	0.07
75	5.37 *	4.81 *	4.78 *	4.26 *	3.29 *	1.99 *	0.90	0.70	0.50	0.20
65	12.83 *	12.17 *	13.12 *	13.25 *	12.30 *	10.24 *	7.05 *	5.66 *	2.19	0.37
55	10.35 *	10.41 *	12.13 *	13.63 *	14.52 *	14.31 *	11.65 *	11.20 *	4.86 *	0.46

IES FLOOD REPORT
PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES

LUMENS TABULATION - (Cont.)

47.5										
	5.54 *	5.70 *	6.89 *	8.19 *	9.51 *	10.45 *	9.51 *	10.71 *	5.63 *	0.63
42.5	4.86 *	4.85 *	5.77 *	6.88 *	8.24 *	9.69 *	9.62 *	12.08 *	7.59 *	1.26 *
37.5	4.13 *	4.14 *	4.79 *	5.46 *	6.42 *	7.75 *	8.22 *	11.32 *	8.28 *	1.76 *
33	3.40 *	3.50 *	4.14 *	4.65 *	5.20 *	6.17 *	6.78 *	10.03 *	8.21 *	2.01 *
29	2.79 *	2.82 *	3.40 *	4.00 *	4.41 *	4.99 *	5.52 *	8.59 *	7.69 *	2.06 *
25.5	2.34 *	2.33 *	2.73 *	3.30 *	3.73 *	4.08 *	4.45 *	7.19 *	6.87 *	1.95 *
22.5	2.33 *	2.29 *	2.65 *	3.13 *	3.63 *	4.01 *	4.25 *	7.02 *	7.04 *	2.08 *
19.5	1.94 *	1.90 *	2.18 *	2.49 *	2.98 *	3.35 *	3.42 *	5.73 *	5.96 *	1.82 *
17	1.56 *	1.52 *	1.74 *	1.96 *	2.37 *	2.67 *	2.68 *	4.52 *	4.82 *	1.50 *
15	1.56 *	1.52 *	1.73 *	1.95 *	2.34 *	2.64 *	2.64 *	4.47 *	4.86 *	1.53 *
13	1.57 *	1.52 *	1.73 *	1.94 *	2.30 *	2.60 *	2.61 *	4.43 *	4.89 *	1.56 *
11	1.57 *	1.52 *	1.73 *	1.94 *	2.27 *	2.57 *	2.59 *	4.39 *	4.91 *	1.59 *
9	1.58 *	1.53 *	1.73 *	1.94 *	2.24 *	2.54 *	2.58 *	4.36 *	4.92 *	1.61 *
7	1.58 *	1.53 *	1.74 *	1.94 *	2.23 *	2.54 *	2.58 *	4.34 *	4.94 *	1.62 *
5	1.59 *	1.54 *	1.74 *	1.94 *	2.22 *	2.54 *	2.58 *	4.32 *	4.95 *	1.64 *
3	1.59 *	1.54 *	1.74 *	1.94 *	2.22 *	2.54 *	2.58 *	4.32 *	4.95 *	1.64 *
1	0.80 *	0.77 *	0.87 *	0.97 *	1.11 *	1.27 *	1.29 *	2.16 *	2.48 *	0.82 *
0	0.80 *	0.77 *	0.87 *	0.97 *	1.12 *	1.28 *	1.29 *	2.16 *	2.48 *	0.82 *
-1	1.59 *	1.54 *	1.75 *	1.95 *	2.24 *	2.56 *	2.58 *	4.33 *	4.96 *	1.64 *
-3	1.59 *	1.54 *	1.75 *	1.95 *	2.25 *	2.57 *	2.59 *	4.34 *	4.96 *	1.64 *
-5	1.59 *	1.54 *	1.75 *	1.95 *	2.28 *	2.58 *	2.59 *	4.37 *	4.95 *	1.62 *
-7	1.58 *	1.54 *	1.75 *	1.96 *	2.31 *	2.61 *	2.61 *	4.40 *	4.95 *	1.61 *
-9	1.58 *	1.54 *	1.75 *	1.96 *	2.35 *	2.65 *	2.63 *	4.44 *	4.94 *	1.59 *
-11	1.58 *	1.54 *	1.75 *	1.98 *	2.39 *	2.68 *	2.65 *	4.49 *	4.92 *	1.56 *
-13	1.57 *	1.54 *	1.76 *	1.99 *	2.42 *	2.71 *	2.69 *	4.55 *	4.89 *	1.53 *
-15	1.57 *	1.54 *	1.77 *	2.03 *	2.45 *	2.73 *	2.74 *	4.61 *	4.86 *	1.50 *
-17	1.96 *	1.93 *	2.22 *	2.62 *	3.10 *	3.41 *	3.52 *	5.86 *	6.01 *	1.81 *
-19.5	2.36 *	2.33 *	2.72 *	3.30 *	3.79 *	4.10 *	4.39 *	7.20 *	7.09 *	2.07 *

IES FLOOD REPORT

PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES

LUMENS TABULATION - (Cont.)

-22.5	2.38 *	2.38 *	2.85 *	3.47 *	3.85 *	4.20 *	4.63 *	7.39 *	6.91 *	1.94 *
-25.5	2.86 *	2.94 *	3.61 *	4.16 *	4.52 *	5.17 *	5.74 *	8.84 *	7.74 *	2.04 *
-29	3.61 *	3.70 *	4.32 *	4.78 *	5.36 *	6.42 *	7.06 *	10.30 *	8.24 *	1.97 *
-33	4.36 *	4.32 *	4.92 *	5.63 *	6.67 *	8.08 *	8.53 *	11.58 *	8.26 *	1.69 *
-37.5	5.03 *	5.04 *	6.01 *	7.18 *	8.60 *	10.07 *	9.92 *	12.29 *	7.51 *	1.17 *
-42.5	5.86 *	6.02 *	7.25 *	8.58 *	9.91 *	10.80 *	9.73 *	10.80 *	5.54 *	0.59
-47.5	10.88 *	10.90 *	12.65 *	14.13 *	14.96 *	14.62 *	11.76 *	11.07 *	4.70 *	0.46
-55	13.20 *	12.46 *	13.36 *	13.40 *	12.33 *	10.19 *	6.96 *	5.47 *	2.07	0.38
-65	5.45 *	4.83 *	4.75 *	4.17 *	3.14 *	1.90 *	0.88	0.70	0.51	0.20
-75	0.31	0.29	0.31	0.32	0.31	0.28	0.22	0.24	0.18	0.07
-85	0.02	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.01	0.00
-90	0.02	0.02	0.02	0.03	0.03	0.02	0.02	0.02	0.01	0.00
Total	141.37	138.44	157.53	174.56	190.25	200.81	189.45	257.27	213.38	56.08

Vert. Angles	Horizontal Angles			
	<u>75</u>	<u>85</u>	<u>90</u>	<u>Total</u>
90				
	0.00	0.00	0.40	
85				
	0.01	0.00	4.96	
75				
	0.04	0.00	70.22	
65				
	0.07	0.00	182.17	
55				
	0.08	0.00	170.92	
47.5				
	0.07	0.00	108.21	
42.5				
	0.08	0.00	103.15	
37.5				
	0.08	0.00	89.09	
33				
	0.08	0.00	75.98	
29				
	0.07	0.00	65.09	
25.5				
	0.06	0.00	55.12	
22.5				
	0.07	0.00	54.68	
19.5				
	0.06	0.00	45.42	
17				
	0.05	0.00	36.32	


IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES****LUMENS TABULATION - (Cont.)**

15	0.05	0.00	36.31
13	0.05	0.00	36.27
11	0.05	0.00	36.26
9	0.05	0.00	36.27
7	0.05	0.00	36.34
5	0.05	0.00	36.41
3	0.05	0.00	36.48
1	0.03	0.00	18.26
0	0.03	0.00	18.27
-1	0.05	0.00	36.54
-3	0.05	0.00	36.55
-5	0.05	0.00	36.56
-7	0.05	0.00	36.58
-9	0.05	0.00	36.63
-11	0.05	0.00	36.70
-13	0.05	0.00	36.76
-15	0.05	0.00	36.82
-17	0.06	0.00	46.15
-19.5	0.07	0.00	55.69
-22.5	0.06	0.00	56.26
-25.5	0.07	0.00	66.64
-29	0.08	0.00	78.13
-33	0.08	0.00	91.91
-37.5	0.08	0.00	106.21
-42.5	0.07	0.00	111.41
-47.5	0.08	0.00	175.55
-55	0.07	0.00	185.63
-65	0.04	0.00	71.31

IES FLOOD REPORT**PHOTOMETRIC FILENAME : SPLED-EPL-LED-50W-RT-STL-C1D2-M1-140DB-50K.IES****LUMENS TABULATION - (Cont.)**


-75	0.01	0.00	5.19
-85	0.00	0.00	0.41
-90			
Total	2.39	0.05	2696.23

AXIAL CANDELA DISPLAY



Maximum Candela = 1915.89 Located At Horizontal Angle = 37.5, Vertical Angle = -47.5
H - Horizontal Axial Candela
V - Vertical Axial Candela

ISOCANDELA CURVES



Maximum Candela = 1915.89 Located At Horizontal Angle = 37.5, Vertical Angle = -47.5
50% Maximum Candela = 957.945
10% Maximum Candela = 191.589