

LE-217

Explosion Proof LED Spotlight Instruction Manual



E X P E D I T E D S H I P P I N G · S U P E R I O R C U S T O M F A B R I C A T I O N

LARSON ELECTRONICS LLC · 9419 E US HWY 175 · KEMP, TX 75143

p: 1-800-369-6671 · intl: 903-498-3363 · f: 903-498-3364 · sales@larsonelectronics.com



Congratulations on the purchase of your new Handheld LED Spotlight. Please read these instructions carefully to familiarize yourself with the safe operation and maintenance of your new flashlight. Following these instructions will insure many years of safe and dependable service.

Table of Contents

I. Operating Instructions	2
I.I Assembly	2
I.II Operation	2
II. Warnings	3
VI. Warranty and Disclaimer	4
VI.I Limitation of Liability	4
VI.II Conditions	4
VII. Return Requests and Inquiries	5
8.1 Warranty Returns	5
8.2 Non-Warranty Returns	5

I. Assembly and Operation

I. Assembly

Unscrew the bottom cap and install approved batteries like shown below. Once batteries have been place, screw the bottom cap back on.

II. Operation

This flashlight features a simple slide switch for easy operation. Operators slide the switch up to turn on, down to turn off or in the middle for momentary.





II. Safety Warnings and Ratings

For personal safety, always follow the safety instructions in this manual to ensure safe and long-term use. Failing to do so can result in damage to the product or serious bodily injury.

I. Safety Warnings

Never place flashlight face down when light is on or is still hot from recent use. Doing so could burn/ignite surfaces such as seats, carpeting, etc. and cause major property damage. Always turn spotlight off when not in use.

To prevent serious damage to eyesight, never look into spotlight when light is on. **DO NOT** shine light into the face of someone else.

DO NOT touch lens of spotlight when light is on or if it was recently on. The lens will be hot and could cause serious burns.

DO NOT allow children to handle or operate this spotlight.

DO NOT use this product for other than its intended use.

DO NOT operate in close proximity of combustible or flammable materials.

DO NOT attempt to operate this spotlight if cord, plug, battery, bulb or any part of the spotlight is damaged or corroded.

DO NOT remove lens ring.

DO NOT allow metal parts to touch metal contacts on battery as this can cause a short circuit and result in a fire.

II. Ratings

Class I, Division 1, Group C & D

Class I, Division 2, Group A, B, C, & D

Class II, Division 2, Group G - Class 3

CSA: Class I, Division 1, Group C & D

CSA: Class II, Division 1, Group G - Temp T3C

ASTM & MSHA: Approved