

EBNV.E10514 - Conduit Fittings for Use in Hazardous Locations

Conduit Fittings for Use in Hazardous Locations

See General Information for Conduit Fittings for Use in Hazardous Locations

KILLARK, DIV OF HUBBELL INC (DELAWARE)

E10514

2112 FENTON LOGISTICS PARK BLVD
FENTON, MO 63026 USA

Trademark and/or Tradename: "E10514"

Class I, Group D; Class II, Groups E, F and G, conduit fittings for sealing, conduit sizes 3 thru 4 in., with drain, for vertical mounting, for use with manufacturer's sealing compound, SC, Model(s) EY-0, EY-0M, EY-0TM, EY-8, EY-8M, EY-8T, EY-8TM, EY-9, EY-9M, EY-9T, EY-9TM, EY-T, EYD-0, EYD-0M, EYD-0T, EYD-0TM, EYD-8, EYD-8M, EYD-8T, EYD-8TM, EYD-9, EYD-9M, EYD-9T, EYD-9TM

Class I, Group D; Class II, Groups E, F and G, conduit fittings for sealing, for use only with manufacturer's sealing compound, SC, for vertical or horizontal mounting, conduit size 3-1/2 in., Model(s) EYS-9, EYS-9M

Class I, Group D; Class II, Groups E, F and G, conduit fittings for sealing, for use only with manufacturer's sealing compound, SC, for vertical or horizontal mounting, conduit size 4 in., Model(s) EYS-0, EYS-0M

Class I, Group D; Class II, Groups E, F and G, flexible connection fittings, conduit sizes 1 and 1-1/4 in., "EK Series", Model(s) EKK, EKL

Class I, Group D; Class II, Groups E, F and G, flexible connection fittings, conduit sizes 1, 1-1/4 and 1-1/2 in., "EK Series", Model(s) EKG-12, EKG-14, EKG-45, EKG-46, EKGSU9, EKH-12, EKH-14, EKH-45, EKH-46, EKHSU9

Class I, Group D; Class II, Groups E, F and G, flexible connection fittings, conduit sizes 1-1/4, 1-1/2 in., with flexible lengths 4 thru 36 in., "EK Series", Model(s) EKJ, inside radii of bends should be not less than 14 in. for the 1 and 1-1/4 in. conduit sizes and 16 in. for the 1-1/2 in. conduit size.

Class I, Groups A, B, C and D and Class II, Groups E, F and G, "Conduit reducing bushings, conduit sizes 1/2 to 4 in.", Model(s) RE106S, RE107S, RE108S, RE109S, RE21S, RE31S, RE32S, RE41S, RE42S, RE43S, RE51S, RE52S, RE53S, RE54S, RE61S, RE62S, RE63S, RE64S, RE65S, RE73S, RE74S, RE75S, RE76S, RE84S, RE85S, RE86S, RE87S, RE95S, RE96S, RE97S, RE98S

Class I, Groups A, B, C and D; Class II, Groups E, F and G, adapters, conduit sizes 1/2 and 3/4 in., Model(s) ADUP-01, ADUP-12

Class I, Groups A, B, C and D; Class II, Groups E, F and G, close-up plugs, conduit sizes 1/4 in. thru 2 in., Model(s) CUPX-1, CUPX-2, CUPX-250, CUPX-3, CUPX-375, CUPX-4, CUPX-5, CUPX-6

Class I, Groups A, B, C and D; Class II, Groups E, F and G, close-up plugs, conduit sizes 1/4, 3/8 and 1/2 thru 4 in., Model(s) PLUG-1, PLUG-10, PLUG-14, PLUG-2, PLUG-3, PLUG-38, PLUG-4, PLUG-5, PLUG-6, PLUG-7, PLUG-8, PLUG-9

Class I, Groups A, B, C and D; Class II, Groups E, F and G, close-up plugs, conduit sizes 1/4, 3/8 and 1/2 thru 4 in., Model(s) PLUG1-SQ, PLUG10-SQ, PLUG2-SQ, PLUG250-SQ, PLUG3-SQ, PLUG375-SQ, PLUG4-SQ, PLUG5-SQ, PLUG6-SQ, PLUG7-SQ, PLUG8-SQ, PLUG9-SQ

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit elbows (45-deg bend), conduit size 1/2 in., Model(s) FF-45-1, FF-45-1M, MF-45-1

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit elbows (45-deg bend), conduit size 3/4 in., Model(s) FF-45-2, FF-45-2M, MF-45-2, MF-45-2M

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit elbows (90-deg bend), conduit size 1 in., Model(s) BL-90-3, BLF-90-3, FF-90-3, FF-90-4

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit elbows (90-deg bend), conduit size 1/2 in., Model(s) BL-90-1, BL-90-1M, FF-90-1, FF-90-11, MF-90-1, MF-90-11, MM-90-1

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit elbows (90-deg bend), conduit size 3/4 in., Model(s) BL-90-2, BL-90-2M, FF-90-2, FF-90-2M, MF-90-2, MF-90-2M, MM-90-2, MM-90-2M

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit fittings for sealing for use only with manufacturer's sealing compound, KQS or SC, and packing fiber, PF, for horizontal or vertical mounting, conduit sizes 1/2 thru 1 in., Model(s) ENY-1, ENY-1M, ENY-1T, ENY-1TM, ENY-2, ENY-2M, ENY-2SET, ENY-2SETM, ENY-2SETT, ENY-2SETTM, ENY-2T, ENY-2TM, ENY-3, ENY-3M, ENY-3SET, ENY-3SETM, ENY-3SETT, ENY-3SETTM, ENY-3T, ENY-3TM

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit unions, conduit sizes 1/2, 3/4 and 1 in., "GU Series", Model(s) GUF-1, GUF-2, GUF-3, GUM-1, GUM-2, GUM-3, GUMM-1, GUMM-2, GUMM-3

Class I, Groups A, B, C and D; Class II, Groups E, F and G, conduit unions, conduit sizes 1/2, 3/4 and 1 in., Model(s) UNF-1, UNF-2, UNF-3, UNY-1, UNY-2, UNY-3

Class I, Groups A, B, C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1/2 in., "EC Series", Model(s) EC-1, followed by 4 thru 36, followed by -FF, -FM or -MM.

Class I, Groups A, B, C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1/2 in., "EC Series", Model(s) EC-2, followed by 4 thru 36, followed by -FF, -FM or -MM.

Class I, Groups A, B, C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1/2 in., "EC Series", Model(s) EC-3, followed by 4 thru 36, followed by -FF, -FM or -MM.

Class I, Groups A, B, C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1/2 in., "ECF Series", Model(s) ECF-1, followed by 4 thru 36.

Class I, Groups A, B, C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 3/4 in., inside radii of bends should not be less than 10 in. for the 1/2 in. size, 12 in. for the 3/4 in. size, "ECF Series", Model(s) ECF-2, followed by 4 thru 36.

Class I, Groups A, B, C and D; Class II, Groups E, F and G, flexible connection fittings, conduit sizes 1/2 and 3/4 in., with flexible lengths from 4 thru 36 in., "EK Series", Model(s) EKG, EKH, EKJ

Class I, Groups A, B, C and D; Class II, Groups E, F and G, forty-five-degree box connector type conduit unions, conduit sizes 1/2 and 3/4 in., Model(s) GUML-451, GUML-451M, GUML-452, GUML-452M

Class I, Groups A, B, C and D; Class II, Groups E, F and G, ninety-degree box connector type conduit unions, conduit sizes 1/2 and 3/4 in., Model(s) GUML-1, GUML-1M, GUML-2, GUML-2M

Class I, Groups A, B, C and D; Class II, Groups E, F and G, reducing bushings, conduit sizes 1/2 in. thru 4 in., "R Series", Model(s) R or RE, followed by -21, -31, -32, -41, -42, -43, -51, -52, -53, -54, -61, -62, -63, -64, -65, -73, -74, -75, -76, -83, -84, -85, -86, -87, -96, -97, -98, -106, -107, -108 or -109, may be followed by S.

Class I, Groups A, B, C and D; Class II, Groups E, F and G; Class III, close-up plugs, conduit sizes 1/2 in. thru 4 in., Model(s) CUP-0, CUP-1, CUP-2, CUP-3, CUP-4, CUP-5, CUP-6, CUP-7, CUP-8, CUP-9

Class I, Groups B, C and D; Class II, Groups E, F and G, conduit fittings for draining or venting, conduit size 1/2 in., "KB-1 Series", Model(s) KB1B may be followed by additional numbers and/or letters

Class I, Groups B, C and D; Class II, Groups E, F and G, conduit fittings for draining or venting, conduit size 1/2 in., "KB-1 Series", Model(s) KB1D may be followed by additional numbers and/or letters

Class I, Groups B, C and D; Class II, Groups E, F and G, conduit fittings for draining or venting, conduit size 1/2 in., "KB-1 Series", Model(s) KB1-4X may be followed by additional numbers and/or letters

Class I, Groups B, C and D; Class II, Groups E, F and G, conduit fittings for sealing, for use only with manufacturer's sealing compound, SC or KQS, and packing fiber, PF, for horizontal or vertical mounting, conduit sizes 1-1/4 thru 2 in., Model(s) ENY-4, ENY-4M, ENY-4T, ENY-4TM, ENY-5, ENY-5M, ENY-5T, ENY-5TM

Class I, Groups B, C and D; Class II, Groups E, F and G, short radius capped elbows (90 deg bend), conduit sizes 1/2, 3/4, 1, 1-1/4 and 1-1/2 in., Model(s) Y-1 (a), Y-1M (a), Y-2 (a), Y-2M (a), Y-3 (a), Y-3M (a), Y-4 (a), Y-4M (a), Y-5 (a), Y-5M (a)

Class I, Groups C and D; Class II, Groups E, F and G, conduit elbows (45-deg bend), conduit size 1 in., Model(s) BL-90-3M, FF-45-3, FF-45-3M, FF-90-3M

Class I, Groups C and D; Class II, Groups E, F and G, conduit elbows (45-deg bend), conduit size 1-1/4 in., Model(s) BLF-90-4

Class I, Groups C and D; Class II, Groups E, F and G, conduit elbows (45-deg bend), conduit size 1-1/4 in., Model(s) BL-90-4

Class I, Groups C and D; Class II, Groups E, F and G, conduit elbows (45-deg bend), conduit size 1/2, Model(s) FF-90-1M, MF-45-1M, MF-90-1M, MM-90-1M

Class I, Groups C and D; Class II, Groups E, F and G, conduit elbows (45-deg bend), conduit size 2 in., Model(s) FF-45-6

Class I, Groups C and D; Class II, Groups E, F and G, conduit fittings for draining or venting, conduit size 1/2 in., Model(s) KDB-1

Class I, Groups C and D; Class II, Groups E, F and G, conduit fittings for sealing, conduit sizes 1/2 thru 3/4 in., for vertical or horizontal mounting, for use with manufacturer's sealing compound, KQS, Model(s) EYS-1, EYS-1M, EYS-1T, EYS-1TM, EYS-2, EYS-2M, EYS-2T, EYS-2TM

Class I, Groups C and D; Class II, Groups E, F and G, conduit fittings for sealing, conduit sizes 1/2 thru 2-1/2 in., for vertical mounting, for use with manufacturer's sealing compound, SC, Model(s) EY-1, EY-1B, EY-1M, EY-1T, EY-1TM, EY-2, EY-2B, EY-2M, EY-2T, EY-2TM, EY-3, EY-3B, EY-3M, EY-3T, EY-3TM, EY-4, EY-4B, EY-4M, EY-4T, EY-4TM, EY-5, EY-5B, EY-5M, EY-5T, EY-5TM, EY-6, EY-6B, EY-6M, EY-6T, EY-6TM, EY-7, EY-7B, EY-7M, EY-7T, EY-7TM

Class I, Groups C and D; Class II, Groups E, F and G, conduit fittings for sealing, conduit sizes 1/2 thru 2-1/2 in., with drain, for vertical mounting, for use with manufacturer's sealing compound, SC, Model(s) EYD-1, EYD-1M, EYD-1T, EYD-1TM, EYD-2, EYD-2M, EYD-2T, EYD-2TM, EYD-3, EYD-3M, EYD-3T, EYD-3TM, EYD-4, EYD-4M, EYD-4T, EYD-4TM, EYD-5, EYD-5M, EYD-5T, EYD-5TM, EYD-6, EYD-6M, EYD-6T, EYD-6TM, EYD-7, EYD-7M, EYD-7T, EYD-7TM

Class I, Groups C and D; Class II, Groups E, F and G, conduit fittings for sealing, conduit sizes 1/2 thru 3 in., for vertical or horizontal mounting, for use with manufacturer's sealing compound, SC, Model(s) EYS-1, EYS-1M, EYS-1T, EYS-1TM, EYS-2, EYS-2M, EYS-2T, EYS-2TM, EYS-3, EYS-3M, EYS-3T, EYS-3TM, EYS-4, EYS-4M, EYS-4T, EYS-4TM, EYS-5, EYS-5M, EYS-5T, EYS-5TM, EYS-6, EYS-6M, EYS-6T, EYS-6TM, EYS-7, EYS-7M, EYS-7T, EYS-7TM, EYS-8, EYS-8M, EYS-8T, EYS-8TM

Class I, Groups C and D; Class II, Groups E, F and G, conduit unions, conduit sizes 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2 and 4, Model(s) UNF-0, UNF-4, UNF-5, UNF-6, UNF-7, UNF-8, UNF-9, UNY-0, UNY-4, UNY-5, UNY-6, UNY-7, UNY-8, UNY-9

Class I, Groups C and D; Class II, Groups E, F and G, conduit unions, conduit sizes 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, and 4 in., "GU Series", Model(s) GUF-0, GUF-4, GUF-5, GUF-6, GUF-7, GUF-8, GUF-9, GUM-0, GUM-4, GUM-5, GUM-6, GUM-7, GUM-8, GUM-9

Class I, Groups C and D; Class II, Groups E, F and G, conduit unions, conduit sizes 1/2, 3/4, and 1, "GU Series", Model(s) GUF-1-DC, GUF-2-DC, GUF-3-DC, GUM-1-DC, GUM-2-DC, GUM-3-DC

Class I, Groups C and D; Class II, Groups E, F and G, conduit unions, expansion type, conduit size 1 in., "XU Series", Model(s) XUF-3, XUFL-3

Class I, Groups C and D; Class II, Groups E, F and G, conduit unions, expansion type, conduit sizes 1/2, 3/4 and 1 in., "UN Series", Model(s) UN, followed by F or Y, followed by L or S, followed by 1, 2 or 3.

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1 in., "EK Series", Model(s) EKJ

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1 in. with flexible lengths from 4 thru 36 in., "EC Series", Model(s) EC-3, followed by 4 thru 36, followed by -FF, -FM, -FU, -MM, -MU or -UU.

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1 in., inside radii of bends should be not less than 10 in. for the 1/2 in. size, 12 in. for the 3/4 in. size, 14 in. for the 1 in. size, "ECF Series", Model(s) ECF-3, followed by 4 thru 36.

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1-1/2 in., "EK Series", Model(s) EKJ-5

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1-1/4 in., "EK Series", Model(s) EKJ-4

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1/2 in., "EC Series", Model(s) EC-1, followed by 4 thru 36, followed by -FU, -MU or -UU.

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 1/2 in., "EK Series", Model(s) EKG, EKH

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 2 in., in lengths from 4 thru 36 in., "EK Series", Model(s) EKJ-6

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit size 3/4 in., "EC Series", Model(s) EC-2,

followed by 4 thru 36, followed by -FU, -MU or -UU.

Class I, Groups C and D; Class II, Groups E, F and G, flexible connection fittings, conduit sizes 1/2, 3/4 in., with flexible lengths from 4 thru 36 in., "EK Series", Model(s) EKK, EKL, inside radii of bends should not be less than 10 in. for the 1/2 in. conduit size, 12 in. for the 3/4 in. conduit size, 14 in. for the 1 and 1-1/4 in. conduit size, 16 in. for the 1-1/2 in. conduit size and 36 in for the 2 in. conduit size.

Class I, Groups C and D; Class II, Groups E, F and G, short radius capped elbows (90-deg bend), conduit sizes 1/2, 3/4, 1, 1-1/4 and 1-1/2 in., Model(s) Y-1, Y-2, Y-3, Y-4, Y-5

Class I, Groups C and D; Class II, Groups E, F and G, swivel elbow fittings, conduit sizes 1/2 and 3/4 in., Model(s) GUFS-1, GUFS-1M, GUFS-2, GUFS-2M, GUMFS-1, GUMFS-1M, GUMFS-2, GUMFS-2M

Class I, Groups C, and D; Class II, Groups E, F, and G, Conduit Sealing Fittings, conduit sizes 1/2 thru 1 in., for vertical or horizontal mounting, for use with manufacturer's sealing compound, KQS ,CELOX,, and SC, Model(s) EYD-50

Class I, Groups C, and D; Class II, Groups E, F, and G, Conduit Sealing Fittings, conduit sizes 1/2 thru 1 in., for vertical or horizontal mounting, for use with manufacturer's sealing compound, KQS ?CELOX?, and SC, Model(s) EYD-100, EYD-100M, EYD-50M, EYD-75, EYD-75M

lass I, Groups B, C, and D; Class II, Croups E, F, and G, Conduit Sealing Fittings, conduit sizes 1/2 thru 1 in., for vertical or horizontal mounting, for use with manufacturer's sealing compound, KQS ,CELOX, and SC,, Model(s) EY-100M

lass I, Groups B, C, and D; Class II, Croups E, F, and G, Conduit Sealing Fittings, conduit sizes 1/2 thru 1 in., for vertical or horizontal mounting, for use with manufacturer's sealing compound, KQS ?CELOX? and SC,, Model(s) EY-100, EY-50, EY-50M, EY-75, EY-75M

(a) - may be followed by -EX

Last Updated on 2019-07-15

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2020 UL LLC"