intertek
Total Quality. Assured.

<- Back

Product Description

Title: LUMINAIRES

Company: SAYLITE - Carrollton, TX USA

Product Information: Trade Name(s): Fleco, Texas Fluorescents, Mobern, Saylite, Fleco Industries.

Fixed Luminaires, Model Nos. HBIHO12L80W11200LM23DMV; followed by three characters. Model Nos. HBIHO12L100W13900LM23DMV; followed by three characters. Model Nos. HBIHO22L120W16700LM23DMV; followed by three characters. Model Nos. HBIHO14L160W22200LM23DMV; followed by three characters. Model Nos. HBIHO14L200W27800LM23DMV; followed by three characters. Model Nos. HBIHO24L245W34300LM23DMV; followed by three characters. Model Nos. HBIHO24L325W45500LM23DMV; followed by three characters. Model Nos. CLLLSF; followed by 4X4T, 4X8T; followed by 210W; followed DMV; followed by two numbers; followed by K; followed by two letters. Model Nos. LLLSF, LLLSG, LLCSF, LLCSG; followed by 48L, 96L; followed by 30W3000L, 31W3100L, 60W6000L, 62W6200L, 45W5000L, 48W5040L, 90W10000L, 96W10080L; followed by DMV, CDMV; followed by two numbers; followed by K; followed by two letters; may be followed by up to three letters.

Fixed Luminaires, Model Nos. L5570-WW31; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW31; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W31; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-WW46; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW46; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W46; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-WW61; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW61; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W61; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW34; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW34; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W34; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW51; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW51; followed by SA, WH, BK, SB, WD, CU.L7380-W51; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW68; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW68; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W68; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW45; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW45; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W45; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW68; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW68; followed by SA, WH, BK, SB, WD, CU.L9086-W68; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW90; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW90; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W90;

Contact Us

ETL listed products that are in doubt or for products that do not appear in the directory, please request a verification of certification.
Americas+1-888-347-5478 (or +1-847-660-7407)
Email etldirectory@intertek.com

Intertek Home
Product Directories
DLP on mobile devices

Inspector Center

Get up-to-date information on everything from our Accreditations to our Certifications and Marks. Learn more...

News

Intertek Unveils New Design for Product Safety and Quality Certification Marks. Learn more...

followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-WW45;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-NW45;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-W45;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-WW68;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-NW68;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-W68;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-WW90;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-NW90;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-W90;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-WW44;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-NW44;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-W44;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-WW67;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-NW67;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-W67;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-WW89;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-NW89;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-W89;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-WW31S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW31S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W31S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-WW46S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW46S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W46S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-WW61S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW61S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W61S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW34S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW34S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W34S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW51S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW51S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W51S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW45S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW45S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W45S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW90S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW90S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W90S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-WW45S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-NW45S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-W45S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-WW68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-NW68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-W68S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-WW90S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-NW90S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580S-W90S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-WW44S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-NW44S;
followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-W44S;

followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-WW67S; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-NW67S; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-W67S; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-WW89S; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-NW89S; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5580D-W89S; followed by SA, WH, BK, SB, WD, CU.Fixed Luminaires, Model Nos. HBIN21L80W11850LDMV may be followed by three characters. HBIN21L93W13750LDMV may be followed by three characters. HBIN21L124W18350LDMV may be followed by three characters. HBIN21L160W23680LDMV may be followed by three characters. HBIN43L200W29600LDMV may be followed by three characters. HBIN43L242W35820LDMV may be followed by three characters. HBIN43L318W47000LDMV may be followed by three characters.

LED Bollards, Model Nos. BOLAFL, BOLARL, BOLBSL, BOLCDL; followed by L20W; followed by 1500L; followed by DMV; followed by two numbers; followed by K; followed by BZ

LED Disk Light, Model Nos. LMD6L15W1100LD120 may be followed by five characters.

LED Fixed Luminaire, Model Nos. OSL48LSxxWyyyyLDMVzzK, OSL96LSxxWyyyyLDMVzzK.

LED Luminaire, Fleco Industries, Saylite, Texas Fluorescents, Mobern, Model Nos. MAX followed by one number; followed by two letters; followed by 0 to 99; followed by L; followed by one letter; followed by 0 to 999; followed by W; followed by 0 to 99999; followed by L; followed by up to five characters; followed by 0 to 999; followed by K; followed by two letters; followed by up to ten characters. LS followed by 2 or 3; followed by 24 to 96; may be followed by one letter; followed by LED; may be followed by two letters; followed by 0 to 164; followed by up to five characters; followed by up to nine characters; followed by up to two characters; followed by 0 to 999; followed by up to fifteen characters.

LED Luminaire, Fleco, Texas Fluorescents, Mobern, Saylite, Model Nos. 153X or SBC; followed by 12 to 34; followed by L; followed by one letter; followed by 0 to 44; followed by W; followed by 0 to 9999; followed by L; followed by up to five characters; followed by 0 to 999; followed by K; followed by two letters; followed by up to fifteen characters. BLP followed by 12 to 34; may be followed by one letter; followed by LED; may be followed by two letters; followed by 0 to 44; followed by up to five characters; followed by up to five characters; followed by 0 to 999; followed by up to fifteen characters.

LED Luminaire, Fleco Industries, Saylite, Texas Flourescents, Model Nos. PRL; followed by W or TR; followed by 42, 44, 46; followed by R or RF; followed by SF; followed by 0 to 96; following by L; followed by R; followed by 0 to 96; followed by W; followed by 0 to 99999; followed by L; followed by DMV or GMV; followed by 0 to 9999; followed by K; may be followed by B or J or E or T; may be followed by EM. PER; may be followed by two characters; followed by 0 to 96; followed by LED; followed by 0 to 64; followed by up to five characters; followed by two characters; may be followed by R or RF; may be followed by up to four characters; followed by 0 to 999; may

be followed by EM; may be followed by B or J or E or T.

LED Lumianire, Model Nos. PRO followed by 24 to 96; followed by L; followed by a letter; followed by 24 to 96W; followed by five numbers; followed by DMV, G120, D1MV; followed by 2 letters; followed by K; followed by two letters; may be followed by up to fifteen characters. PRF1 followed by 2 to 8; followed by LED; followed by 24 to 96; followed by DMV, SDMV, DHV, D347V, TDMV, D120 or D277; followed by A; followed by 2 letters; followed by 2 numbers; may be followed by up to fifteen characters.

LED Luminaire, Model Nos. CLWD followed by two letters; followed by two numbers; followed by L; followed by one letter; followed by 0 to 88; followed by W; followed by five numbers; followed by L; followed by three letters; followed by 0 to 99; followed by K; followed by two letters; may be followed by up to fifteen characters. CPWL followed by two letters; followed by two numbers; followed by LED; followed by two numbers; followed by up to four characters; followed by two letters; followed by two numbers; may be followed by up to four characters.

LED Luminaire, Model Nos. SOS; followed by N; followed by two letters; followed by 0 to 96; followed by L; followed by one letter; followed by 0 to 46; followed by W; followed by 0 to 6600; followed by L; followed by 3 letters; followed by 0 to 999; followed by K; followed by 3 characters; may be followed by up to 12 characters.

LED Luminaire, Model Nos. CT2-LED, CIT96L, VWFHB. Model Nos. CIT; followed by 24L, 48L; followed by RF, LB, FR, OL; followed by 42, 51, 84; followed by W; followed by up to five characters; may be followed by PG; followed by DMV, STMV; may be followed by 11; followed by up to three characters; followed by MDB3, MDT4, MDT4W. Model Nos. CITA; may be followed by P; followed by CL, FR; followed by 48L; followed by 0 - 180; followed by W; followed by DMV, DMVFID; followed by two numbers; followed by K; followed by CS, CS12, EM, EM5, EM7, MDT4, MDT4W, SS, PC120, PC277. Model Nos. CITE; followed by 24L, 48L, 96L; followed by RF, LB, FR, OL; followed by F, H; followed by 0 - 168; followed by W; followed by up to six characters; followed by LB, PG; followed by DMV, DMVFID; followed by two numbers; followed by K; followed by MDB3, MDT4, MDT4W. Model Nos. VT; followed by 2, 4, 8; may be followed by WD; followed by LED; followed by 24, 28, 35, 23, 48, 57, 70, 97, 114; followed by DMV, FIDMV; may be followed by P; followed by AC; followed by 30, 35, 40, 50; followed by CS, OS, OSW, OSD, SS, PC120, PC277, EM, EM4F, EM5, EM7. Model Nos. VW2, VW4, VW8; may be followed by WD, WD3, LB, PG; followed by LED; followed by 0 - 168; followed by UDMV, DMV; may be followed by 11, P; followed by up to three letters; followed by two numbers; followed by H123, H126, OS, CS, OSW, OSD, SS, PC120, PC277, EM, EM4F, EM5, EM7, SL, VW-MB2L-2K, VW-MB2L-B-2PK. Model Nos. CITN48L; followed by two letters; followed by F35W4000L, F48W5600L, F55W6400L; followed by DMV; followed by two numbers; followed by K; may be followed by up to five characters. Model Nos. VWN; followed by 4; followed by LED; followed by 24 - 55; followed by DMV; followed by two letters; followed by two numbers; may be followed by up to three letters. Model Nos. BOWLER followed by IN, ON. Model Nos. LOOP 1.1 IN; followed by 12, 24, 36. Model Nos. RAY; followed by SIP; may be

followed by SQUARED.

LED Luminaire, Model Nos. COR; followed by FR; followed by 48L; followed by one letter; followed by 0 - 57; followed by W; followed by 0 - 9999; followed by L; followed by DMV; followed by 30K, 35K, 40K, 50K; followed by two letters; may be followed by HC301WH, HC302WH, HC3015WWH, HC3025WWH, 2SCS24WH. Model Nos. ATP; followed by FR; followed by 48; may be followed by one letter; followed by LED; may be followed by one letter; followed by 0 - 57; followed by up to six characters; followed by two letters; followed by two letters; followed by 0 - 999; may be followed by -B, -E, -J; followed by up to fifteen characters.

LED Luminaire, Model Nos. RIG; followed by up to four letters; followed by 0 to 96; followed by L; followed by one letter; followed by 0 to 168; followed by W; followed by up to five numbers; followed by L; followed by up to four characters; followed by two numbers; followed by K; followed by two letters; may be followed by up to ten characters. Model Nos. L44IR; followed by up to two letters; followed by 00 to 96; followed by LED; followed by 0 to 168; followed by up to five characters; followed by two letters; followed by 0 to 99; may be followed by one letter; may be followed by up to fifteen characters.

LED Luminaires, Model Nos. DGS; followed by FR; followed by 48L; followed by A55W5400L, A75W7000L; followed by DMV, DMVFID; followed by any number; followed by K; followed by any two letters. Model Nos. RRS; followed by FR; followed by 24L, 48L, 96L; followed by E16W1600L, E24W2400L, E32W3200L, E48W4800L, E64W6400L, E96W9600L; followed by DMV, DMVFID; followed by any number; followed by K; followed by any two letters.

LED Luminaire, Model Nos. HBG48L; may be followed by FR; followed by A132W18000L, A175W25000L, A215W30000L, A280W40000L, A355W50000L; followed by W30; followed by DMV, MV; followed by 40K, 50K; followed by MDT4, MDF4, CS, CS12, CS08, WP, WP1. Model Nos. HBIA; followed by 24; followed by LED; followed by 89, 132, 175; followed by DMV; followed by two numbers; maybe followed by FR; followed by EM, OS, OSD, DH, CS, CS8, CS12, CS8TL277, WP, WP12, WG. Model Nos. HBIA; followed by 48; followed by LED; followed by 132, 175, 215, 280, 355; followed by DMV; followed by two numbers; maybe followed by FR; followed by EM, OS, OSD, DH, CS, CS8, CS12, CS8TL277, WP, WP12, WG.

LED Luminaire, Model Nos. Series CT2-LED, CIT24L, CIT48L, CIT96L, VW2, VW4, VW8, CITE, CITA, VWFHB. Model Nos. CITA; may be followed by P; followed by CL, FR; followed by 48L; followed by two, three numeric digits not exceeding 180; followed by W; followed by DMV, DMVFID; followed by two numeric digits; followed by K; followed by CS, EM, EM5, EM7, MDT4, MDT4W, SS, PC120, PC277; may be followed by one, two numeric digits. Model Nos. CITE; followed by 24L, 48L, 96L; followed by RF, LB, FR, OL; followed by two, three numeric digits not exceeding 168; followed by W; followed by LB, PG; followed by DMV, DMVFID; followed by two numeric digits; followed by K; followed by MDB3, MDT4, MDT4W. Model Nos. VT; followed by 2, 4, 8; followed by Blank, WD; followed by LED; followed by 24, 28, 35, 23, 48, 57, 70, 97,114; followed by DMV, FIDMV; followed by Blank, P; followed by AC; followed by 30, 35, 40, 50;

followed by CS, OS, OSW, OSD, SS, PC120, PC277, EM, EM4F, EM5, EM7.

LED Luminaire, Model Nos. SSSTWFR24L; followed by E15W2050L, E24W3000L; followed by DMV; may be followed by two numbers; followed by 30K, 35K, 40K, 50K. Model Nos. SSSTWFR48L; followed by E48W6000L, E57W6900L; followed by DMV; may be followed by two numbers; followed by 30K, 35K, 40K, 50K. Model Nos. STW; followed by R; followed by 24; followed by LED; followed by 1 - 24; followed by DMV; may be followed by two letters; followed by two numbers; may be followed by EM; may be followed by five characters. Model Nos. STW; followed by R; followed by 48; followed by LED; followed by 1 - 57; followed by DMV; may be followed by two letters; followed by two numbers; may be followed by EM; may be followed by five characters.

LED Luminaire, Model No. MBTW; followed by 5, 7, 9, 12; followed by 4, 6, 8; followed by I, D; followed by H55W, H83W, H110W; followed by DMV, DMVFID; followed by 30K, 35K, 40K, 50K; followed by WH; followed by PI1, PI2, PI3D, PI4D; followed by S, J, E; followed by HC401SWWH, HC402SWWH, HC4015SWWH, HC4025SWWH; followed by FSP.

LED Recessed, Surface Wall, and Ceiling Luminaires, Fleco, Texas Fluorescents, Mobern, Model Nos. CIND; may be followed by two letters; followed by 00 to 96; followed by L; followed by one letter; followed by 00 to 118; followed by W; followed by 0 to 99999; followed by L; followed by three characters; followed by up to five characters; followed by 0 to 999; followed by K; may be followed by up to fifteen characters. 1FSF; followed by 24 to 96; may be followed by one letter; followed by LED; may be followed by two letters; followed by 0 to 118; followed by up to five characters; may be followed by two letters; followed by 0 to 999; followed by up to five characters; may be followed by up to fifteen characters. L23; followed by P, S or W; followed by 24 to 96; may be followed by up to two letters; followed by LED; may be followed by up to four characters; followed by 0 to 118; followed by up to five characters; followed by up to five characters; followed by up to ten characters; followed by 0 to 999; may be followed by up to fifteen characters; may be followed by -; may be followed by one letter. 23 or L23; followed by P or W; may be followed by W; followed by two letters; followed by 24 to 96; may be followed by one letter; followed by one letter; followed by up to three numbers; followed by W; may be followed by one letter; followed by one letter; may be followed by 0 to 9999; may be followed by one letter; followed by up to five characters; followed by 00 to 99; followed by K; followed by two letters; may be followed by one letter; may be followed up to fifteen characters.

LED Recessed Luminaires, Model Nos. RPL, WSB, RF, 128, SKYV, CRV, RWW, EWW, L44R, 66, L66, RDISD, UDLL, RDIS, RDIW, DIW, RGSB, ILI, SKY, LXT, RL, FLS, RGVLT, VLT, RP, PARA, RDIDB, LDL, RDICB, RDI, RPHE, PEW, PES CBF, W4A, RG, RDISE, 23 Series or L23 Series; may be followed by S or R; may be followed by one character; followed by 11 to 96; may be followed by P; may be followed by - ; may be followed by LED; followed by 0 to 99; may be followed by FR; may be followed by DMV, SDMV, MV, R120, R277 or 347; followed by 0 to 99; may be followed by 125, EM, WP or CS.

LED Recessed Luminaires, Model Nos. L5570-WW31R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW31R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W31R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-WW46R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW46R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W46R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-WW61R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-NW61R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L5570-W61R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW34R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW34R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W34R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW51R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW51R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W51R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-WW68R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-NW68R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L7380-W68R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW45R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW45R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W45R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW68R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW68R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W68R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-WW90R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-NW90R; followed by SA, WH, BK, SB, WD, CU. Model Nos. L9086-W90R; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-WW25; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-NW25; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-W25; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-WW35; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-NW35; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-W35; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-WW47; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-NW47; followed by SA, WH, BK, SB, WD, CU. Model Nos. R5536-W47; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-WW32; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-NW32; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-W32; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-WW46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-NW46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-W46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-WW62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-NW62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R6836-W62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-WW34; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-NW34; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-W34; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-WW51; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-NW51; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-W51; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-WW68; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-NW68; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8636-W68; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-WW31; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-NW31; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-W31; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-WW46;

followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-NW46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-W46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-WW62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-NW62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035S-W62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-WW31; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-NW31; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-W31; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-WW46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-NW46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-W46; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-WW62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-NW62; followed by SA, WH, BK, SB, WD, CU. Model Nos. R8035M-W62; followed by SA, WH, BK, SB, WD, CU.

LED Retrofit Kit, Model Nos. LWD followed by two letters; followed by two numbers; followed by L; followed by one letter; followed by 0 to 88; followed by W; followed by five numbers; followed by L; followed by three letters; followed by 0 to 99; followed by K; followed by two letters; may be followed by up to four characters. PWL followed by two letters; followed by two numbers; followed by LED; followed by two numbers; followed by up to four characters; followed by two letters; followed by two numbers; may be followed by up to four characters.

LED Retrofit Kit, 48 in., Model Nos. Fleco P/N: 4RBxx; Mobern P/N: RKBC4xx. Also tested to: CSA TIL B79.

LED Retrofit Kit, 96 in. LED Retrofit Kit: Fleco P/N: 8RBxx; Mobern P/N: RKBC8xx. Also tested to: CSA TIL B79.

LED Surface Wall and Ceiling Luminaires, Fleco, Texas Fluorescents, Mobern, Saylite, Model Nos. 44SC; followed by 1S or 2S; followed by 0 to 96; followed by LED; followed by 0 to 138; followed by up to five characters; followed by 0 to 999; followed by up to fifteen characters. CSC; followed by 0 to 96; followed by L; followed by 0 to 9; followed by S; followed by J; followed by 0 to 138; followed by W; followed by 0 to 99999; followed by L; followed by up to five characters; followed by 0 to 99; followed by K; followed by up to four characters; may be followed by B or J or E; followed by up to four characters.

LED Surface Wall and Ceiling Luminaires, Model Nos. SAR; followed by FR; followed by 0 to 96; followed by L; followed by one letter; followed by 0 to 118; followed by W; followed by up to four letters; followed by 0 to 99; followed by K; followed by two letters; followed by up to fifteen letters. Model Nos. 42T; followed by 0 to 96; followed by LED; followed by 0 to 118; followed by up to five letters; followed by two letters; followed by two letters; followed by 0 to 99; followed by K; followed by up to fifteen letters. Model Nos. SER; followed by FR; followed by 24 to 96; followed by L; followed by one letter; followed by 0 to 118; followed by W; followed by 0 to 10000; followed by L; followed by DMV, STMV; followed by 0 to 99; followed by K; followed by two letters; may be followed by -; may be followed by one letter; may be followed by up to fifteen characters. Model Nos. SSSER; followed by FR; followed by 24 to 96; followed by L; followed by one letter; followed by 0 to 118; followed by W; followed by 0 to 10000;

followed by L; followed by DMV, STMV; followed by 0 to 99; followed by K; followed by two letters; may be followed by -; may be followed by one letter; may be followed by up to fifteen characters. Model Nos. LDA; followed by 00 to 96; followed by LED; followed by 0 to 118; followed by RF; followed by four letters; followed by two letters; followed by 0 to 99; may be followed by up to fifteen characters; may be followed by -; may be followed by two numbers.

Troffer Retrofit, Model Nos. 2x4 Fixtures, Model Nos. Fleco P/N: 24Cxx; Mobern P/N: RKT24xx. 2x2 Fixtures, Model Nos. Fleco P/N: 22Cxx; Mobern P/N: RKT22xx. 1x4 Fixtures, Model Nos. Fleco P/N: 14Cxx; Mobern P/N: RKT14xx. 2x4, 2x2 Fixtures, Model Nos. Fleco P/N: IRCxx, Mobern P/N: RKDICxx. Also tested to: CSA TIL B79.

Indirect/Direct Recessed Retrofit Kit-Dual Diffuser, 2 x 4, 2 x 2 Fixtures, Model Nos. Fleco P/N: IRDxx; Mobern P/N: RKDIDxx. 4 Feet & 8 Feet Universal Strip Retrofit Kit w/Reflector, Model Nos. Fleco P/N: SKRxx; Mobern P/N: RKSRxx. 2 Feet & 4 Feet RetroFit Kit, Model Nos. Fleco P/N: RKCITxx; Mobern P/N: RKVWxx.

LED Light Engine, Model No. EOSxx. Also tested to: CSA TIL B79.

LED Surface Wall and Ceiling Luminaires, Model Nos. LPC, CLP; followed by 11, 12, 22, 36, 48, 96; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 42; may be followed by DMV, SDMV, MV, R120, R277; followed by 0 - 99. Model Nos. SLP, SLW; followed by MW, FR; followed by 48L, 96L; followed by F24W2400L, F48W4800L, UF12WD24W, UF18WD36W, UF36WD18W, F96W9600L, UF24WD48W, UF36WD72W; followed by DMV, DMVFID; followed by two numbers; followed by K; followed by two letters; followed by HC401, HC402, HC4015W, HC4025W; followed by up to four letters. Model Nos. LLP, LLW; may be followed by up to three letters; followed by 12 - 96; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 108; may be followed by DMV, SDMV, MV, R120, R277; followed by 0 - 99. Model Nos. 42SC, 202, 779, CLM, MCE, CRWN, CWN, ECL, MCH, FL, MDC, PUF, C, 74, DKS, 10T5, SKD, 10T5S, 215, 158, 555, 155, BKA, 741, BKR, 79, BKS, 791, BKV, HOT, MFL, SS, 155, VAN, VB, SE, 42, KDS, 41, KDSM, 41SC, SM, LD23, LDA, SHCRV, SSKY, 209, 770, ECW, 774, ECW, 774; may be followed by up to three letters; followed by 11 - 96; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 67; may be followed by DMV, SDMV, MV, R120, R277; followed by 0 - 99. Model Nos. SESFR, SSSESFR; followed by 24L, 48L, 96L; followed by R14W1400L, R20W2000L, F28W2800L, S31W3100L, R40W4000L, S62W6200L, R80W8000L; followed by DMV, STMV; followed by two numbers; followed by K; followed by two letters. Model Nos. SER; followed by FR; followed by 24L, 48L, 96L; followed by R14W1400L, R20W2000L, R28W2800L, R40W4000L, R56W5600L, R80W8000L; followed by DMV, DMVFID; followed by two numbers; followed by K; followed by two letters; followed by -B, -E, -J. Model Nos. 153, SR; followed by 12, 24, 48; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 95; may be followed by DMV, SDMV, MV, R120, R277; followed by 0 - 99. Model Nos. RRS, MRRS; may be followed by FR; followed by 12 - 96; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 114; may be followed by W30,

XWN; may be followed by DMV, SDMV, MV, R120, R277; may be followed by two letters; followed by 0 - 99. Model Nos. C, 44, S, 42, 207, 769, 200, 772, DID, DIS, FHBL, FHBR, IND, 1, KL, 9, LVS, DLV, 66S, LI66, 66M, WM66, 44S, LI44, 44M, WM44, WLIN, LIW; followed by 12 - 96; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 118; may be followed by DMV, SDMV, MV, R120, R277; followed by up to four characters; may be followed by two characters; followed by two characters; may be followed by up to three characters. Model Nos. HBA; followed by 24, 48, 96; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 280; may be followed by DMV, SDMV, MV, R120, R277; followed by 0 - 99. Model Nos. HBCA48L; may be followed by DFFR; followed by N110W16000L, N162W24000L, M280W30000L; followed by A10; followed by DMV; followed by two numbers; followed by K; followed by MDT4, MDF4, CS, CC12, C8, WP, WP10. Model Nos. HIL, HBPA; may be followed by FR, CL; followed by 24, 48; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 364; may be followed by FR, CL; may be followed by DMV, SDMV, MV, R120, R277; followed by 0 - 99. Model Nos. HBC, FHBC; followed by 24, 48; may be followed by one letter; may be followed by LED; may be followed by one letter; followed by 0 - 433; may be followed by DMV, SDMV, MV, R120, R277; followed by 0 - 99. Model Nos. CRSF48, CRSD48, CRSR48; followed by T20W2700L, T41W4800L, T54W6900L, T67W8200L; followed by up to six characters; followed by three characters. Model Nos. CRSF96, CRSD96, CRSR96; followed by T40W5400L, T82W9600L, T108W13800L, T134W16400L; followed by up to six characters; followed by three characters. Model Nos. L25PSF, LD25SF; followed by 24L, 48L, 96L; followed by T18W1885L, T37W3770L, T74W7540L; followed by DMV; followed by three characters; followed by two letters.

Linear Pendant LED Luminaire, Model Nos. LINPFxx, LIxx, LINMWxx, LISxx , LINLVxx, LIBxx, PLINxx, LPLINxx, LPLIxx, LPLIAxx, 66Sxx, LI66xx, 44Sxx, LI44xx.

MIMDFLTH-LED Series Luminaire, Model Nos. MIMDFLTH; followed by LED; followed by 32 - 84; followed by E120, E277; followed by two letters; followed by 0 - 999; may be followed by up to seven characters.

Outdoor Fluorescent Lumminaire, Model No. AECHPM454MV.

Spray Paint Booth LED Luminaire, Model Nos. CMT followed by RR; followed by GF; followed by 14L; followed by Z33W4000L or A65W8000L; may be followed by DMV; followed by 0 to 99; followed by K; may be followed by WP5 or WP6. For use in: Class I, Division 2 Groups A – D; Class II, Division 2 Groups F, G; Temperature Code: T4 Ambient: -20°C < Tamb < 40°C Suitable for locations where Class I and Class II conditions exist sim
ultaneously. Suitable for locations having deposits of readily combustible paint residues when installed din accordance with manufacturer's instructions.

Evaluated to the following: A representative sample of the listed devices have been tested, investigated and found to comply with the requirements of the Standard(s) for Luminaires (UL-1598) and are identified with the ETL Listed Mark.

<- Back

© 2010 Intertek All Rights Reserved.
All other product or service names are the property of their respective owners.