
| REV | DESCRIPTION | DATE |
| --- | --- | --- |
| A | QUOTE | 07/18/2025 |

# MPD-CS2-NTL.30AB-YT0-Z-3.L35-2.L34-M1


LARSON ELECTRONICS®




LARSON ELECTRONICS

9419 E US HWY 175,
KEMP, TX 75143

| TITLE | | | |
|---|---|---|---|
| MPD-CS2-NTL.30AB-YT0-Z-3.L35-2.L34-M1 | | | |
| DRAWN BY | DATE | REV | |
| L.Calib | 07-18-2025 | A | |
| CHECKED BY | SHEET # | DRAWING # | |
| | 1 OF 2 | 101 | |




| TAGS | QTY | CATALOG | DESCRIPTION |
|---|---|---|---|
| J1-101.05 | 1 | | L21-30C TWIST-LOCK FEMALE CORD CAP, 208Y/120V 30A |
| J1-101.24<br>J1-101.36<br>J2-102.06 | 3 | UNV00007119 | 3P 5W 120/208V 30A L21-30R LOCKING RECEPTACLE |
| 2 HOLE GRND LUG | 1 | UNV00007136 | 2 HOLE GROUND LUG |
| J2-102.18<br>J2-102.30 | 2 | UNV00013866 | 208Y/120V 20A L21-20R TWIST-LOCK |
| CB1-101.24<br>CB1-101.36<br>CB2-102.06 | 3 | UNV00015171 | 3P 30A 240V UL489 DIN RAIL MOUNT CIRCUIT BREAKER |
| CB2-102.18<br>CB2-102.30 | 2 | UNV00015169 | 3P 20A 480/240V UL489 CIRCUIT BREAKER |
| PD 1<br>PD 2<br>PD 3<br>PD 4 | 4 | UNV00015084 | POWER DISTRIBUTION BLOCK 175 A 600V 1-4 OPENING |
| GRND BAR KIT | 1 | UNV00013942C | GROUND BAR KIT |
| CBL1-101.05 | 1 | UNV00010807 | 10/5 SOOW CORD CABLE |

LARSON ELECTRONICS

9419 E US HWY 175,
KEMP, TX 75143

TITLE: MPD-CS2-NTL.30AB-YT0-Z-3.L35-2.L34-M1

| DRAWN BY | DATE | REV |
|---|---|---|
| L.Calib | 07-18-2025 | A |
| CHECKED BY | SHEET # | DRAWING # |
| | 2 OF 2 | 102 |