The EPL-EMG-CM-LED10W from Larson Electronics is a Class I Divisions 1 & 2 Explosion Proof LED Light with Emergency Battery Backup. The EPL-EMG-CM-LED10W is designed to be able to withstand harsh conditions and hazardous environments with a durable aluminum construction. This 10W LED with emergency light operates on 120-277V AC voltage and includes a sealed lead acid battery for emergency situations. The EPL-EMG-EXT-26W produces 1050 lumens during emergency power situations.
La EPL-EMG-CM-LED10W de Larson Electronics est une CFL, une lampe antidéflagrante fluorescente et compacte de Classe I Division 1 & 2 avec une batterie de secours. La EPL-EMG-CM-LED10W a été créée pour supporter des conditions difficiles et des environnements à risque grâce à un design en aluminium durable. Cette CFL de 10W est équipée d'une lampe d'urgence et fonctionne en 120V-277V AC et inclue une batterie de secours au plomb scellée. La EPL-EMG-CM-LED10W produit 1050 lumens quand elle fonctionne sur la batterie en situation d'urgence.

The EPL-EMG-CM-LED10W is rated for Class I Divisions 1 & 2 Groups C & D, Class I Zones 1 & 2 Groups IIA & IIB, Class II Divisions 1 & 2 Groups E, F and G and Class III hazardous environments. This emergency LED light is constructed from durable and corrosion resistant copper-free aluminum and has a baked-on epoxy/polyester powder finish for increased durability. The EPL-EMG-CM-LED10W is fully sealed and has a NEMA 3 rating for protection against the ingress of dust and water. This emergency-only LED also features an LED status indicator light that is visible through the lens to indicate charging.
La EPL-EMG-CM-LED10W est de Classe I Division 1 & 2 Groupes C & D, Classe I Zones 1 & 2 Groupes IIA & IIB, Classe II Divisions 1 & 2 Groupes E, F et G et Classe III pour les environnements à risque. Cette CFL d'urgence est faite d'aluminium sans cuivre, durable et résistant à la corrosion. Elle présente une finition en poudre d'époxy et de polyester pour une plus grande durabilité. La EPL-EMG-CM-LED10W est entièrement scellée et reconnue NEMA 3 pour une protection contre la pénétration de poussière ou d'eau. Cette lampe offre un indicateur LED informant sur le niveau de la batterie, visible à travers la lentille.

Light Information: The emergency light on the EPL-EMG-CM-LED10W consists of a directional LED light bulb that can serve as an A19 LED upgrade from standard light bulbs fitting E26 bulb sockets. The A19 is the same base and dimensions as a standard A19 incandescent light bulb, meaning you can use this

LED light bulb as a replacement for a standard household incandescent and compact fluorescent bulbs. However, given the durability and longevity of this LED design, we see this LED light bulb as an ideal solution for a variety of business and industrial uses. The LED bulb used in the EPL-EMG-CM-LED10W produces 1050 lumens during emergency power situations to indicate safe egress areas during power outages and other emergenices.
Information lumineuse : La lampe d'urgence EPL-EMG-CM-LED10W est une ampoule LED directionnelle similaire à une LED A19 mais améliorée face aux standards de douilles à ampoule E26. La A19 a la même base et les mêmes dimensions que l'ampoule lumineuse incandescente A19, ce qui fait que vous pouvez l'utiliser comme ampoule de rechange pour une utilisation dans un foyer comme ampoule fluorescente compacte et incandescente. En revanche, étant donné la longévité de la LED, celle-ci est une solution idéale pour de nombreuses entreprises et pour une utilisation industrielle. L'ampoule LED utilisée dans la EPL-EMG-CM-LED10W produit 1050 lumens en situation d'urgence afin d'aider à repérer les zones d'évacuation en cas de coupure de courant ou d'autre type d'urgence.

Power/Voltage: The EPL-EMG-CM-LED10W operates on 120-277V AC voltages.
Énergie/voltage : La EPL-EMG-CM-LED10W fonctionne en 120V-277V AC.

Battery: The EPL-EMG-CM-LED10W features maintenance free sealed lead acid batteries that provide an emergency runtime of at least 90 minutes.
Batterie : La EPL-EMG-CM-LED10W est équipée de batteries d'acide scellées ne requérant pas d'entretien et fonctionnant en situation d'urgence pendant 90 minutes.

Mounting: The EPL-EMG-CM-LED10W can be mounted in several different ways. Available mounting choices include pendant, ceiling, wall and stanchion. Please indicate your desired mounting method below before ordering.
Montage : La EPL-EMG-CM-LED10W peut être montée de différentes manières. Les options de montage disponibles sont le suspendu, le plafond, le mur et le montant. Veuillez indiquer votre choix de montage ci-dessous, lors de la commande.

Applications: Extraction rooms, warehouses, manufacturing facilities, chemical plants and any other hazardous locations or areas with harsh locations that require emergency CFL ilumination.

Applications : Chambres d'extraction, entrepôts, manufactures, usines chimiques et toute zone à risque ou aux conditions difficiles pouvant nécessiter une illumination CFL d'urgence.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.
Chez Larson Electronics, nous faisons plus que de répondre à vos besoins en éclairage. Nous nous occupons aussi du remplacement, du réaménagement et de l'amélioration des parties et des accessoires de puissance industrielle. Nos opérateurs peuvent s'occuper de tout type de système d'éclairage et/ou d'accessoire pour réponse à la demande de votre opération. Nous sommes engagés dans l'honnêteté, la qualité et la fiabilité, qui ont fait de Larson Electronics un leader de l'éclairage et de l'électronique depuis 1973. Contactez-nous au 800-369-6671 ou écrivez-nous à sales@larsonelectronics.com pour plus d'informations sur nos options de service adaptées aux besoins de votre industrie.

High Quality Features

1. Long-life LED bulb.
2. 120-277V AC voltage
3. Sealed lead acid batteries provide 90 minutes of emergency runtime.
4. Durable copper-free aluminum housing.
5. 1050 lumens of emergency lighting from only 10 watts.
6. Corrosion resistant powder coated finish.
7. Pendant, ceiling, wall and stanchion mounting options available.
8. Low profile - Light weight

Fonctionnalités haute qualité

1. Ampoule fluorescente compacte et durable.

2. Voltage : 120-277V AC.

3. Batteries en acide scellées et permettant une utilisation d'urgence pendant 90 minutes.

4. Boitier solide en aluminium sans cuivre.

5. 1050 lumens en situation d'urgence avec seulement 10W.

6. Finition en poudre résistant à la corrosion.

7. Montages disponibles : suspendu, plafond, mur et montant.

8. Discrète, légère.

Specifications / Additional Information

EPL-EMG-CM-LED10W LED Emergency Light
Type: LED Emergency Light
Battery Type: Maintenance-Free Sealed Lead Calcium

Case Dimensions: 14.31"H x 7.44"D

Watts: 10
Lumens: 1050

Amps: 0.24 @ 120V AC, 0.11 @ 277V AC

Temperature Rating: 0°C to 40°C
Battery Type: Sealed Lead Acid
Voltage: 120-277V AC, 50/60Hz
Bulb Type: LED
Enclosure Type: NEMA 3
Temperature Rating: Class I Groups C & D - T6 Class II Groups E, F & G - T4
Case Material: Diecast Copper-Free Aluminum w/ Powder Finish
Mounting: Pendant, Ceiling, Wall or Stanchion
Emergency Run Time: 90 minutes
Warranty: Yes- 3 Years*

Ratings/Features:
Class I Divisions 1 & 2 Groups C & D
Class I Zones 1 & 2 Groups IIA & IIB
Class II Divisions 1 & 2 Groups E, F & G
Class III
UL Listed (UL844, UL1570 & UL924)
UL Wet Location Listed (Indoor & Outdoor)
120-277V AC Voltage
Indicator Light Signals Charging
Factory Sealed
Copper-Free Aluminum Housing
90 Minute Emergency Runtime

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671
Intl: 1-903-498-3363
E-mail: sales@larsonelectronics.com

Spécifications / Information additionnelle

Lampe d'urgence fluorescente compacte EPL-EMG-CM-LED10W

Type: Lampe LED d'urgence

Type de batterie : Calcium scellé sans entretien nécessaire

Taille boitier : 14.31" H x 7.44" P

Watts : 10W

Lumens : 1050

Amps : 0.24 @ 120V AC, 0.11 @ 277V AC

Température : 0°C à 40°C
Type de batterie : Acide scellé
Voltage: 120-277V AC, 50/60Hz
Type d'ampoule : LED

Type de fermeture : NEMA 3

Reconnaissance : Classe I Groupes C & D - T6 Classe II Groupes E, F & G - T4
Matériel du boitier : Aluminium sans cuivre avec une finition poudre
Montage : Suspendu, plafond, mur ou montant
Fonctionnement d'urgence : 90 minutes
Garantie : Oui- 3 Ans*

Reconnaissances/Autorisations

Classe I Divisions 1 & 2 Groupes C & D
Classe I Zones 1 & 2 Groupes IIA & IIB
Classe II Divisions 1 & 2 Groupes E, F & G
Classe III
Reconnue UL (UL844, UL1570 & UL924)
Reconnue UL zones mouillées (Intérieur & Extérieur)
Voltage 120-277V AC
Indicateur lumineux de la charge
Scellée à l'usine
Boitier aluminium sans cuivre
90 Minutes de fonctionnement d'urgence

Commandes spéciales

Contactez-nous pour des demandes spéciales

Gratuit : 1-800-369-6671
International : 1-903-498-3363
E-mail: sales@larsonelectronics.com