

**1.5 kVA Outdoor Rated Transformer - Input 120/240 volts on 50/60Hz - 24 Volt Output - Weatherproof**

Part #: TX-1500



**Made in the USA**

**The Larson Electronics TX-1500 1.5KVA power transformer converts 110-120/220-240 VAC at 50/60hz to 12 or 24 VDC and is ideal for powering 12 or 24 volt based lights and equipment.**

This 1.5 KVA, coil based power transformer accepts 120-240 VAC electrical current and provides 12 volts at 125 amps or 24 volts at 62.5 amps via a 1 foot SOOW cord depending upon the chosen configuration. The transformer in this unit is encased within a weatherproof NEMA 3R rated enclosure and produces minimal interference with the wireless radio receivers often found in remote controlled lighting equipment such as Golight wireless remote controlled spotlights.

The primary input on this unit accepts either 120 or 240 VAC at 50/60 Hz depending upon configuration, and is connected through a 5 foot SOOW cord with industrial cord cap. Output from this unit delivers 12 Volts at 126 amps or 24 Volts at 62.5 amps DC depending upon the unit's configuration. This unit is preconfigured for specific current input and output before shipping. Please select your desired current voltages from the drop down boxes below when ordering.



[Click Photo to Enlarge](#)



[Click Photo to Enlarge](#)

Some power transformers produce significant radio frequency interference which can cause erratic operation of radio controlled devices. This NEMA 3R encapsulated transformer is ideal for use with wireless remote controlled Golight models GL-3049H, RCL360HID and any other equipment that relies on radio receivers for remote operation when mounted 2 feet or more from such equipment. This heavy duty unit measures 10" tall x 6" wide x 6" deep, is surface mountable, and provides a reliable and low interference low voltage power solution for equipment requiring 12 or 24 VDC.

We can build transformers to your specifications. If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com.

**Specifications / Additional Information****TX-1000 Power Transformer**

**Line In:** 120/240VAC@50/60Hz

**Line Out:** 12VDC -24VDC

**KVA:** 1.5

**Rating:** NEMA 3R Enclosure

**Dimensions:** 10"-H x 6"-W x 6"- D

**Wiring:** Input- 5' SOOW Cord Output-1' SOOW Cord

**Mounting:** Surface Mount

**Special Orders- Requirements**

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** 1-903-498-3363

**E-mail:** sales@larsonelectronics.com

[Scroll Down to Purchase](#)

Part #: TX-1500 (104822)

Options:

TX-1500- INPUT VOLTAGE - OUTPUT VOLTAGE

Example: TX-1500-120V-12VDC

INPUT VOLTAGE		OUTPUT VOLTAGE	
120V	-120V	12VDC	-12VDC
240V	-240V	24VDC	-24VDC











Links (Click on the below items to view):

- [Hi-Res Image 1 - 1.5 kVA Outdoor Rated Transformer](#)
- [Hi-Res Image 2 - 1.5 kVA Outdoor Rated Transformer](#)
- [Hi-Res Image 3 - 1.5 kVA Outdoor Rated Transformer](#)
- [Hi-Res Image 4 - 1.5 kVA Outdoor Rated Transformer](#)
- [Hi-Res Image 5 - 1.5 kVA Outdoor Rated Transformer](#)
- [Hi-Res Image 6 - 1.5 kVA Outdoor Rated Transformer](#)