Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

CL1B-DNS-1227

Class 1 LED Beacon with 30 Strobing Light Patterns - Dusk to Dawn - Surface Mount - 120-277V AC

Product ID: 104978

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

CL1B-DNS-1227 Flashing Strobe

Lamp Type: LED
Dimensions: 4.5"-High, 6.75" Diameter
Lamp Weight: 4 lbs
Wattage: 14.4
Lumens: 1,440
Luminous Efficiency: 100 Lumens per Watt
Lighting Configuration: Strobing Flash
Voltage: 120 to 277 volts AC

Mounting: Permanent Mount

Wiring: Direct Wiring to Power Source

Ambient Temp: -45°C to +55°C

Features

SAEJ845, Class 1- Brightest Rating
Permanent Mount
Day/Night Photocell
Multi-Strobe Pattern Options
Waterproof

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics CL1B-DNS-1227 Class 1 LED Beacon works on 120 to 277 volts AC, offers a choice of several colors and is equipped with a permanent mount system, and is equipped with a dusk to dawn photocell.
This compact, high powered LED beacon contains an LED lamp assembly that produces 360° of brilliant light without the dark spots or unevenness of traditional incandescent beacon lights. This beacon is equipped with auxiliary LEDs on top, helping to make this a Class 1 rated beacon and capable of producing a brilliant flashing pattern that is

visible at extended distances. Available in a choice of white, green, blue, amber or red colors, this strobing beacon includes a permanent flat surface mounting system via through holes. This unit is equipped with a dusk to dawn photocell for activating the light at night.



Click Photo to Enlarge



Click Photo to Enlarge



Click Photo to Enlarge

This LED beacon has 30 flash patterns including four simulated rotating patterns. This waterproof beacon has a black powder coated die cast base that contains a fully potted circuit board. A clear polycarbonate lens protects the LED assembly and the housing is waterproof, shock resistant and built for for reliable and durable operation. This LED beacon draws only .12 amps on 120 volts and can be operated on a range from 120 to 277 volts AC.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





FOR
PATTERNS

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

CL1B-DNS-1227

Product ID: 104978

Harmonized System (HS) Code: 9405.10.8020
Export Control Classification Number (ECCN): EAR99

Options:

CL1B-DNS-1227-Lamp Color

Example: CL1B-DNS-1227-GR

Lamp Color	
GREEN	-GR
AMBER	-AMB
RED	-RED
WHITE	-WHT
BLUE	-BLU

Links (Click on the below items to view):

- Operations Manual
- SpecSheetSpanish
- HigResPic1
- HigResPic2
- HigResPic3
- HigResPic4
- HigResPic5
- HigResPic6
- HigResPic7
- HigResPic8
- Video1
- Video2
- ISO 9001 Certification
- Business Certificate
- Shipping Time Map