

WALTP-CU16-4X150W-LED

600 Watt Portable Light Tower - (4) 150 Watt LED Lights - 120-277V AC - Extends to 16 feet

Product ID: 105635

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WALTP-CU16-4X150W-LED Quadpod Light Tower

Lamp Type: LED

Dimensions: Adjustable Tower 7 to 16' Height

Weight: Tower only 75 lbs., Total 175 lbs.

Voltage: 100-277 Volts AC, 50/60Hz or 127-431V DC

Total Watts: 600 watts

Total Lumens: 59,160

Luminous Efficacy: 98.6 Lumens per Watt

Lamp Life: 50,000+ Hours

Color Temp: 6000K

Lighting Configuration: Flood Pattern

Power Efficiency: >95%

Power Factor: 0.992

Amperage: 5A @ 120V, 2.73A @ 220V, 2.5A @ 240V

Ambient Operating Temp Range:-50° C to +70°C

Lamp Housing Material: Aluminum

Lens Material: Polycarbonate

Tower Material: Aluminum Tubing

Tower Finish: Powder coated - Gloss blue

Mounting: Adjustable Quadpod, Wheeled Base w/ 8" Polyurethane Wheels

Wiring: 25 16/3 SOOW w/ Cord Cap

Cord Cap: 5-15, 6-15, L5-15, L6-15, BS1363, Schuko, or Pigtail

3 year warranty replacement on this LED light. After 30 days, the customer ships the failed LED light and/or LED bulb to Larson Electronics at their expense. If the failure is a manufacturer defect, we will ship a new replacement to the customer. If failure occurs within 30 days of receipt, Larson Electronics will provide a return label via email to the customer. When the failed light is returned, Larson Electronics will ship a new replacement.

Quick Summary

600 Watt 59,160 Lumen Light Tower

3 Acre Coverage

Adjustable Steel Tower 7 - 16 Feet

Wheeled Base

25 Foot Cord

UL1012 Compliant

UL60950-1 Compliant

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671



www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)









WALTP-CU16-4X150W-LED

Product ID: 105635

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

WALTP-CU16-4X150W-LED-Cord Cap

Example: WALTP-CU16-4X150W-LED-5.15

Cord Cap	
5-15 STRAIGHT	-5.15
6-15 STRAIGHT	-6.15
L5-15 TWIST	-L5.15
L6-15 TWIST	-L6.15
UK BS1363	-BS1363
INTL SCHUKO	-Schuko
PIGTAIL	-Pigtail

Links (Click on the below items to view):

- [Dimensional Drawing 2D](#)
- [STEP File \(3D CAD Model\)](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [HigResPic9](#)
- [HigResPic10](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)