

PLM-AP-115V

115V Air Compressor for Pneumatic Light Masts

Product ID: 105640

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Industrial grade 115V air compressor designed to fill air reservoir tanks. The 2 horsepower compressor features overload protection and manual restart, provides 4.1 CFM at 90 PSI from, and has a 4.3 gallon storage tank.

115V AC 60 Hz - Single Phase
Oil Lubricated Motor Running at 3400 RPMs
4.1 Gallon Tank Storage Capacity
Max Working Pressure: 125 PSI
Pump Material: Aluminum w. Cast Iron Sleeve
Pump Type: Single Stage
Pump Drive: Direct drive
Tank Outlet: 1/4"
Tank Orientation: Horizontal
Dimensions: 20"-L x 15"-W x 17"-H
Weight: 62 lbs



Frequently Asked Questions (FAQ)









Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)