

HUL-18-TRP

6 Million Candlepower Spotlight with Handle - 100W Halogen Bulb - 800' Long Beam

Product ID: 105673

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

HUL-18-TRP Spotlight

Lamp Type: Halogen Tungsten D2 base bulb

Dimensions: 10" High 5.5" Diam 4.25" Depth

Weight: 1.2 Lbs

Watts: 100 watts

Voltage: 12 or 24 VDC

Beam: 800-L x 65-W

Lamp Output: 6 Million Candlepower

Wiring: 16' Straight Cord with Trailer Hitch Plug

Plug Options: 4-Pin Flat, 4-Pin Round, 6-Pin Round, 7-Pin Round, 7-Pin Flat

IP Rating: IP67 Waterproof

Light Color: White

Vibration tolerance: 8.6G RMS

Mounting: Hand-held Portable

Operating Temp: -40° C to 105°C

[Need more power? Take a look at our High Intensity Discharge \(HID\) Spotlight with 3200 lumens and 15 million Candlepower](#)

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

Buy American Compliant


The Larson Electronics HUL-18-TRP Spotlight is a rugged and effective spotlight designed to provide users with a powerful, durable, and easy to use source of reliable light. This spotlight has a 100 watt halogen bulb which produces a light beam approximately 800' long by 65' wide. This

spotlight includes a detachable 16 foot cord with trailer plug for convenient connection to vehicles and equipment.



This durable and weatherproof spotlight is ruggedly designed to withstand heavy duty use and includes a 16 foot cord and trailer hitch plug adapter to allow connection to any vehicle or ATV equipped with a cigarette plug. This light contains a single 100 watt halogen bulb paired with a precision aluminum reflector and borosilicate hardened glass lens to produce a powerful 800 lumen, 6 million candlepower light beam that reaches 800 feet in length and 65 feet in width. This beam is strong enough to allow operators to read signs, license plates, addresses and other similar markings at the far end of its total range.

This spotlight is built for durability and comfort with an impact resistant housing, an ergonomically designed 5 inch tall polycarbonate handle that matches the contours of your hand, and a light head that can be adjusted vertically. The 5.5 inch diameter lamp and reflector assembly is protected by a borosilicate hardened glass lens that is sealed against water and dust to provide an IP67 rating and weatherproof protection.

A simple on/off toggle switch is located on the side of the handle for easy operation and power options include 12 or 24 volt DC versions for use with most common vehicle, boat or ATV electrical systems. This spotlight is ideal for utility workers, sportsmen, industrial/commercial operators and anyone who needs a portable yet powerful and rugged source of illumination.



[Click Photo to Enlarge](#)



[Click Photo to Enlarge](#)

The image on the left shows a long, dark road similar to a long corridor, illuminated with nothing but moonlight. The image in the middle is the same road, now being illuminated with the HUL-18-TRP; The image on the right shows the HUL-18-TRP illuminating a dark warehouse. This spotlight provides a tight, circular spotlight at several hundred feet.




[Click Photo to Enlarge](#)

Durability-Convenience: The HUL-18-TRP Spotlight is constructed of impact resistant materials including a polycarbonate housing and handle. The lamp assembly contains an aluminum reflector and borosilicate hardened glass lens. The lamp assembly is sealed against water and dust and the entire unit is IP67 rated waterproof to 1 meter.

Each HUL-18-TRP Spotlight comes with a detachable 16 foot coil cord with trailer hitch plug. Plug options include: 4-pin flat connector, 4-pin round connector, 6-pin round connector, 7-pin round connector, and 7-pin flat connector. (Please note: the exterior housing on both 7-pin flat and 7-pin round connectors are physically round, the pins are either flat or round). The cord is detached via a weatherproof, 2 pin Deutsch connector which easily and securely attaches and detaches the coil cord from the spotlight. Other cords, including 21 foot cords with ring terminals (C-21RT), 16 foot cord with spring battery clamps (alligator clips) (C-16BC) and a

16 foot straight cord with cigarette plug (C-16CP) are available. This light can be ordered in either 12 volt or 24 volt configuration, allowing it to be used with any vehicle or ATV equipped with a cigarette plug. Choose voltage below when ordering.



4-Pin Flat Connector

[Click Photos to Enlarge](#)



4-Pin Round Connector



6-Pin Round Connector



7-Pin Round Connector



7-Pin Flat Connector

Versatility: The entire unit weighs only 1.2 lbs. The light head is mounted to the handle with an adjustable hinge that allows the head to be adjusted vertically. The five inch tall handle is ergonomically designed to fit the contours of your hand for a comfortable grip. This unit is ideal for utility work and hunting as well as military, security, and law enforcement use and any application that requires an extremely durable and effective source of portable illumination.

Note On Voltage: Most vehicles are 12 Volt DC. 24 Volts **DOES NOT** mean more power. Running a 24V light from a 12V power source will result in a very dim or non-functioning light, and may cause internal damage to the light as well. For common vehicle use, please order 12V.



Frequently Asked Questions (FAQ)









HUL-18-TRP

Product ID: 105673

Harmonized System (HS) Code: 8512.20.2080

Export Control Classification Number (ECCN): EAR99

Options:

HUL-18-TRP-Voltage-Beam Config-Plug Type

Example: HUL-18-TRP-12V-S-4.Flat

Voltage	
12 VOLTS	-12V
24 VOLTS	-24V

Beam Config	
SPOT	-S
FLOOD	-F
EURO	-E

Plug Type	
4-PIN FLAT	-4.Flat
4-PIN ROUND	-4.Round
6-PIN ROUND	-6.Round
7-PIN ROUND	-7.Round
7-PIN FLAT	-7.Flat

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)