Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

SPLED-SP104

Replacement Solar Charger Battery - 12V 8 Amp Hour Battery

Product ID: 144228

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364




universal battery
Non-Spillable Sealed Lead-Acid Battery
AGM TYPE
1280
12V
8Ah
Constant Voltage Charge at 20°C
Standby Use
Cyclic Use
Voltage Regulation
13.6 - 13.8V
14.6 - 14.8V
Initial Current
No Limit
2.4A
C/5 Capacity @ 30°C: 6.8Ah
UB1280k
MIGHTY


WARNING!
HAZARDS:
• Do not short circuit
• Do not charge battery in a sealed container
• Due to risk of fire, explosion, or burns, do not disassemble or heat battery above 50°C or incinerate
• Keep away from sparks or open flame
PRECAUTIONS:
• Do not discharge below 10.5V under load
• Keep out of reach of children
• Follow all instructions on the battery
• Replace every 3-5 years
• Limited warranty applies
TRANSPORTATION:
Classified DOT CLASS 60 dry cell. Meets air transportation requirements for air transport under title 49CFR173.159a(d) and special provision A67 as decreed by IATA and ICAO.
PROPOSITION 65 WARNING:
This product contains or emits chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.
For chemical emergency spill, leak, fire,exposure, or accident, call CHEMTREC day or night. Within USA or Canada: 1-800-424-9300
Outside USA and Canada:
+1 703-527-3887 (collect calls accepted)
www.upgi.com
PB
MH20567
BATTERY MUST BE RECYCLED
Made in China


LARSON
ELECTRONICS
SPLED-SP104
LARSONELECTRONICS.COM
1749K

SPLED-SP104

Product ID: 144228

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **MSDS (Material Safety Data Sheet**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**