Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

WAL-SBDL-LEDBLT-60

18 Watt Work Area LED Dock Light - 5' Switch Blade Dock Light - 1530 Lumens - 120-277V AC

Product ID: 144298

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WAL-SBDL-LEDBLT-60 LED Dock Light

Lamp Type: LED
Dimensions (without bracket): 4.75" L x 2.3" D
Weight: 30 Lbs
Voltage: 120-277V AC 50/60 Hz or 11-25V AC/DC
Total Watts: 18W
Total Lumens: 1,530
Luminous Efficacy: 85 Lm/W
Lamp Life: 50,000+ Hours
Color Temp: 5000K
Color Rendering Index: >85
Beam Angle: 25° Spot or 60° Flood
Lighting Configuration: Spot or Flood Beam
Amps: 0.15A @ 120V, 0.075A @ 240V, 0.065A @ 277V, 1.5A @ 12V, 0.75A @ 24V
Ambient Temp Range: -40°C to +85°C
Housing Material: Machined Aluminum
Housing Color: Black, Bronze or White
Lens Material: Polycarbonate
Mounting: Adjustable Swing Arm Dock Light
Wiring: 20` 16/3 SOOW w/ Cord Csp
Cord Cap: 5-15, 6-15, 5-20, 6-20, L5-15, L6-15, L5-20, L6-20, BS1363, Schuko, or Pigtail

Features

Listed for United States and Canada
Waterproof/Vapor Proof
Operates on Standard 110-277 VAC
IP65 Ingress Protection
50,000+ Hour Lamp Life

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

WAL-SBDL-LEDBLT-60
Product ID: 144298

Warranty: 36 Months

Harmonized System (HS) Code: 9405.41.84.10
Export Control Classification Number (ECCN): EAR99

Options:
WAL-SBDL-LEDBLT-60-Finish-Beam Config-Cord Cap
Example: WAL-SBDL-LEDBLT-60-BLK-SPOT-5.15

Finish	
BLACK	-BLK
BRONZE	-BRZ
WHITE	-WHT

Beam Config	
25° SPOT	-SPOT
60° FLOOD	-FLD

Cord Cap	
5-15 STRAIGHT	-5.15
6-15 STRAIGHT	-6.15
5-20 STRAIGHT	-5.20
6-20 STRAIGHT	-6.20
L5-15 TWIST	-L5.15
L6-15 TWIST	-L6.15
L5-20 TWIST	-L5.20
L6-20 TWIST	-L6.20
UK BS1363	-BS1363
INTL SCHUKO	-SCHUKO
PIGTAIL	-PIGTAIL

Links (Click on the below items to view):

- **CE Certificate**
- **MSDS (Material Safety Data Sheet**
- **RoHS Certificate (Restriction of Hazardous Substances)**
- **HigResPic1**
- **HigResPic2**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**