

EPL-HL-DW

Explosion Proof Drop Light (Handlamp Only)

Product ID: 144519

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-HL-DW

UL Listing: United States

Dimensions: L-16.5 " Dia-5"

Total Watts: N/A

Voltage: Stnd-120VAC

Mounting: Hook

Wiring: N/A

Lamp Type:: Incandescent

Ambient Temp:: 40 degrees C maximum

Operating Temp:: 160 degrees C (T3C) Class 1 & 2

YOU CAN RENT THIS UNIT. CONTACT 1-800-369-6671.

[Click here to view the Explosion Proof Light Design Description](#)

NTRL Listings

Class 1, Division 1 Groups C, D (100 watt)

Class 2, Division 1 Groups F, G (75 watt)

Conforms to UL standard 781

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com


Made in the USA

The Larson Electronics EPL-HL-DW Explosion Proof Hand Lamp is UL Listed Class 1 Division 1 Groups C and D - and is ideal for general work activities in hazardous locations requiring explosion proof protection.

***PLEASE NOTE: This is for the handlamp only - NO wiring or lamps are included.**


This explosion proof work light from Larson Electronics provides operators with a

handheld drop light for use within hazardous locations. The EPL-HL-DW drop light housing is constructed of aluminum with a rubber bumper guard designed to provide an effective lighting solution for operators requiring a versatile source of illumination. This hazardous location hand lamp is Class 1, Division 1 approved when equipped with a 100 watt bulb and Class 2 Division 1 approved when equipped with a 60 watt bulb. This explosion proof drop light is ideal for hazardous work areas where a ready source of easily managed lighting is desired.



Dark 40' Container

[Click Photos to Enlarge](#)



Illuminated with EPL-HL-DW

[Click Photos to Enlarge](#)

This 75 or 100 watt drop light is suitable for use in areas where petrochemical vapors (100 watt) and various dusts (75 watt) are present. This unit is rated Class 1, Division 1, Class 2 Division 1.

This explosion proof hand light operates on standard 120 Volts. This handlamp is designed to accept incandescent, compact fluorescent, and LED bulbs which are sold separately.

Cross for Chambers Power Products E30DW-75-120V.

Made in USA Quality

1. Federal Spec Cord.
2. Explosion Proof.
3. Rugged fabricated steel and cast aluminum construction.
4. Blue and Gray paint finish.
5. UL Class1 Div1 Class 2 Div1
6. 120 Volt Operation
7. Hook for Convenient Placement.

Lamp Features

- Rubber bumper Guard
- Non-sparking aluminum housing
- 120 VAC operation
- Aluminum lamp guard
- Lamp shield prevent shattering
- Plugs into standard outlets
- Swivel hook for hanging and hands free operation
- Explosion proof cord

Frequently Asked Questions (FAQ)







EPL-HL-DW

Product ID: 144519

Harmonized System (HS) Code: 85131000

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)