Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EXC-5-12.3-GFCI-15A-WPSY-ILF-BC

5' 12/3 SOOW Linecord w/ Test/Alligator Clips - 15 Amp Max Rated - IP21 Rated - High Visibility

Product ID: 146722

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXC-5-12.3-GFCI-15A-WPSY-ILF-BC - 5` Portable GFCI Protected Linecord

Clips: Test Clips / Alligator Clips w/ Rubber Covers
Female Receptacles: Safety Yellow Duplex 5-15R
Weatherproof Rating: IP21
Voltage Rating: 120V
Max Amp Rating: 15A
Cable Type: Safety Yellow 12/3 SOOW
Cable Length: 5`
Weight: 3 lbs

High Visibility IP21 Weatherproof Housing and Cable
15A Inline Fuses on Hot and Neutral Leads
Rubber Covers on Test/Alligator Clips

Special Orders - Special Requirements
Contact us for special requirements

Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics EXC-5-12.3-GFCI-15A-WPSY-ILF-BC 5` SOOW linecord with portable GFCI duplex outlet and IP21 high visibility weatherproof housing is designed for heavy duty and outdoor applications. This rugged extension cord is constructed of yellow 12-gauge 3-conductor SOOW cord, equipped with test clips / alligator clips with rubber covers, a portable GFCI protected duplex outlet with high visibility IP21 rated weatherproof cover, and allows operators to provide ground fault protection in remote locations. The hot and neutral leads on the EXC-5-12.3-GFCI-15A-WPSY-ILF-BC have inline fuses rated at 15A and sheathed within a weatherproof casing to protect the cable from shorting.

The EXC-5-12.3-GFCI-15A-WPSY-ILF-BC linecord provides a safe and effective way for operators to extend 120V and power a variety of devices for plant maintenance, power generators, construction and other temporary applications. Five feet of yellow chemical and abrasion resistant flexible 12/3 SOOW cord terminated in test clips / alligator clips with rubber covers. An IP21 weatherproof portable GFCI duplex allows up to two devices with a combined 15 amp maximum to allow ground fault protection from receptacles that do not provide portable GFCI protection.

Click Photo to Enlarge Click Photo to Enlarge

Applications: This portable GFCI protected linecord system with IP21 high visibility weatherproof housing is ideal for indoor or outdoor use and applications including but not limited to, generators, construction sites, plant maintenance, plant turnarounds, shows, exhibits, industrial equipment, uninterruptible power supplies (UPS battery backups), stage equipment, and shipyard operations. These industrial extensor cords are popularly used in applications where external power sources are often necessary. We also offer class rated extension cords for use within explosion proof and hazardous location environments.

Larson Electronics is a manufacturer and as such can build extension cords and portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.


Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)


LARSON ELECTRONICS
LARSONELECTRONICS.COM
1-800-369-6671
sales@larsonelectronics.com
EXC-5-12.3-GFCI-15A-WPSY-ILF-BC
Voltage Rating: 120V
Max Amp Rating: 15A
Fuse Rating: 15A
Female Receptacles: 5-15R
Wiring: 5' 12/3 SOOW
IP21 Weatherproof




TEST
RESET
STATUS
LIGHT



EXC-5-12.3-GFCI-15A-WPSY-ILF-BC

Product ID: 146722

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- HigResPic1
- HigResPic2
- HigResPic3
- HigResPic4
- HigResPic5
- HigResPic6
- HigResPic7
- HigResPic8
- HigResPic9
- HigResPic10
- ISO 9001 Certification
- Business Certificate
- Shipping Time Map