

## DL-APB-100W-NS

### Permanent Mount Deck Light with Adjustable Spindle and Joint - 625'L Spot Beam

Product ID: 147092

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

**The Permanent Mount Deck Light** is equipped with a 360° spindle that allows the light to make complete rotations while being permanently mounted on a surface. Above the spindle is a joint that allows the fixture to adjust to various up or down positions while the operator has control. This unit does NOT have an on/off switch.

The Permanent Mount Deck Light comes standard either 12V or 24V DC and has an amp draw of approximately 8mA. The decklight is designed to reach ranges upwards of 625`.

The decklight is equipped with a halogen bulb ranging from 75-100 watts depending on desired voltage. (12V DC comes standard with a 100 watt bulb, the 24V DC with a 75 watt bulb.)

The Permanent mount deck light can be mounted on any flat surface using only 4 small screws. Installation should be relatively simple and fast. For vehicles, depending on where the deck light is mounted, 4 additional bolts and washers will be needed. However, on decks, patios, roofs, etc. the 4 screws should suffice. When mounted, the screws are then drilled into their predesignated holes located on the deck light base to hold the fixture to the flat surface.

#### Dimensions:

---

**Base Diameter:** 3.25 inches  
**Height:** 10.25 inches  
**Width:** 6 Inches  
**Length:** 6.5 Inches

---

## Frequently Asked Questions (FAQ)



**DL-APB-100W-NS**

**Product ID: 147092**

**Harmonized System (HS) Code:** 8512.20.2080

**Export Control Classification Number (ECCN):** EAR99

**Options:**

**DL-APB-100W-NS-Voltage**

**Example:** DL-APB-100W-NS-12v

| Voltage  |      |
|----------|------|
| 12V-100W | -12v |
| 24V-100W | -24v |

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)