

Golight Stryker Wireless Remote Control LED Spotlight - 24V - Magnetic Mount - White

Part #: GL-30005-24I



The GL-30005-24I LED Golight Stryker from Larson Electronics produces a 2,520 lumen light beam capable of reaching over 900 feet in distance. This 36 watt LED Golight offers wireless remote pan and tilt control, a single portable handheld remote control, and a housing finished in a durable white finish. This Golight is weatherproof with a weatherproof remote control and operates with 24 Volt DC that is stepped down to 12V DC via an inline transformer.

The GL-30005-24I LED Golight Stryker is designed for use in all weather conditions and produces 2,520 lumens of intense light output. These units feature remote control operation that allows users to rotate the light 370 degrees with a hard stop and to adjust vertical tilt through 135 degrees. Remote operation is provided by one handheld wireless remote controller that operates over a radio frequency of 433 MHz. This remote includes an internal 12 volt battery rated at 1 year of operation and a single red LED to indicate remote control activity. The remote controller has a range of up to 100 feet and will operate through walls, within structures, and in vehicles. The remote is constructed of polycarbonate with rubber push pad buttons for weatherproof durability and can be user programmed to operate one or several lights simultaneously. Remotes are 3 inches long by 2 inches wide by 3/8 inch thick.



[Click Photo to Enlarge](#)



[Click Photo to Enlarge](#)



[Click Photo to Enlarge](#)

Remote Operation: Remote control functions include on/off, and 4 buttons which control up, down, left and right movement. The light will continue movement as long as the buttons are pressed. Releasing the buttons stops movement and holds the Golight in position. A fast and slow mode button (turtle/hare) controls the speed of the motor while the pan and tilt function buttons are depressed. Holding the button for 12 seconds in fast mode results in a full 370 degree rotation, and 8 seconds for full tilt. Slow mode is used for pinpoint accuracy at distance and is approximately 35 seconds for full rotation and 20 seconds for one full range of tilt.

Durability: The GL-30005-24I LED Golight Stryker is designed for hunting and demanding outdoor use with a weather resistant housing constructed of high quality ASA Luran thermoplastic that is heat resistant, impact resistant, UV resistant and able to withstand rugged use and abusive conditions. This particular Golight Stryker has a durable white finish, making it ideal for docks and buildings where an attractive appearance is desired. Remote movement of this spotlight is provided by an automotive grade internal motor, gear, and transmission assembly that is constructed of LEXAN, brass, and stainless steel to provide rust and corrosion resistance as well as long life and reliable operation.

Mounting: The light is magnetically mounted. The magnet is water tight and has a 200 pound grip base and is tested to 60 mph. The magnetic base is encapsulated in soft rubber to adapt to uneven vehicle surfaces and prevent scratches on vehicle paint. A wrap around base seal prevents dirt from entering the base of the light.

Power: This light operates with 24V DC that is stepped down to 12 volts DC via an inline stepdown transformer and draws 3 amps, making it ideal for vehicles, boats, ATVs, and similar sources of 24 volt direct current. It is equipped with a 16 foot, outdoor rated cord with flying leads. Weather tight connector enables operators to disconnect cord at 12 inches from the light for storage or vehicle portability.



This photo shows a large field at a park with no illumination besides the distant street lights.

[Click Photo to Enlarge](#)



This photo shows the LED Golight Stryker being used to spotlight the distant trees. Location is approx. 800` feet from the light.

[Click Photo to Enlarge](#)

Light Output: The lamp in this Golight Stryker is a 36 watt LED bulb which produces 2,520 lumens. This bulb is paired with a tight focus spot beam optics to produce a spot beam 900 feet in length. This lamp has a 6000K color temperature, giving it very good color rendering and contrasting properties and the ability to clearly and sharply illuminate objects at long distances. This beam is effective to the far end of its reach, producing enough illumination to read a book at 900 feet.

This high power LED Golight Stryker is ideal for hunting, security, boating, law enforcement, emergency services, utilities, and anywhere high power and remote control functionality are desired. This unit produces a more powerful and far reaching beam than halogen spotlights and uses less power on a 12 volt system, making it well suited to vehicles and boats where power supply is limited.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Golight Stryker Features

1. Weather Proof Lamp and Remote Control.
2. Remote Control Programmable with More than 60,000 Possible Channels. Remotes Can be Programmed to Control One Golight or Several
3. R.F. Frequency, F.C.C., S.A.E. tested and Canada Certified.
4. Remote Control Range up to 100 Feet.
5. Automotive Grade 12 Volt D.C. High Torque Motor.
6. Weatherproof Connectors Meet OEM Vehicle Manufacturer Specifications
7. Meets Marine Standards for Fresh Water and Saltwater Use.
8. 2,520 Lumens, 900 Foot Beam Length
9. 24 Volt DC Stepped Down to 12 Volt DC 3 amps Draw.

Specifications / Additional Information

GL-30005-24I LED Golight Stryker

Lamp Type: 36 Watt LED Bulb

Dimensions: 6" W x 6" Depth x 6" H

Superior LED Benefits

1. 50,000 hour lifespan.
2. Higher Color Temperature with Better Color Rendering and Contrasting.
3. More Durable than Halogen. No Filament to Burn Out or Break.
4. High Efficiency, More Light with Less Power Drain.
5. Vibration Resistant
6. High Output.
7. Can SAVE 50% or more on energy.
8. No toxins-lead or mercury
9. Bright, even light maintains consistent color over time.
10. Instant on/off – No flickering, delays or buzzing.
11. Less frequent outages, higher output improves workplace safety.

Ratings/Approvals

36 Watt, 2,520 Lumen

Remote Control, 100` Range

Weight: 5 Lbs

Meets Marine Standards for Fresh / Saltwater Use.

Total Watts: 36 watts

UV and Weatherproof

Voltage: 24V DC Stepped Down to 12V DC Via Inline Transformer

24V DC Stepped Down to 12 VDC Operation

Lighting Configuration: Spotlight

Amps: 3 Amps

Mounting: 200 lb grip magnetic base

Total Lumens: 2,520

Lamp Color Temperature: 6000 Kelvin

Special Orders- Requirements

Weather Rating: Weatherproof

Contact us for special requirements

Movement Range: 135°.Tilt - 370° Rotation

Toll Free: 1-800-369-6671

Remote Control: Single Wireless, Hand Held Radio Control. 433 MHz

Intl: 1-903-498-3363

Warranty: 3 Years

E-mail: sales@larsonelectronics.com

3 Year Limited Warranty

Scroll Down to Purchase-

This product does not qualify for free shipping.

Part #: [GL-30005-24I \(147302\)](#)









Links (Click on the below items to view):

- [SpecSheet Spanish](#)
- [MSDS](#)
- [Hi-Res Image 1 - Golight Stryker Wireless Remote Control LED Spotlight \(Main\)](#)
- [Hi-Res Image 2 - Golight Stryker Wireless Remote Control LED Spotlight \(Front\)](#)
- [Hi-Res Image 3 - Golight Stryker Wireless Remote Control LED Spotlight \(Angle\)](#)
- [Hi-Res Image 4 - Golight Stryker Wireless Remote Control LED Spotlight \(Side 1\)](#)
- [Hi-Res Image 5 - Golight Stryker Wireless Remote Control LED Spotlight \(Back 1\)](#)
- [Hi-Res Image 6 - Golight Stryker Wireless Remote Control LED Spotlight \(Back 2\)](#)
- [Hi-Res Image 7 - Golight Stryker Wireless Remote Control LED Spotlight \(Side 2\)](#)
- [Hi-Res Image 8 - Golight Stryker Wireless Remote Control LED Spotlight \(Connector\)](#)
- [Hi-Res Image 9 - Golight Stryker Wireless Remote Control LED Spotlight \(Magnetic Base\)](#)
- [Hi-Res Image 10 - Golight Stryker Wireless Remote Control LED Spotlight \(Remote\)](#)