

SL-BM-R

LED Red Strobe Light - 18 LEDS - Battery Powered - Bracket Mount - Continuous or Strobe

Product ID: 147446

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

SL-BM-R LED Strobing Beacon

Lamp Type: LED

Dimensions: 6" Wide 1.5" Height

Lamp Weight: 1 lbs

Voltage: N/A 4 AA Batteries

Wiring: None- Battery Powered

Lighting Configuration: Strobing Flash/Constant On

Candela: 200

Flood Beam: 180°

Spot Combo: 35°

Mounting: Bolt-on/Bracket Mount

Features

100% Portable

Waterproof / Shock Resistant

Battery Powered

Constant on or Strobe Operation

Compact

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

1 year warranty replacement on this LED light (or LED bulbs for light fixtures with removable LED bulbs). After 30 days, the customer ships the failed LED light and/or LED bulb to Larson Electronics at their expense. If the failure is a manufacturer defect, we will ship a new replacement to the customer. If failure occurs within 30 days of receipt, Larson Electronics will provide a return label via email to the customer. When the failed light is returned, we will ship a new replacement.

Made in the USA

The Larson Electronics SL-BM-R Surface Mount Beacon is battery powered and provides up to 120 hours of operation on a single set of 4 AA batteries. This LED Beacon is 100% portable, has a bolt-on/bracket mount base, and provides a highly effective alternative to beacons that require wiring and special permanent mounting.

This compact LED beacon contains an 18 LED lamp assembly that produces a brilliant signal visible for extended distances. This LED beacon is red in color and is 100% portable, with a bracket mount that provides much more stability during high-vibrations than that of magnetic mount bases. This mounting system is also ideal for non-ferrous surfaces, such as aluminum and stainless steel, where a magnet mount is unable to grip and will fall off. This combined with the LED beacons battery operation enables it to be easily transported and operated wherever a powerful beacon is needed. With no need for wiring or external power sources, this light is ideal for applications where a signal light is needed on an occasional or temporary basis.

The SL-BM-R LED beacon is durably built and resistant to shocks and vibrations. The durable red housing and lens is designed to provide high strength and a small size, allowing easy placement in tight spaces. This LED beacon can be operated in either a strobe or constant on mode, with operation controlled by a simple push button located on the back of the unit. Dimensions for the lamp assembly are 6 inches wide by 3 inches high, and the unit sits 1.5 inches high when mounted. This strobe flashes once per second and runs for up to 120 hours on a single set of 4 AA batteries. The durability, portability, and power of this LED beacon make it ideal for towing, forklifts, cranes, trailers, security, warehouses, and anywhere a fast and simple beacon solution with plenty of power is needed.

Frequently Asked Questions (FAQ)









SL-BM-R

Product ID: 147446

Harmonized System (HS) Code: 8512.20.2080

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [Operations Manual](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)