Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

LEDPLL-SP4501-120V

Outdoor Twist-To-Lock Photocell - 120 Volt - IP65 Rated

Product ID: 147488

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

LEDPLL-SP4501-120V Twist-To-Lock Photocell

Weight: 2.2 ounces

Dimensions: 2.5x 2.5x 2 inches

Style: Outdoor 120V
Finish: Clear Plastic
Material: Metal
Shape: Spiral
Voltage: 120-Volts
Certifications: Listed for United States and Canada

Features

Works on LED, Halogen, Incandescent, Mercury Vapor, High Pressure Sodium and Metal Halide Fixtures
Saves on Energy Costs
IP65 Rated
Durable Metal
Easy Installation

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The Larson Electronics LEDPLL-SP4501-120V Outdoor Twist-To-Lock Photocell Control is 120V and made to automate LEDPLL series of LED light fixtures to turn off during daylight and on when dark. This photocell control works with most applications including mercury vapor, high pressure sodium or metal halide fixtures.

This LEDPLL-SP4501-120V Outdoor Twist-To-Lock Photocell Control is designed to detect ambient lighting and tell whether it is night or day outside. This technology helps to ultimately save on energy costs by only running the LED light fixture when it is dark out, and keeping it off when daylight hours appear.

The LEDPLL-SP4501-120V photocell features a metal spiral shape with a clear plastic finish. This 3-prong twist-lock unit requires no seasonal adjustments and is ideal for road, parking lot and driveway lighting. Installation is as simple as inserting this photocell into the back of any LEDPLL fixture and then twisting to lock into place. All of these automatic sensors have been made to replace all other brands of photocells for the LEDPLL series lights and are ETL listed for wet locations, IP65 rated and ROHS compliant to meet industry standards for safety and longevity.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



LEDPLL-SP4501-120V

Product ID: 147488

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **Operations Manual**
- **HigResPic1**
- **HigResPic2**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**