Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

HAL-SL-10-20X-LED

200ft Hazardous Location LED String Lights - 10 Lamps - Non-Metallic - Chemical Resistant - CID2

Product ID: 147538

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

HAL-SL-10-20X-LED Hazardous Location 200` LED String Light

Listing: United States
Lamp Type: LED
Dimensions- Each Lamp: 5.94" OD , 9.60" Height
Total Length: 215`
Total Weight: 160 lbs
Voltage: 120-277 Volts 50/60hz AC, 11-25V AC/DC
Total Watts: 100 Watts
Total Lumens: 10,500
Luminous Efficacy: 105 Lm/W
Lamp Life: 50,000+ Hours
Color Temp: 6000K
Ambient Operating Temp Range: -29°C to 40°C (-29°F to 104°F)
Operating Temp Rating: T2D
Mounting: Hanging Eye-bolt
Wiring: 180` 16/3 SOOW Cord - 25` Input Whip - 10` Output Whip
Cord Cap Options: 5-15P, 5-20P, 6-20P

Ratings/Approvals

Class I, Division 2 Groups A,B,C,D
UL 595: Marine
UL 844: Class I Division 2 Hazardous Location
UL 1570/1571: Wet Locations
NEMA 4X
USCG Accepted
CSA Certified
Made in the USA

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
E-mail: sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

HAL-SL-10-20X-LED
Product ID: 147538

Warranty: 36 Months

Harmonized System (HS) Code: 9405.41.84.10
Export Control Classification Number (ECCN): EAR99

Options:
HAL-SL-10-20X-LED-Voltage-Cord Cap
Example: HAL-SL-10-20X-LED-1227-1523

Voltage	
120-277V AC	-1227
12-24V DC	-1224

Cord Cap	
5-15P	-1523
5-20P	-2023.125V
6-20P	-2023.250V

Links (Click on the below items to view):

- **Operations Manual**
- **Wiring Diagram (Oneline)**
- **HigResPic1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**