Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

WALPC-4.7-48-160W-LED-25

160W Mobile LED Light Stand w/ Dual Wheels - 360 Rotation - IP65 - 4' Stand - Extends to 7'

Product ID: 147701

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WALPC-4.7-48-160W-LED-25 Mobile LED Light Stand w/ Wheels

Lamp Type: LED
Lamp Dimensions: 50"L x 9"W x 6"H
Stand Dimensions: 4` Portable Aluminum Stand (3` Extension Bar Included) Max Height - 7`
Weight: 45 lbs
Total Watts: 160 watts
Voltage: 120-277V AC 50/60 Hz
LED Lamp Life Expectancy: 50,000+ Hours
Beam Angle: 160°
Luminous Efficiency: 160 lm/w
Total Lumens: 19,200
Color Temp: 6000K
Ambient Temp Range: -30°C to +60°C
Power Efficiency: >90%
Power Factor: >0.95
Materials: Aluminum Housing/Polycarbonate Lens
Wiring: 25` 16/3 SOOW Cord
Cord Cap Options: 5-15 Straight, 6-15 Straight, L5-15 Twist, L6-15 Twist. UK BS1363, Intl. Schuko, Pigtail
Mount: 4` Aluminum Stand on Wheels & 3` Extension Bar

Ratings/Approvals

80% Lumen Retention after 50,000 Hours
Reduced Energy Consumption With Improved Output
Vapor Proof
Vibration Shock Resistant
IP65 Rated Waterproof
Outdoor Approved
360° Lamp Rotation
4` Portable Aluminum Stand
3` Extension Bar Included for 7` Max Height

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

WALPC-4.7-48-160W-LED-25
Product ID: 147701

Warranty: 36 Months

Harmonized System (HS) Code: 9405.41.84.10
Export Control Classification Number (ECCN): EAR99

Options:
WALPC-4.7-48-160W-LED-25-Cord Cap
Example: WALPC-4.7-48-160W-LED-25-5.15

Cord Cap	
5-15 STRAIGHT	-5.15
6-15 STRAIGHT	-6.15
L5-15 TWIST	-L5.15
L6-15 TWIST	-L6.15
UKBS1363	-BS1363
INTL SCHUKO	-Schuko
PIGTAIL	-Pigtail

Links (Click on the below items to view):

- Dimensional Drawing 2D
- Operations Manual
- Wiring Diagram (Oneline)
- HigResPic1
- HigResPic2
- HigResPic3
- HigResPic4
- HigResPic5
- HigResPic6
- HigResPic7
- HigResPic8
- HigResPic9
- HigResPic10
- ISO 9001 Certification
- Business Certificate
- Shipping Time Map