

Junction Box and Wiring Harness for LM-30-3S Three Stage Fold Over Light Mast - 45' 16/3 SOOW Cord

Part #: [LM-30-3S-JBWH-12.3-45](#)

Junction Box and Wiring Harness for LM-30-3S Three Stage Fold Over Light Mast

45' 16/3 SOOW cord, terminated in a NEMA 3R junction box. Junction box is setup for (4) light fixtures, including CGBs to accept the 16/3 SOOW cord.

Method of attachment to secure the wiring harness to the mast is included.

Plug Options: This Junction box and wiring harness is equipped with 45 feet of 16/3 chemical and abrasion resistant SOOW cord that is fitted with an industrial grade cord cap for easy connection to common wall outlets. Plug options include standard 5-15 15 amp straight blade plug for 110V wall outlets with ground, standard 6-15 15 amp straight blade plug for 220-240V wall outlets with ground, NEMA L5-15 15 amp twist lock plug for 125V twist lock outlets, NEMA L6-15 15 amp twist lock plug for 240V twist lock outlets, L5-30P, L6-30P, British BS1363 13 amp fused 3-blade plug for United Kingdom outlets, or a two pin 16 amp rated Schuko plug with ground contact and socket for European outlets up to 250V.

Part #: [LM-30-3S-JBWH-12.3-45 \(148233\)](#)

Options:

LM-30-3S-JBWH-12.3-45- CORD CAP

Example: LM-30-3S-JBWH-12.3-45-5.15

| CORD CAP | |
|---------------|----------|
| 5-15 Straight | -5.15 |
| 6-15 Straight | -6.15 |
| 5-20 Straight | -5.20 |
| 6-20 Straight | -6.20 |
| L5-15 Twist | -L5.15 |
| L6-15 Twist | -L6.15 |
| L5-20 Twist | -L5.20 |
| L5-30P | -L5.30P |
| L6-20 Twist | -L6.20 |
| L6-30P | -L6.30P |
| UK BS1363 | -BS1363 |
| Intl Schuko | -SCHUKO |
| Pigtail | -PIGTAIL |

Links (Click on the below items to view):

- [Hi-Res Image 1](#)
- [Hi-Res Image 2](#)
- [Hi-Res Image 3](#)
- [Hi-Res Image 4](#)
- [Hi-Res Image 5](#)
- [Hi-Res Image 6](#)
- [Hi-Res Image 7](#)
- [Hi-Res Image 8](#)
- [Hi-Res Image 9](#)
- [Hi-Res Image 10](#)