

**Remote Mount Ballast Enclosure - (30) 400W MH Ballasts - Internal Terminal Strip - (2) Drain Valves**

Part #: HID-RMB-N4X-30X-400W

**Made in the USA**

The Larson Electronics HID-RMB-N4X-30X-400W Remote Mount Ballast Enclosure offers dependable storage of metal halide ballasts in rugged work sites. Featuring enough space for 30, 400-watt metal halide ballasts, the IP66-rated unit contains two bottom drain valves for removing moisture. Two pickeys at the top of the enclosure enable seamless hoisting during installation.

The HID-RMB-N4X-30X-400W is capable of storing up to 30, 400-watt metal halide ballasts (60 Hz) in a space-saving and reliable manner. This unit features a single door and a continuous enclosure hinge with a 3-point latch system. Operators can complete wiring connections to a single location via an internal terminal strip. Measuring 72" x 36" x 12", the NEMA 4X-rated enclosure is offered in the following voltage options: 120V, 208V, 220V, 240V or 277V.

The IP66-rated unit is constructed of 5052 aluminum with a carbon steel back panel. Hardware components are made out of stainless steel. The heavy-duty enclosure is compatible with remote mounting, back panel mounting and free standing installations. A leg stand is securely welded to the bottom of the unit and ground studs are provided, which are located at the interior of the enclosure and door. Two pickeys at both top ends allow operators to hoist the unit during installation.

**Applications:** Metal halide lighting systems, EPL-HB-400W-MH-NB, industrial facilities, commercial sites, warehouses, high-heat applications, ballast weight reduction, delivery centers and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973.

Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

**Specifications / Additional Information**

**HID-RMB-N4X-30X-400W Remote Mount Ballast Enclosure**

**Unit Type:** Remote Mount Ballast Enclosure

**Dimensions:** 72" x 36" x 12"

**Weight:** 300 lbs (Enclosure Only)

**Voltage:** 120V, 208V, 220V, 240V or 277V

**Accommodation:** (30) 400-watt Metal Halide Ballasts (60 Hz)

**Internal Terminal Strip:** Yes

**Configuration:** Single Door, Continuous Hinge w/ 3-point Latch

**Materials:** 5052 Aluminum, Carbon Steel Back Panel, SS Hardware

**Mount:** Free Standing, Remote or Back Panel Mount

**Drain Valves:** (2) Bottom

**Features/Ratings**

Supports 30, 400W MH Ballasts

NEMA 4X

IP66

Pickeyes for Seamless Hoisting

**Special Orders- Requirements**

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** 1-903-498-3363

**E-mail:** [sales@larsonelectronics.com](mailto:sales@larsonelectronics.com)

[Scroll Down to Purchase](#)

[Part #: HID-RMB-N4X-30X-400W \(148546\)](#)

Options:

HID-RMB-N4X-30X-400W- VOLTAGE

Example: HID-RMB-N4X-30X-400W-120V

VOLTAGE	
120V	-120V
208V	-208V
220V	-220V
240V	-240V
277V	-277V

Links (Click on the below items to view):

- [Hi-Res Image 1- Remote Mount Ballast Enclosure](#)