Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

GAU-15A-2FT-12.3-TWL.30A

2' 12/3 SOOW Extension Power Cord - 15 Amp Rated - 5-15P to 5-15C

Product ID: 148615

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

1**GAU-15A-2FT-12.3-TWL.30A Explosion Proof Plug**
1**Amp Rating:**1 15A
1**Dimensions:**1 -
1**Wiring:**1 2` 12/3 SOOW Cable
1**Male Cord Cap:**1 L5-30P
1**Female Cord Cap:**1 5-15C

1**Ratings/Approvals**
1Weatherproof

1Contact us for special requirements
1Toll Free: 11-800-369-6671
1Fax: 11-903-498-3364
1**E-mail:** 1sales@larsonelectronics.com

14

110

The Larson Electronics GAU-15A-2FT-12.3-TWL.30A 2 feet 12/3 SOOW extension power cord is designed for heady duty and outdoor applications. This rugged extension cord is constructed of 16-gauge 3-conductor wire, equipped with a 15-amp rated L5-30P male and 5-15C female twist lock connector, and allows operators to extend power to equipment when stationary outlets are not readily available.
This weatherproof plug features non sparking aluminum construction, longer housing for easy handling, specially designed brass pins for secure full length pin contact and 15 amp current rating. 2 feet of chemical and abrasion resistant flexible 12/3 SOOW cable is terminated in a male L5-30P and female NEMA 5-15C, 15 amp rated, outdoor approved twist lock cord caps.This allows operators to plug into L5-30R twist lock receptacles, and use equipment that is equipped with standard 5-15P cord caps.

Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, Motor-Generator Sets, Compressors, Wet areas or Locations Where Petrochemical Vapors are Present.
At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any

lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message 2sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

GAU-15A-2FT-12.3-TWL.30A

Product ID: 148615

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Links (Click on the below items to view):

- **HigResPic1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**