Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

GPG-4.4KW-1P-120.240

4.4 kW Portable Gas Powered Generator - Electric Start - Wheel and Handle Kit

Product ID: 148710

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

GPG-4.4KW-1P-120.240 Portable Generator

Dimensions: 17.5" x 18" x 23"
Shipping Weight: 92.4 lbs
Engine: 7.0 horsepower, air cooled OVH
Rated Power: 3,300W output, 4,000W peak
Fuel Capacity: 4 gallons
Voltage: (2) 120 Volt, 20 Amp, 60 Hz (1) 120 Volt, 30 Amp, 60 Hz
Starting System: Recoil
Phone: 1-903-270-1187

Quick Summary

Quiet Exhaust For Reduced Engine Noise
EPA Approved

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics GPG-4KW-1P-120.240 is a portable, gas powered generator with a 3,300 rated watt output and 4,000 watt surge peak. It has a durable 7.0 horsepower, air cooled OHV engine and an all steel 4-gallon fuel tank, providing operators with up to 8 hours of runtime at half load. This portable generator provides operators with reliable emergency backup power in harsh conditions and outdoor work sites.

The GPG-4KW-1P-120.240 is powered by 7.0 horsepower, air cooled overhead engine with an EZ-pull recoil start that runs on gas, cranking out 3,300 watts of constant running power, and a peak of 4,000 watts. The fuel tank also includes an

easily readable fuel gauge. This portable generator features a variety of receptacles, including two fully protected 120 Volt, 20 Amp, 60 Hz-NEMA 5-20R outlets and one 120 Volt, 30 Amp, 60 Hz-NEMA L5-30 twist-lock outlet.

This heavy-duty generator has many features including a 4-gallon fuel tank, which provides 8 hours of reliable power at half load, and posses the ability to run electronic devices including lights and other essential appliances needed during power outages. This gas powered genset features low-oil shut off safeguards, which help to protect the engine from low-oil damage, while an integrated circuit breaker protects against system overload. This generator also features a spark arrester to prevent flammable debris from expelling from the generator by trapping and destroying them. This protects against potential fires that may occur during operation, allowing this unit to be used safely in outdoor areas and potentially hazardous applications such as disaster zones where remote power is needed. An automatic voltage regulator helps to produce cleaner power and keeps it EPA approved.

A heavy-duty steel frame with four-point fully isolated motor mounts house the engine for smooth transportation, and a quiet exhaust reduces engine noise for quiet operation. This generator features an accessible, full power panel that houses the power controls including an oil warning light, the circuit breaker, the start-switch, the volt meter and the power outlets, for easy operation.

Applications: This portable generator is suitable for use in remote locations, such as temporary camps, construction sites, military bases and areas without reliable access to the grid. It can be utilized to power a wide range of heavy duty tools and equipment, including laptops, portable machines and mobile devices. The unit’s robust recharging options offer flexibility in environments where access to reliable power sources are severely limited.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364




MAINTAIN AIR FILTER
FUEL VALVE
OFF
ON
LARSON
ELECTRONICS



GPG-4.4KW-1P-120.240

Product ID: 148710

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**