Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

EPF-AES-24X24-115V

Explosion Proof Fan Shutters - 24"x24" - 115V Motor and Chain - Shutters and Actuator for HAZLOC

Product ID: 149485

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPF-AES-24X24-115V - Explosion Proof Shutter
Panel Size: 24"H x 24"W
Frame Material: Galvanized Aluminum
Shutters: 2
Operation: Motorized
Voltage: 115V
Blade Orientation: Horizontal
Blade Angle: Adjustable
Motor: 115V Actuator with Motor and Chain
Linkage: Concealed in Frame
Mounting: Surface Mount

Ratings/Features

Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

The Larson Electronics EPF-AES-24X24-115V Explosion Proof Shutter offers a sustainable way to reduce heating and cooling costs, achieving optimal indoor climate control. These louvers help usher fresh air in and stale air out. Open/close operation is achieved via a 115V actuator with an explosion proof motor and chain. Measuring 24" x 24", these shutters are perfect for our explosion proof fans.
Features: Our hazardous location shutters feature a galvanized aluminum finish that requires low maintenance while offering a high resistance to corrosion. These louvers allow air to pass through while keeping unwanted elements such as water, dirt and other debris. Louvers may be used in HVAC intake and exhaust systems

and many air moving applications, and are usually installed in openings of interior or exterior walls, roof penthouses and ductwork.
Applications: Hazardous areas that require ventilation, including (but not limited to) the following: clean rooms, marijuana extraction rooms, laboratory hoods, oil refineries, grain mills, chemical plants, welding shops, HVAC, architecture, chemical storage areas and battery changing areas.
At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





EPF-AES-24X24-115V

Product ID: 149485

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **Video1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**