

EPP-20A-10M-BCE

Explosion Proof Fixture/Extension Cord Plug - 20 Amp Rated - 10m SOOW w/ Blunt Cut End

Product ID: 149762

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPP-20A-10M-BCE Explosion Proof Plug

Amp Rating: 20

Dimensions: 2.78"-L 1.75"-W

Configuration: 3 Pole 2 Wire

Suitable Cable Diameter: .538" to .639"

Seals: Neoprene Plug Wire Bushing

Wiring: 10m 12/3 SOOW - Blunt Cut End

Comparability: [EPO-20A Receptacle](#)- Crouse Hind™ ENR Receptacles

Cross Interchangeability: Crouse Hind™ ENP General Purpose Plugs

Protection: Twist Lock Activation on Compatible Twist Lock Receptacles

Certifications - Compliance

Class 1, Div 1 & 2 Groups B,C,D

Class 2 Div 1 & 2 Group G & Coal Dust

Class III

CSA Type 7BCD, 9G

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364


E-mail: sales@larsonelectronics.com

Larson Electronics EPP-20A-10M-BCE Explosion Proof Plug with 10m SOOW Cable and Blunt Cut End

The EPP-20A-10M-BCE explosion proof plug is rated at 20 amps and along with our with our EPP-20A series plug is compatible with our [EPO-20A](#) explosion proof 20 amp outlet. This plug must be used in 120V or 240V T style outlets, although in order to retain explosion proof safety, it must be mated to an explosion proof outlet. This plug is designed to lock into compatible twist lock receptacles by twisting the plug body until an audible click is heard, which indicates the plug is securely connected. Once locked into place this plug will not accidentally pull out. This C1D1 plug comes factory installed with 10m of 12/3 SOOW cable and a blunt

cut end.

This plug is watertight and ideal for applications where moisture and corrosion is a problem and well suited for use in marine and manufacturing environments. This plug is rated Class 1, Division 1 and 2 and Class 2, Division 1 and 2 and is suitable for use in areas where petrochemical vapors may be present. This explosion proof plug features non sparking aluminum construction, a longer housing for easy handling, specially designed brass pins for secure full length pin contact, and a 20 amp current rating.



[Click Photo to Enlarge](#)

Inter-Compatibility: These plugs will fit non-explosion proof standard receptacles (NEMA 5-20R, or 6-20R). These plugs are cross-interchangeable with Crouse Hind™ ENP general purpose plugs and will work with Crouse Hind™ ENR Dead Front Receptacles. Any equipment requiring these C-H plugs should work with the EPP-20A-10M-BCE plugs. Due to possible manufacturer changes we cannot guarantee interchangeability although we have made every effort to ensure cross compatibility correctness.

Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, Motor-Generator Sets, Compressors, Wet areas or Locations Where Petrochemical Vapors are Present.



Frequently Asked Questions (FAQ)





EPP-20A-10M-BCE

Product ID: 149762

Export Control Classification Number (ECCN): EAR99

Options:

EPP-20A-10M-BCE-Voltage

Example: EPP-20A-10M-BCE-125V

Voltage	
125V	-125V
250V	-250V

Links (Click on the below items to view):

- [Operations Manual](#)
- [Wiring Diagram \(Online\)](#)
- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)