

WAL-TP-1XRCL.40W-LED-25C-1227

Portable Telescoping Light Tower - Remote Control LED Spotlight - 120-277VAC - Extends 3.5' to 10'

Product ID: 150015

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WAL-TP-1XRCL.40W-LED-25C-1227 Remote Controlled LED Light Tower

Lamp Type: 1X Remote Control LED Spotlight

Dimensions: Tower- 3.5` to 10` LED Lamp- 12"W x 18"H x 12"D

Total Watts: 40

Lumens: 3,000

Voltage: 120-277 VAC with Transformer, 12 VDC without Transformer

Movement Range: 270° Tilt - 360° Rotation

Mounting: Heavy Duty Aluminum Telescoping Light Tower

Lighting Configuration: 6° Spot or 30° Flood

Light Color: 6000K

Life Expectancy: 50,000 Hours

Wiring: Inline Transformer, 25` 16/3 SOOW cable

Cord Cap: 5-15, L5-15, L6-15, BS1363, Schuko, or Pigtail

WAL-TP-1XRCL.40W-LED-25C-1227 Features

Remote Control, 100` Range

Adjustable Tripod Extends 3.5` to 10`

Meets Marine Standards for Fresh / Saltwater Use.

UV and Weatherproof

120-277V AC / 12 VDC Operation

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com



Frequently Asked Questions (FAQ)







WAL-TP-1XRCL.40W-LED-25C-1227

Product ID: 150015

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

WAL-TP-1XRCL.40W-LED-25C-1227-Cord Cap

Example: WAL-TP-1XRCL.40W-LED-25C-1227-5.15

Cord Cap	
5-15 STRAIGHT	-5.15
L5-15 TWIST	-L5-15
L6-15 TWIST	-L6-15
UK BS1363	-BS1363
INTL SCHUKO	-Schuko
PIGTAIL	-Pigtail

Links (Click on the below items to view):

- [HigResPic1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)