

EPS-OFSW-3PH-480V

Explosion Proof 2-Selector Switch - Maintained - 480V AC 3PH, 20A Rated - 3 NO/3 NC - Feed Thru

Product ID: 150838

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPS-OFSW-3PH-480V Two Selector Switch - Maintained

Unit Type: Explosion Proof Maintained Switch

Dimensions: -

Weight: -

Voltage: 480V AC 3PH

Amps: 20A Rated

Contacts: 3 NO/ 3 NC

Configuration: Single Gang

Switch: (2) Positions - On/Off Maintained Action

Materials: Copper-free Aluminum

Mounting: Surface - (2) Bolt Holes

Hub Style/Size: Feed Thru - (2) 3/4" Hubs

Features/Ratings

Class I, Div. 1 & 2, Groups C,D

Class 1, Zones 1 & 2, Groups IIA

Class II, Div. 1 & 2, Groups E,F,G

Class III

NEMA 7(C,D) 9(E,F,G)

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics EPS-OFSW-3PH-480V Explosion Proof 2-Selector Switch allows operators to manually control machines in combustible facilities. This 20-amp rated explosion proof accessory is compatible with 480V AC three phase. Constructed of copper-free aluminum, the two-selector maintained switch comes in a feed thru configuration with two, 3/4" hubs.

The EPS-OFSW-3PH-480V offers manual operation of machines in hazardous locations and flammable work sites. The single-gang unit is compatible with 480V AC three phase (20-amp rating). This explosion proof maintained switch features two positions with On and Off nameplate markings. Contact configuration includes 3 NO and 3 NC.

For durability in combustible facilities, the accessory is constructed of copper-free aluminum. The EPS-OFSW-3PH-480V comes in a feed-thru hub configuration, with two available 3/4" hubs for completing electrical connections. Operators can mount the explosion proof motor switch on flat surfaces via two bolt openings at each end of the unit.

Applications: Manual machine operation, hazardous locations, industrial sites, chemical processing, manufacturing plants, agricultural sites and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)









EPS-OFSW-3PH-480V

Product ID: 150838

Export Control Classification Number (ECCN): EAR99

Options:

EPS-OFSW-3PH-480V-**Termination**-**Hub Config**

Example: EPS-OFSW-3PH-480V-**DE****0.5IN**

Termination	
DEAD END	-DE
FEED THRU	-FT

Hub Config	
1/2 IN	0.5IN
3/4 IN	0.75IN

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [HigResPic8](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)