

PDU-ML-ALU-0.375-350MCM.6AWG

Mechanical Lug for Transformer to Wire Connection - 6AWG Through 350MCM Wire

Product ID: 152758

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

PDU-ML-ALU-0.375-350MCM.6AWG Mechanical Lug

Dimensions: 1.25" H x 2.25" W x 1.15" D

Min. Conductor Range: 6AWG

Max. Conductor Range: 350 kcmil

Number of Holes: 1

Number of Conductors: 1

Material: Tin-Plated Aluminum

Features

RoHS Compliant

UL Listed

CSA Certified

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Larson Electronics manufacture a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and one-line diagram.

Made in the USA

The Larson Electronics PDU-ML-ALU-0.375-350MCM.6AWG Mechanical Lug is designed to allow connection between transformers and customer provided wire. This mechanical lug allows the connection of wires 6AWG through 350MCM and is used for transformers, power distribution and buck/boost transformers.

The PDU-ML-ALU-0.375-350MCM.6AWG is a mechanical lug compatible with a wire conductor range of 6AWG to 350 kcmil. This RoHS compliant lug is constructed of


tin-plated aluminum and is UL and CSA approved. The lug measures 1.25" in height by 2.25" wide by 1.15" deep.

Frequently Asked Questions (FAQ)





LARSON
ELECTRONICS™

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364











PDU-ML-ALU-0.375-350MCM.6AWG

Product ID: 152758

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [HigResPic6](#)
- [HigResPic7](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)