Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

HLEXC-10X-32A-250V-2P3W-10.3-50

Explosion Proof Extension Cord - 30A Max Cap - (10) Outlets, (1) Plug - 15.25M 10/3 SOOW Cable - EU

Product ID: 153699

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

HLEXC-10X-32A-250V-2P3W-10.3-50 ATEX Rated Extension Cord

Amp Rating: 30-amp Continuous Service
Receptacles: 10 (HLO-EX-32A-2P3W)
Voltage: 125/250V AC
Configuration: 2 Pole 3 Wire
Materials: Polyamide
Wiring: 15.25 Meters 10/3 SOOW Cord w/ EXP Cord Cap
EXP Plug: 32A 125/250V AC (HLP-EX-32A-2P3W)

Ratings

Class I, Zones 1 & 2
ATEX Rated
IECEx Zones 1, 2
IP66

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics HLEXC-10X-32A-250V-2P3W-10.3-50 Explosion Proof Extension Cord allows operators to safely extend the range of their explosion proof light or equipment beyond the boundaries of the hazardous work area. The ATEX/IECEX rated unit features a maximum capacity of 30 amps and contains ten, explosion proof 125/250V AC receptacles (HLO-EX-32A-2P3W). This 10/3 SOOW cord measures 15.25

meters in length and is equipped with a 32-amp explosion proof plug (HLP-EX-32A-2P3W).

The HLEXC-10X-32A-250V-2P3W-10.3-50 extends electrical connections in combustible facilities. This 15.25 meters of 10/3 SOOW cord is equipped with ten, ATEX-rated 125/250V AC explosion proof receptacles (HLO-EX-32A-2P3W). Featuring a maximum capacity of 30 amps, the unit contains a 32-amp explosion proof plug (HLP-EX-32A-2P3W). With NEMA Type 3, 4, 4x and IP66 ratings, the explosion proof extension cord is suitable for outdoor, marine and wet locations. The ATEX-rated receptacles feature non-metallic, fiber reinforced polyester construction and IP66-rated protection. Specially designed color coding and pin configuration reduces the possibility of making incorrect power connections. To ensure safety, the plug is coded blue to indicate its voltage rating and ground pin position of 7. The color coding of these units makes it impossible to connect different voltages and current ratings, to ensure safe power connection.

Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, ATEX-rated Light Fixtures, Grinders, Wet areas or Locations Where Combustible Dust is Present.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



HLEXC-10X-32A-250V-2P3W-10.3-50

Product ID: 153699

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **Operations Manual**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**