Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

RUL-10-EP-AH

Rechargeable LED Lantern - 600 lms - Lithium-ion Battery - 6.25H Runtime - 120V AC Charger - Green

Product ID: 153706

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

RUL-10-EP-AH Rechargeable LED Flashlight

Lamp Type: LED
Dimensions: 9.5" x 3.125" x 5.125"
Weight: 1.9 lbs (w/ Batteries)
Battery Type/Capacity: Lithium-ion, 4400 mAH
Runtime: 6.25 Hrs
Battery Voltage: 7.8V
Lumens: 600
Candela: 15,600
Beam Distance: 820.21`
LED Lamp Life: 30,000+ Hours
LED Indicators: Charge Status, Low Battery, Tail (Flashing)
Ambient Operating Temp: -20°C to +50°C
Housing Material: Super Tough Nylon
Mount: Vehicle, Wall/Surface, Portable (Handle)
Charger: 120V AC
Housing Color: Green

Ratings/Approvals

Impact Resistant/Waterproof
Non-slip Rubber Bottom/Handle

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

The RUL-10-EP-AH from Larson Electronics is a Rechargeable LED Lantern for outdoor work sites. Powered by a 4,400 mAH lithium-ion battery, the portable unit provides 600 lumens of white light for up to 6.25 hours at full charge. The green LED lamp is mountable on vehicles, walls or surfaces. A non-slip handle ensures tight grips when carried.

The RUL-10-EP-AH is a rechargeable LED lantern with portable applications. This unit is powered by a 4,400 mAH lithium-ion battery (7.8V), which offers a total runtime of 6.25 hours per full charge. During use, the LED lamp emits 600 lumens of output with 15,600 CD peak beam intensity. This unit is capable of illuminating targets up to 820 feet away. Operators can charge the LED lantern using common 120V outlets.

Durability: The green LED lamp is constructed of super tough nylon. Designed for use in rugged environments, the unit is impact resistant and waterproof up to 1 meter. LED indicator lights notify operators about status and battery usage in real-time. For increased safety, a high visibility flashing LED tail light is also available on the unit.

LED Benefits: Unlike gas burning and arc type lamps that have glass bulbs, LEDs have no filaments or fragile housings to break during operation and/or transportation. Instead of heating a small filament or using a combination of gases to produce light, light emitting diodes (LEDs) use semi-conductive materials that illuminate when electric current is applied, providing instant illumination with no warm up or cool down time before re-striking. Because there is no warm up period, this light can be cycled on and off with no reduction in lamp life.

LED lights run at significantly cooler temperatures than traditional metal halide and high pressure sodium lights and contain no harmful gases, vapors, or mercury, making them both safer and more energy efficient. No extra energy is wasted in cooling enclosed work areas due to external heat emissions from bulb type lights, and the operator risks associated with traditional lighting methods, such as accidental burns and exposure to hazardous substances contained in the glass bulbs, are eliminated. In addition, LEDs are also safer for the environment as they are 100% recyclable, which eliminates the need for costly special disposal services required with traditional gas burning and arc type lamps.

Mounting: This portable unit can be mounted on vehicles, walls and surfaces. Operators may also carry the LED lantern around using a compact handle or using a sling that attaches to the ends of the luminary. To prevent slippage, the bottom of the lamp is padded with non-slip rubber.

Applications: Portable illumination, inspections, maintenance, law enforcement, security, outdoor locations, remote work sites, off-site illumination and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)







RUL-10-EP-AH

Product ID: 153706

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **Canadian CEC Certificate (Commonly referred to as CSA Certificate)**
- **Certificate 1, Misc**
- **USA NEC Certificate (Commonly referred to as UL Certificate)**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**