

SLEDB-110V-ILS-10C

110 Volt Strobe Light - Permanent Mount - 88 Flashes p/ Minute - Inline On/Off Switch

Product ID: 154191

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

1SLEDB-110V-ILS-10C Flashing Strobe

1#000000Lamp Type: LED

1Dimensions: 16.63"-High, 6.25" Diameter

1Lamp Weight: 1N/A

1Voltage: 110/120 VAC

1Wiring: 110' 16/3 SOOW with Gen App Cord Cap5-15, L5-15, Schuko, or Pigtail

1Cord Cap Options: 15-15, L5-15, Schuko, or Pigtail

1Lighting Configuration: 1Strobing Flash

1Joules:1 4

1Lumens/Second:1 2732

1Mounting: 1Permanent Mount

1Features

1SAEJ845, Class 1- Brightest Rating

1Permanent Mount

1110/120VAC

1Three Color Options

1Waterproof, Shock-Impact Resistant

1Inline On/Off Switch

1Special Orders - Special Requirements

1Contact us for special requirements

1Toll Free: 11-800-369-6671

1Fax: 11-903-498-3364

1E-mail: 1sales@larsonelectronics.com

Frequently Asked Questions (FAQ)









SLEDB-110V-ILS-10C

Product ID: 154191

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Options:

SLEDB-110V-ILS-10C-Color-Cord Caps

Example: SLEDB-110V-ILS-10C-AMB-5.15

Color	
AMBER	-AMB
RED	-RED
BLUE	-BLU
WHITE	-WHT
GREEN	-GRN

Cord Caps	
5-15 STRAIGHT	-5.15
5-20 STRAIGHT	-5.20
L5-15 TWIST	-L5.15
L5-20 TWIST	-L5.20

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)