Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EPP-15A-250V

Explosion Proof Fixture/Extension Cord Plug - 15 Amp Rated - 250V

Product ID: 154333

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EPP-15A-250V

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPP-15A-250V Explosion Proof PLug
Amp Rating: 15
Dimensions: 2.78"-L 1.75"-W
Configuration: 3 Pole 2 Wire
Suitable Cable Diameter: .538” to .639”
Voltage: 250V
Seals: Neoprene Plug Wire Bushing
Compatability: EPO-20A Receptacle- Crouse Hind™ ENR Receptacles
Cross Interchangeability: Crouse Hind™ ENP General Purpose Plugs
Protection: Twist Lock Activation on Commpatible Twist Lock Receptacles

Certifications - Compliance
Class 1, Div 1 & 2 Groups B,C,D
Class 2 Div 1 & 2 Group G & Coal Dust
Class III
CSA Type 7BCD, 9G


Special Orders - Special Requirements
Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

Larson Electronics EPP-15A-250V Explosion Proof Plug

The EPP-15A explosion proof plug is rated at 15 amps and along with our with our EPP-20A series plug is compatible with our EPO-20A explosion proof 20 amp outlet. This plug can be used in both regular 250V outlets and T style outlets although in order to retain explosion proof safety, it must be mated to an explosion proof outlet. This plug is designed to lock into

compatible twist lock receptacles by twisting the plug body until an audible click is heard, which indicates the plug is securely connected. Once locked into place this plug will not accidentally pull out.

This plug is watertight and ideal for applications where moisture and corrosion is a problem and well suited for use in marine and manufacturing environments. This plug is rated Class 1, Division 1 and 2 and Class 2, Division 1 and 2 and is suitable for use in areas where pertrochemical vapors may be present. This explosion proof plug features non sparking aluminum construction, a longer housing for easy handling, specially designed brass pins for secure full length pin contact, and a 15 amp current rating.



Click Photo to Enlarge

Inter-Compatibility: These plugs will fit non-explosion proof standard receptacles (NEMA 6-15R, or 6-20R). These plugs are are cross-interchangeable with Crouse Hind™ ENP general purpose plugs and will work with Crouse Hind™ ENR Dead Front Receptacles. Any equipment requiring these C-H plugs should work with the EPP-15A-250V plugs. Due to possible manufacturer changes we cannot gaurantee interchangability although we have made every effort to ensure cross compatibility correctness.

Suggested Applications: Manufacturing, Industrial, Warehouse, Lighting, Motor-Generator Sets, Compressors, Wet areas or Locations Where Petrochemical Vapors are Present.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EPP-15A-250V

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EPP-15A-250V

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EPP-15A-250V

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **Operations Manual**(https://www.larsonelectronics.com/images/product/Manual/154333.PDF)
- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/154333.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/154333.JPG)
- **HigResPic3**(https://www.larsonelectronics.com/images/product/HigResPic3/154333.JPG)
- **HigResPic4**(https://www.larsonelectronics.com/images/product/HigResPic4/154333.JPG)
- **Video1**(https://www.youtube.com/watch?v=UR1M3j1ICnY)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)