

EPL-HB-50LED-RT-JB2-SP0115-V2

Extended Mounting Bracket for Explosion Proof Light - EPL-HB-50LED-RT-JB2-V2-LV-12.3-150

Product ID: 154737

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-HB-50LED-RT-JB2-SP0115-V2 Extended Mounting Bracket

Unit Type: Extended Trunnion Bracket for Explosion Proof Light

Dimensions: 11.18" x 7.69" x 2"

Weight: -

Compatibility: EPL-HB-50LED-RT-JB2-V2-LV-12.3-150, Larson Electronics Explosion Proof Low Bay Lights

Mounting Holes (Lights): (2) 0.3" -OD

Mounting Hole (Bracket): (1) 0.55" -OD

Features/Ratings

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The Larson Electronics EPL-HB-50LED-RT-JB2-SP0115-V2 Extended Mounting Bracket is compatible with EPL-HB-50LED-RT-JB2-V2-LV-12.3-150 explosion proof low bay fixtures. Designed to provide freedom of movement, the accessory contains three openings for mounting and securing the LED light head on the bracket.

The EPL-HB-50LED-RT-JB2-SP0115-V2 measures 11.18" x 7.69" x 2" and is designed for the Larson Electronics EPL-HB-50LED-RT-JB2-V2-LV-12.3-150 explosion proof low bay light. One 0.55" opening on the bracket can be used to secure the component on surfaces or walls. Two 0.3" openings at each side of the bracket attaches to the sides of the LED light.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to


honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)









EPL-HB-50LED-RT-JB2-SP0115-V2

Product ID: 154737

Harmonized System (HS) Code: 9405.41.84.10

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [HigResPic4](#)
- [HigResPic5](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)