Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

BC-1-LRG

Bar Clamp Mount for Permanent & Magnetic Mount Lights & Devices - 1.5 - 2.5" Diameter

Product ID: 1801

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: BC-1-LRG

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

Made in the USA

Heavy duty aluminum bar clamping system that enables owners of vehicles, heavy equipment and boats to mount lights or other equipment to square or round tubes, bars or rails. The adjustable clamping system cinches to size around rails of different diameters and can handle payloads to 40 pounds under extreme vibration.

Click Here for a Step-by-Step Process on the Installation of the BC-1 Mount

The bar clamp mount is made from aluminum and is available in 2 finishes, including clear anodize and black powder coated. The bar clamp mount adjusts to fit bars, rails, racks, etc. with square or tubular dimensions ranging from 2 inches to 3.25 inches in diameter. There are 2 sets of interlocking brackets which are cinched around the square or round tube, using the embedded 1/4-20 stainless steel, socket head bolts.

NOTE ON MOUNTING HOLES: The top mounting plate ships with pre-drilled holes that are

designed for accepting the bolt patterns for Radioray and Stryker remote control spotlights. These spotlights went under a design revision in 2020. Older Radioray mounting holes are NOT the same as newer Radioray mounting holes. Older Stryker mounting holes are NOT the same as newer Stryker mounting holes. Please choose correct mounting option at time of ordering to ensure fitment with your spotlight.

- Old Radioray. This is compatible with Pre-2020 Radioray series 2XXX, 5XXX, 7XXX, and 9XXX series spotlights.


- New Radioray GT. This is compatible with Post-2020 Radioray GT series 2XXXGT, 7XXXGT, and 9XXXGT series spotlights. The mounting holes of the GT Series of Radioray spotlights (Post-2020) are NOT compatible with previous generation (Pre-2020) models.

- Old Stryker. This is compatible with Pre-2020 Stryker series 3XXX series spotlights.

- New Stryker ST. This is compatible with Post-2020 Stryker ST series 3XXXST series spotlights. The mounting holes of the ST Series of Stryker spotlights (Post-2020) are NOT compatible with previous generation (Pre-2020) models.



Click Photo to Enlarge



Click Photo to Enlarge



Click Photo to Enlarge







A mounting plate attaches to the clamps, creating a mounting surface for just about anything. Existing mounting holes include the mounting pattern for the Golight Stryker spotlights, Golight Radioray spotlights, all High Intensity Discharge (HID) equipment lights, HID boat lights and LED spotlight bars and LED spreader floodlight bars

A 3.8 inch hole in the center accommodates post mount lights (like the Acro HID off road lights, 24 volt equipment lights, 12 volt flood lights, HID lights and equipment lights and the Larson Electronics permanent mount lights). The platform also accommodates the 5-inch diameter, 375 pound grip magnets popular with our 12/24 volt DC spotlights, including the HML-6M, HML-5M, HML-7M, HML-8M, etc. with the addition of the magnetic mounting plate (or magnetic stainless steel mounting plate).

A one inch hole enables access for wire harnesses and power cords.

The design of the bar clamp enables the operator to position horizontally or vertically. 2 sets of

mounting holes offer the operator the ability to mount the aluminum bracket system on the top or the side of the brackets. Thus this bracket system can be mounted on horizontal rails, bars or tubes. This was in response to customer's demand for mounting solutions for vertical rails on pumping trucks, etc.

This rail mount solution is effective for magnetic mount lights as well. We have a magnetic stainless steel plate (yes, some stainless steel has magnetic properties) that can be attached to the existing mounting patterns on this light. MMP-2 is the part number for this magnetic mounting plate. With this plate in place, you can remove a light like the 3067-M when not in use, but it will stay firmly affixed during use.

This clamping system is effective on heavy equipment, boats, ATVs, trucks, toy haulers, etc.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: BC-1-LRG




Image: BC-1-LRG



Image: BC-1-LRG



Image: BC-1-LRG

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

BC-1-LRG

Product ID: 1801

Export Control Classification Number (ECCN): EAR99

Options:

BC-1-LRG-Color-Light Mount
Example: BC-1-LRG-BLK-RR

Color	
BLACK	-BLK
ALUMINUM	-ALU
WHITE	-WHT

Light Mount	
OLD RADIORAY	-RR
NEW RADIORAYGT	-RRGT
OLD STRYKER	-SR
NEW STRYKERST	-SRST

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Links (Click on the below items to view):

- **Dimensional Drawing 2D**(https://www.larsonelectronics.com/images/product/DimensionalDrawing/1801.PDF)
- **Operations Manual**(https://www.larsonelectronics.com/images/product/Manual/1801.PDF)
- **SpecSheetRussian**(https://www.larsonelectronics.com/images/product/SpecSheetRussian/1801.PDF)
- **SpecSheetSpanish**(https://www.larsonelectronics.com/images/product/SpecSheetSpanish/1801.PDF)
- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/1801.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/1801.JPG)
- **HigResPic3**(https://www.larsonelectronics.com/images/product/HigResPic3/1801.JPG)
- **HigResPic4**(https://www.larsonelectronics.com/images/product/HigResPic4/1801.JPG)
- **HigResPic5**(https://www.larsonelectronics.com/images/product/HigResPic5/1801.JPG)
- **HigResPic6**(https://www.larsonelectronics.com/images/product/HigResPic6/1801.JPG)
- **HigResPic7**(https://www.larsonelectronics.com/images/product/HigResPic7/1801.JPG)
- **HigResPic8**(https://www.larsonelectronics.com/images/product/HigResPic8/1801.JPG)
- **HigResPic9**(https://www.larsonelectronics.com/images/product/HigResPic9/1801.JPG)
- **HigResPic10**(https://www.larsonelectronics.com/images/product/HigResPic10/1801.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)