

EXPRA-04

Explosion Proof Right Angle Light - Intrinsically safe right angle flashlight - MADE IN THE USA

Product ID: 1845

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXPRA-04 Explosion Proof Angle Light

Safety Listing: UL, CUL, & CSA

Dimensions: L- 2.5" (6.4 cm) W- 3.0"(7.6 cm) Height- 7.0". (17.8 cm)

Total Watts: 4 watts-

Battery: 4-Alkaline C-cells

Mounting: Angle, Clip Or Ring Attach

Runtime: 5.5 Hours

Lamp Type:: H-13 Halogen 50 Hour Operational Life

Weight: 1 lbs (2.2 kg)

Candlepower 60,000

[Click here for Spanish Spec Sheet of Explosion Proof Pocket Light](#)

[Click here to view the Explosion Proof Light Design Description](#)

Approvals

Class 1, Division 1&2 Group D

ATEX II 2 G EEX ib e IIB T3

UL, CUL, & CSA safety approved

Operating Temp T3

Waterproof

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Made in the USA

The Larson Electronics EXPRA-04 explosion proof right angle clip light can be used as either an inspection light or a general area work light and is waterproof and Class 1 Division 1&2 Group D approved. This light operates with 4 C-cell batteries and runtime is approximately 5.5 hours.

The reflector configuration on this explosion proof angle light produces a beam approximately 200' in length by 30' in width. This angle light is designed to be attached via ring or spring clip to vests, coats or helmets, allowing operators hands free operation. This explosion proof angle flashlight contains a single H-13 halogen bulb that has a 50 hour operational life, produces 60,000 candlepower, and comes with two spare bulb compartments.

Power for this light is provided by 4 C-cell alkaline batteries producing a runtime of 5.5 hours. This explosion proof angle light is waterproof and 30 foot drop survival tested. The housing, switch and tube on this angle light are constructed of high strength nylon, and the lens is impact and scratch resistant polycarbonate. Safety approvals include UL, CUL, & CSA, as well as UL Class 1 Division 1 Group D and ATEX II 2 G EEx ib e IIB T3 certification.



Dark street with street lamp 475 feet away

[Click Photos to Enlarge](#)

EXPRA-04 reaching 190` easily.

[Click Photos to Enlarge](#)

Frequently Asked Questions (FAQ)

EXPRA-04

Product ID: 1845

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [SpecSheetSpanish](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)