

LED Tow Lights With Magnetic Base - 30' Weatherproof Cable - 12VDC - Custom Waterproof Trailer Plug

HDTL-LED-2X-M-30-WP



Specifications / Additional Information

HDTL-LED-2X-M-30-WP Trailer Lights

Weatherproof Cable Connections

Dimensions: 4" Diam 6" Height 2.5" Depth

Lamp Weight: 6 lbs total

Wiring: Weatherproof 30' cable w/customized trailer plug, Weatherproof 7' cable between lights

Connectors: 4-Pin Flat, 4-Pin Round, 6-Pin Round, 7-Pin Round, 7-Pin Flat (All Options Waterproof)

Materials: Steel

Mounting: 70 lbs Grip Magnetic Mount

Quick Summary

100% Portable
Waterproof / Shock Resistant
Stop, Trail, and Turn Capable

Waterproof Cable Connections

Special Orders- Requirements

Contact us for special requirements

Phone: 1-903-270-1187

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com


Made in the USA

The Larson Electronics HDTL-LED-2X-M-30-WP is a weatherproof wired magnetic tow light consisting of (2) round 2lb tow lights, (2) 90# temporary magnetic mounts, a 30ft standard cable ending in a customizable trailer plug, and 7" of wire space between the two tow lights. The durable LED lights on this unit are stop, trail and turn capable and emit a very visible red light that is very clearly signaled to other drivers, helping prevent rear end accidents and other potential road oversights.

The HDTL-LED-2X-M-30-WP is an all-weather, shock proof tow light with stop, tail, and turn capabilities, mounted on the towed vehicle by two 70lb grip magnetic mounts, and powered through a 30" cable connected to the trailer's trailer plug. This unit can be fully operational even in the worst weather conditions and because the LED lights are so bright, potential road accidents can be avoided. These tow lights are light weight and only 4" in diameter, 6" in height, and 2.5" in depth and are quickly and easily transported from one towing situation to another.

This unit utilizes LED light technology, which retains the brightness and evenness of the red signal light, uses less amperage, and can be seen at further distances and in normal day time light. LED lights do not heat up like traditional lights, which eliminates any concern for handling the unit after a long period of use. The HDTL-LED-2X-M-30-WP wired magnetic tow light is designed for durability, visibility, and versatile placement in any towing situation. The longevity of the LED lights makes this product ideal for towing, trailers, security, roadside emergencies, and anywhere a signal tow light is required.

Connectors: This magnetic LED tow light has several connecting cords to choose from 4-Pin Flat, 4-Pin Round, 6-Pin Round, 7-Pin Round or a 7-Pin Flat connector which adds to this unit's portability and convenience. This unit is equipped with a weatherproof cable and waterproof connections, and all the junctions in the cable are sealed.



4-Pin Flat Connector

[Click Photos to Enlarge](#)



4-Pin Round Connector



6-Pin Round Connector



7-Pin Round Connector



7-Pin Flat Connector

Options:

HDTL-LED-2X-M-30-WP-Light Color-Connector

Example: HDTL-LED-2X-M-30-WP-RED-4Flat

Light Color	
RED	-RED
AMBER	-AMB

Connector	
4-PIN FLAT	-4Flat
4-PIN ROUND	-4Round
6-PIN ROUND	-6Round
7-PIN ROUND	-7Round
7-PIN FLAT	-7Flat

Links (Click on the below items to view):

- [large](#)
- [Manual](#)
- [medium](#)
- [HigResPic1](#)