

EPF-AES-24X24-230V

Explosion Proof Fan Shutters - 24"x24" - 230V Motor and Chain - Shutters and Actuator for HAZLOC

Product ID: 223735

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPF-AES-24X24-230V - Explosion Proof Shutter

Panel Size: 24"H x 24"W

Frame Material: Galvanized Aluminum

Shutters: 2

Operation: Motorized

Voltage: 230V

Blade Orientation: Horizontal

Blade Angle: Adjustable

Motor: 230V Actuator with Motor and Chain

Linkage: Concealed in Frame

Mounting: Surface Mount

Ratings/Features

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The Larson Electronics EPF-AES-24X24-230V Explosion Proof Shutter offers a sustainable way to reduce heating and cooling costs, achieving optimal indoor climate control. These louvers help usher fresh air in and stale air out. Open/close operation is achieved via a 230V actuator with an explosion proof motor and chain. Measuring 24" x 24", these shutters are perfect for our explosion proof fans.

Features: Our hazardous location shutters feature a galvanized aluminum finish that requires low maintenance while offering a high resistance to corrosion. These louvers allow air to pass through while keeping unwanted elements such as water, dirt and other debris. Louvers may be used in HVAC intake and exhaust systems

and many air moving applications, and are usually installed in openings of interior or exterior walls, roof penthouses and ductwork.

Applications: Hazardous areas that require ventilation, including (but not limited to) the following: clean rooms, marijuana extraction rooms, laboratory hoods, oil refineries, grain mills, chemical plants, welding shops, HVAC, architecture, chemical storage areas and battery changing areas.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Frequently Asked Questions (FAQ)





EPF-AES-24X24-230V

Product ID: 223735

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [HigResPic1](#)
- [HigResPic2](#)
- [HigResPic3](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)