

EPL-220-DW-112-10C

Replacement Inline Stepdown Transformer for the EPL-120 and EHL Series Explosion Proof Drop Lights

Product ID: 236141

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EPL-220-DW-112-10C Inline Stepdown Transformer

Input Voltage: 220V 50Hz

Output Voltage: 12V or 24V

Line-in Cord: 10' 16/3 SOOW

Cord Cap Options: 5-15 Straight, 6-15 Straight, L5-15 Twist, L6-15 Twist, UK BS1363, Intl. Schuko, Pigtail

Output VA: 150

Max Wattage: 150W

Quick Summary

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

E-mail: sales@larsonelectronics.com



Frequently Asked Questions (FAQ)

EPL-220-DW-112-10C

Product ID: 236141

Export Control Classification Number (ECCN): EAR99

Options:

EPL-220-DW-112-10C-Cord Cap-Output Voltage-Output Wire Size

Example: EPL-220-DW-112-10C-5.15-12V-.125-.250

Cord Cap	
5-15 STRAIGHT	-5.15
6-15 STRAIGHT	-6.15
5-20 STRAIGHT	-5.20
6-20 STRAIGHT	-6.20
L5-15 TWIST	-L5.15
L6-15 TWIST	-L6.15
L5-20 TWIST	-L5.20
L6-20 TWIST	-L6.20
UK BS1363	-BS1363
INTL SCHUKO	-SCHUKO
PIGTAIL	-PIGTAIL

Output Voltage	
12V	-12V
24V	-24V

Output Wire Size	
.125-.250	-.125-.250
.250-.375	-.250-.375
.375-.500	-.375-.50
.500-.625	-.500-.625
.625-.750	-.625-.750
.750-.875	-.750-.875

Links (Click on the below items to view):

- [Canadian CEC Certificate \(Commonly referred to as CSA Certificate\)](#)
- [CE Certificate](#)
- [Certificate 1, Misc](#)
- [Certificate 2, Misc](#)
- [Certificate 3, Misc](#)
- [MSDS \(Material Safety Data Sheet\)](#)
- [RoHS Certificate \(Restriction of Hazardous Substances\)](#)
- [USA NEC Certificate \(Commonly referred to as UL Certificate\)](#)
- [HigResPic1](#)
- [Video1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)