Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

LML-7-CU12-NYC-MOD1

12' Telescoping Light Mast - Stationary Tower w/ Manual Crank Winch - CAT5e, 12/4 SOOW Cord

Product ID: 237220

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

This unit is Made In USA - Manufactured in Texas

LML-7-CU12-NYC-MOD1 - Light Mast

Length: 7 feet - 12 feet
Weight: -
Materials: Steel
Finish: Powder Coated - Gloss Blue
Operation: (1) 1,000lbs Manual Winches, Electric Optional
Cable: 3/16" Galvanized Aircraft Cable
Mounting: 1/2" thick, 12"x12" Base Plate
Anchor Bolts: (4) 3/4" Bolts, not included
Wiring: (1) CAT5e, (1) 12/4 SOOW Cord - Externally Mounted Coiled Cable
Dimensions: 3" OD (stage 1) - 2" OD (stage 2)
Shipping: Common Freight
Shipping Weight: 200 lbs
Options: Length- Mounting-Fixtures/ Call Us for Special Requirements

Quick Summary

7-12` Light Mast
Steel Construction
125 mph Wind Resistance
Manual Operation
Removable Mast Head

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

This unit is Made In USA - Manufactured in Texas

The Larson Electronics LML-7-CU12-NYC-MOD1 Light Mast provides a safe and effective way for operators to quickly deploy lights, security cameras and other equipment to elevations up to twelve feet. This light tower collapses down to seven feet and features a removable mast head for storing mounted equipment when not in use. Operators may access an externally mounted coiled cable, which consists of a CAT5e and 12/4 SOOW

cord.

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO LIGHT MASTS OR LIGHT TOWERS

The LML-7-CU12-NYC-MOD1 telescoping steel light tower mast is designed to allow operators to quickly and safely deploy lighting and other electrical equipment in locations where this equipment must be elevated to heights up to 12` for effective light coverage. This adjustable and collapsible light mast can be extended to twelve feet and collapsed to seven feet and is locked into position with t-handle locking pins. The tower is constructed of square steel tubing with a lower section 6.5` in length and 3" by 3" by 1/8" thick and an upper section 6.5` and 2" by 2" by 1/8" thick with 1` overlap. The unit is extended and lowered using an included hand crank winch with 3/16" galvanized braided cable and equipped with a brake for fast and safe deployment. The light mast comes with a CAT5e and 12/4 SOOW cord inside a nycoil coiled cable. The coiled cable is externally mounted for accessibility.

The LM series of towers are powder coated with glossy blue finish for corrosion resistances and aesthetics. These light masts are typically mounted to trailers or other stable surfaces via a 12" by 12" by 1/2" thick square mounting base-plate which has been drilled to accept four 3/4" anchor bolts. A 44" wide and 2" by 2" by 1/4" thick mounting plate is attached to the upper section of the mast which provides a strong and stable platform for light fixtures and equipment.



Click Photo to Enlarge

This is a heavy duty unit designed for use in demanding conditions and for overall longevity in difficult construction environments with heavy duty steel construction for maximum durability. We make this lighting solution in the United States. Larson Electronics tower lights are designed for industrial, commercial, emergency response, and military applications where the operators are working in harsh, destructive environments and the operators income or mission success are dependent on dependable, durable lighting.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364







Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

LML-7-CU12-NYC-MOD1

Product ID: 237220

Export Control Classification Number (ECCN): EAR99

Options:

LML-7-CU12-NYC-MOD1-Finish

Example: LML-7-CU12-NYC-MOD1-GLVD

Finish	
GALVANIZED	-GLVD
POWDER COATED	-PWDC

Links (Click on the below items to view):

- **Operations Manual**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **HigResPic7**
- **HigResPic8**
- **HigResPic9**
- **Video1**
- **Video2**
- **Video3**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**