Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

WPPH-NM-ALG-18K-620

Weatherproof Phone w/ Dial Pad - 18 Buttons, Analog - Steel Cord - Yellow/IP65

Product ID: 243764

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

WPPH-NM-ALG-18K-620 Weatherproof TeleIntl

Intl Type: Standard Analog
Dimensions: 11.10" x 7.48" x 5.51"
Weight: 6.61 lbs
Voltage: -
Power: From TeleIntl Line
Dialing: LD (Pulse) or MF (Tone) - User Selectable
Ringer Level: Shrill Warble Tone - 80 dBA @ 3.2 feet
Keypad: 18 Buttons - Standard Numerical Keypad w/ S (MicroIntl Mute or Silence), R (Recall), LR (Last Number Redial) and 3 Programmable Auto-dial
Time Out: Fixed Call Maximum Time Limit to 6-8 Minutes from Lifting Handset - User Selectable
Hookswitch: Electronic/magnetic - No Visible Moving Parts
MTBF: Calculated in Excess of 50,000 hours Using MIL-HDBK-217F Notice 2
Lightning/Transients: Protection to ITU-T k.21 Enhanced Levels
Operating Temperature: -40°C to +60°C
Materials: Glass-reinforced Polyester (Intl), Silicone Rubber (Keypad)
Handset Cord: Stainless Steel Spiral Cord
Mounting: Wall or Desk Mount
Wiring/Connection: 2-wire TeleIntl Line, FXS Ports, Analog PABX Lines, PTSN
Color: Yellow (Intl), Metallic (Cord), Black (Handset)

Ratings/Approvals

Protection to ITU-T k.21 Enhanced Levels
IP65
Weatherproof
Vandal Resistant Handset/Cord
Volume Control

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187
Toll Free: 1-800-369-6671
Fax: 1-903-498-3364
E-mail: sales@larsonelectronics.com

The WPPH-NM-ALG-18K-620 Weatherproof Analog Telephone from Larson

Electronics is a heavy-duty communication device that is suitable for industrial environments. The unit supports an 18-key dialpad and several user selectable features. A stainless steel handset cord and an IP65 rating ensures comprehensive reliability during emergency situations.

The WPPH-NM-ALG-18K-620 is designed to provide safe, reliable communication for both indoor and outdoor environments. This line-powered unit features an 18-key dialpad. Available buttons on the phone include the following: standard numerical, S (microphone mute or silence), R (recall), LR (last number redial) and three programmable auto-dial. Operators may choose between LD (pulse) or MF (tone) dialing, as well as a fixed call maximum time limit between 6-8 minutes from lifting the handset. A ringer level of 80 dBA (shrill warble tone) can be heard from a distance of 3.2 feet. The weatherproof telephone is ideal for use in rugged locations with a temperature range of -40°C to +60°C.

Durability: This unit is housed in a non-metallic, glass-reinforced polyester enclosure. The weatherproof phone features a heavy-duty stainless steel spiral cord. A chemical and vandal resistant keypad helps deter wear and tear during long-term use. The hookswitch is electronic/magnetic with no visible moving parts.

Connection: Compatible connections include: 2-wire telephone line, FXS Ports, analog PABX lines and PTSN. This weatherproof telephone is powered from the telephone line. Since this telephone is line powered, it will continue working even if the main power source faults or is disconnected (no internal battery required).

Mounting: The WPPH-NM-ALG-18K-620 telephone is designed to be wall or desk mounted via four mounting holes found in the back of the unit.

Suggested Applications: Industrial facilities, outdoor communications, construction sites, public areas, plant entrances, parking garages, airports and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)


M1
M2
M3
1
2
3
4
5
6
7
8
9
*
0
#
S
R
LR
LARSON
ELECTRONICS
WPPH-NM-ALG-18K-620
LARSONELECTRONICS.COM


M1
M2
M3
1
2
3
4
5
6
7
8
9
*
0
#
S
R
LR
LARSON
ELECTRONICS
WPPH-NM-ALG-18K-620
LARSONELECTRONICS.COM





WPPH-NM-ALG-18K-620

Product ID: 243764

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- HigResPic1
- HigResPic2
- HigResPic3
- HigResPic4
- HigResPic5
- HigResPic6
- HigResPic7
- HigResPic8
- ISO 9001 Certification
- Business Certificate
- Shipping Time Map