Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

HLP-AE.EX-32A-3P4W-380V-PC

32A Hazardous Location Pin and Sleeve Plug - 380V 3PH - 3 Pole, 4 Wire - ATEX Rated

Product ID: 264946

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

HLP-AE.EX-32A-3P4W-380V-PC Flameproof Plug

Unit Type: NRTL Listed for European, International Locations
Dimensions: 8.3"H x 3.9"W
Weight: -
Voltage: 380V AC, 3PH
Amps: 32A
Configuration: 3-Pole 4-Wire
Cord O.D.: 0.6" to 1.1"
Compatibility: HLO-AE.EX-32A-3P4W-380V
Terminal Capacity: 1 Wire, 14 to 8 AWG

Ratings

ATEX/IECEx Rated
Approved for Zone 1 and 2
Approved for Zone 21 and 22
Ex II 2 GD Ex db eb IIC T6
Ex II 2 Gb Ex tb IIIC T80 DbTa +45
Ex II 2 GD EX db eb IIC T5
Ex II 2 Gb EX tb IIIC T95C DbTa +55)
NRTL Certified to IEC 60079
NRTL Certified to EN 60079
CE Certified
IP66 Weatherproof

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

The Larson Electronics HLP-AE.EX-32A-3P4W-380V-PC Hazardous Location Pin and Sleeve Plug is an ATEX rated cord cap approved for use in hazardous environments where flammable or explosion gases, vapors,

or dusts stand the potential to exist and where flammable dusts, fibers, or flyings exist. This 3-pole, 4-wire plug is designed to provide a secure connection for electrical equipment within the hazardous location.

This hazardous location 3-pole, 4-wire pin and sleeve plug is compatible with our HLO-AE.EX-32A-3P4W-380V hazardous location power receptacles. This plug is rated for 32 amps and is suitable ATEX/IECEx rated environments. This hazardous location plug features polyamide construction and operates on three-phase 380V AC. The color coding of these units makes it impossible to connect different voltages and current ratings, to ensure safe power connection.

Suggested Applications: Chemical and pharmaceutical manufacturing, petrochemical operations, offshore applications, coal mining and other refinery or industrial operations.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)


Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364




85 710 01 14 0
150856
4 pol.





HLP-AE.EX-32A-3P4W-380V-PC

Product ID: 264946

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**