Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

EXP-EL-TC.D-12H-M1-120V

Explosion Proof Digital Time Clock - Class I, II, III - 120V, 50/60Hz - LCD Display - Magnetic Switches - NEMA

Product ID: 265023

Please see last page for supporting documentation for this product (certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Image: EXP-EL-TC.D-12H-M1-120V

Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

EXP-EL-TC.D-12H-M1-120V Explosion Proof Clock

Listing: NRTL Listed for United States, Canada
Device Type: Explosion Proof Digital Time Clock
Dimensions: 4-17/32"H x 6-1/8"W
Lens Opening: 2-9/32"
Weight: -
Voltage: 120V AC, 50/60Hz
Clock Display Type: LCD
Controls: Magnetic Switches (Hour/Minute Settings)
Cover Material: Copper-free Aluminum Alloy
Sealing Gasket: Neoprene O-ring
Ground Screw Material: Zinc Plated Steel w/ Green Dye
Allen Head Cover Screw Material: Cadmium Plated Steel
Enclosure Finish: Silver Powder Epoxy Paint, Electrostatically Applied
Glass Lens Material: 3/8" Thick Tempered Glass
Wiring Hubs: Offset Feed-thru (3/4" NPT)

Ratings/Approvals

Class I, Divisions 1 & 2, Groups B, C, D
Class II, Divisions 1 & 2, Groups E, F ,G
Class III, Divisions 1 & 2
NRTL Listed to UL 508A
NRTL Listed to UL 1203
NRTL Listed to CSA C22.2 No. 14
NRTL Listed to CSA C22.2 No. 25
NRTL Listed to CSA C22.2 No. 30
NEMA 3, 4, 7(B,C,D), 9(E,F,G)

Special Orders - Special Requirements

Contact us for special requirements
Toll Free: 1-800-369-6671
Intl: 1-903-270-1187
Fax: 1-903-765-7664
E-mail: sales@larsonelectronics.com

The EXP-EL-TC.D-12H-M1-120V from Larson Electronics is an Explosion Proof Digital

Time Clock that is suitable for use in hazardous locations, confined spaces and industrial facilities. This NEMA-rated unit is compatible with 120V AC, 50/60Hz. Magnetic switches enable operators to set the hour/minutes without opening the enclosure after installation.

The EXP-EL-TC.D-12H-M1-120V is designed for Class I, II and III rated combustible sites. Equipped with an LCD display, the device contains magnetic switches that allow operators to change the hour/minute settings after installation without opening the enclosure. This feature works through the glass of the clock, enabling operators to change the time settings quickly and safely. Time adjustments with the magnetic switches can be completed in the field (hazardous area). This unit is protected by a copper-free aluminum housing for durability. Neoprene 0-rings are provided with the enclosure to ensure water resistance in NEMA 4/IP66 conditions.

We offer a timer model that operates like a stop watch for keeping track of projects, processing, tasks, uptime, downtime and more. This timer/stop watch model is available as a separate unit, at an additional cost.

Voltage: This digital time clock operates on 120V AC, 50/60Hz.

The explosion proof clock comes with offset feed-thru conduit openings (3/4” NPT). An internal ground screw is conveniently located away from the mounting components. The enclosure is finished with silver powder epoxy paint (electrostatically applied). The ground screws are made out of zinc plated steel with green dye, while the allen head cover screw is constructed of cadmium plated steel. This unit comes with a 3/8" thick tempered glass lens cover. The explosion proof device is rated NEMA Type 3, 4, 7 (B,C,D) and 9 (E,F,G) and designed to withstand the rigors of demanding environmental and operating conditions while remaining robust and easy to use.

Applications: Hazardous locations, oil and gas, chemical plants, wastewater facilities, hydrogen plants, battery storage buildings and more.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Frequently Asked Questions (FAQ)

There are no Faqs

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EXP-EL-TC.D-12H-M1-120V

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EXP-EL-TC.D-12H-M1-120V

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664




Image: EXP-EL-TC.D-12H-M1-120V

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664



Image: EXP-EL-TC.D-12H-M1-120V

Export Control Classification Number (ECCN): EAR99

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.765.7664

Links (Click on the below items to view):

- **Dimensional Drawing 2D**(https://www.larsonelectronics.com/images/product/DimensionalDrawing/265023.PDF)
- **Operations Manual**(https://www.larsonelectronics.com/images/product/Manual/265023.PDF)
- **Wiring Diagram**(https://www.larsonelectronics.com/images/product/WiringDiagram/265023.PDF)
- **HigResPic1**(https://www.larsonelectronics.com/images/product/HigResPic1/265023.JPG)
- **HigResPic2**(https://www.larsonelectronics.com/images/product/HigResPic2/265023.JPG)
- **HigResPic3**(https://www.larsonelectronics.com/images/product/HigResPic3/265023.JPG)
- **HigResPic4**(https://www.larsonelectronics.com/images/product/HigResPic4/265023.JPG)
- **HigResPic5**(https://www.larsonelectronics.com/images/product/HigResPic5/265023.JPG)
- **HigResPic6**(https://www.larsonelectronics.com/images/product/HigResPic6/265023.JPG)
- **HigResPic7**(https://www.larsonelectronics.com/images/product/HigResPic7/265023.JPG)
- **HigResPic8**(https://www.larsonelectronics.com/images/product/HigResPic8/265023.JPG)
- **ISO 9001 Certification**(http://larsonelectronics.com/images/pdfdocs/ISO9001.PDF)
- **Business Certificate**(https://www.larsonelectronics.com/images/pdfdocs/w9.PDF)
- **Shipping Time Map**(https://www.larsonelectronics.com/images/product/ShippingTimeMap/ShippingTimeMap.pdf)