Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

**EXC-LC-MP-YLW-25-12.3-15A-5.15**

# 25' 12/3 SJTW Extension Power Cord - 125V - 15A Rated, Molded Plug - Yellow/Outdoor

**Product ID: 265905**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**



**Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.**

**EXC-LC-MP-YLW-25-12.3-15A-5.15 - 10` 12/3 SJTW 5-15P and 5-15C 15A Extension Cord**

**Male Cord Cap: 5-15P - Molded/Illuminated**
**Female Cord Cap: 5-15C - Molded/Illuminated**
**Voltage Rating:** 125V
**Max Amp Rating:** 15A
**Cable Type:** 12/3 SJTW - Yellow
**Cable Length: 25`**
**Weight:** -

**Ratings**

**Special Orders - Special Requirements**
Contact us for special requirements
**Toll Free: 1-800-369-6671**
**Intl:** 1-903-270-1187
**Fax:** 1-903-498-3364
**E-mail:** sales@larsonelectronics.com

**Made in the USA**

**The Larson Electronics EXC-LC-MP-YLW-25-12.3-15A-5.15 25 foot 12/3 SJTW straight blade extension power cord is designed for heady duty and**

**outdoor applications. This rugged extension cord is constructed of 12-gauge 3-conductor wire and equipped with 15-amp rated NEMA 5-15P male and 5-15C female molded/illuminated connectors. The yellow unit allows operators to extend power to equipment when stationary outlets are not readily available.**

The EXC-LC-MP-YLW-25-12.3-15A-5.15 power distribution system provides a safe and effective way for operators to extend 125V and power a variety of devices for plant maintenance, power generators, construction and other temporary applications. A yellow, 25 feet of chemical and abrasion resistant flexible 12/3 SJTW cable is terminated in male and female NEMA 5-15P and 5-15C, 15 amp rated, outdoor approved straight blade cord caps. The plug and connector are molded, which illuminate upon making an electrical connection.

**Applications:** This power distribution system is ideal for indoor or outdoor use and applications including but not limited to, generators, construction sites, plant maintenance, plant turnarounds, shows, exhibits, industrial equipment, uninterruptible power supplies (UPS battery backups), stage equipment, and shipyard operations. These industrial extensor cords are popularly used in applications where external power sources are often necessary. We also offer class rated extension cords for use within explosion proof and hazardous location environments.

Larson Electronics is a manufacturer and as such can build extension cords and portable transformer systems to your specifications. Although we carry several models of power distribution transformers, we can deliver custom ordered units almost as quickly as our prebuilt units If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

# Frequently Asked Questions (FAQ)

**EXC-LC-MP-YLW-25-12.3-15A-5.15**

**Product ID: 265905**

**Export Control Classification Number (ECCN):** EAR99

Links (Click on the below items to view):

- **Wiring Diagram (Oneline)**
- **HigResPic1**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**