Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

**IND-TBL-BX-R2-4.1.1-UVC-8X-220V.50HZ**

# Medical Grade Rapid Anti-viral/Anti-bacterial Decontamination Box - (8) UVC Lamps - 304 Stainless Steel - 220V, 50Hz

**Product ID: 267593**

**Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).**



**Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.**

**This unit is Made In USA - Manufactured in Texas**

**IND-TBL-BX-R2-4.1.1-UVC-8X-220V.50HZ UV Sanitation Light System**

**Lamp Technology:** UV-C Fluorescent
**Lamp Qty:** (8) Total; (2) UV Lamps per Side
**Dimensions:** 48" x 12" x 12"
**Weight:** -
**Voltage:** 220V, 50 Hz
**Total Watts:** 260W
**Single-lamp Watts:** 32.5W
**Total UV Output:** -
**Single-lamp UV Output:** -
**Expected Lifespan:** 8,000+ Hours
**UV Wavelength:** UV-C, 200nm - 280nm (253.7 nm)
**Lamp Type:** -
**Lamp Base:** G23 (2-pin)
**Replacement Lamp:** -
**Beam Angle:** 360º
**Light Configuration:** Flood
**Timer:** Included
**Capacity:** -
**Indicator Light:** External

**Ratings/Features**

Short-wave Germicidal Light
kill 99% of viruses and other germs
EPA Reg. No 98409-1
EPA Est. No. 98409-TX-1

**Safety:** Automatic Shut Off When Door is Open

**Amps:** 2.16A @ 120V

**Ambient Operating Temp Range:** -

**Materials:** 304 Stainless Steel - Uncoated Box, Perforated Stainless Steel Shelf

**Door Type:** Wide Front Facing Hinged Access Door - Folds Downward

**Mounting:** Stand Alone Device

**Wiring:** 25' 16/3 SOOW Cable w/ General Area Cord Cap

**Cord Cap:** 6-15, 6-20, L6-15, L6-20, BS1363, Schuko, or Pigtail

***PLEASE NOTE: UV-C light can cause temporary or permanent loss of vision, and temporary acute redness or ulceration (mild to severe sunburn) to exposed skin. To prevent exposure, do not operate the device in any application that allows UV-C light to be visible during operation. NEVER LOOK DIRECTLY AT THE BULB OR DISINFECTING TARGET ZONE. DO NOT touch bulb with bare hands. The oils in your skin will damage the lamp. Fingerprints will result in reduced performance and significantly reduce the lifespan of the lamp unless they are removed with alcohol. Please read instruction manual for UV safety requirements before operating.***

**Special Orders - Special Requirements**

Contact us for special requirements

**Toll Free:** 1-800-369-6671

**Intl:** 1-903-270-1187

**Fax:** 1-903-498-3364

**E-mail:** sales@larsonelectronics.com

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

# Frequently Asked Questions (FAQ)

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364




Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364







Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

**IND-TBL-BX-R2-4.1.1-UVC-8X-220V.50HZ**

**Product ID: 267593**

**Export Control Classification Number (ECCN):** EAR99

**Options:**

**IND-TBL-BX-R2-4.1.1-UVC-8X-220V.50HZ-Cord Cap**

**Example: IND-TBL-BX-R2-4.1.1-UVC-8X-220V.50HZ-6.15**

| Cord Cap | |
|---|---|
| 6-15 STRAIGHT | -6.15 |
| 6-20 STRAIGHT | -6.20 |
| L6-15 TWIST | -L6.15 |
| L6-20 TWIST | -L6.20 |
| UK BS1363 | -BS1363 |
| INTL. SCHUKO | -Schuko |
| PIGTAIL | -Pigtail |

Links (Click on the below items to view):

- **Beam Information (Coverage, Datafile)**
- **Canadian CEC Certificate (Commonly referred to as CSA Certificate)**
- **Certificate 1, Misc**
- **Certificate 4, Misc**
- **Dimensional Drawing 2D**
- **Eye Safety Information/Certificate**
- **Lighting Facts & Information**
- **MSDS (Material Safety Data Sheet**
- **Operations Manual**
- **Spectrum Curve (Wavelength Graph)**
- **USA NEC Certificate (Commonly referred to as UL Certificate)**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **HigResPic7**
- **HigResPic8**
- **HigResPic9**
- **HigResPic10**
- **Video1**
- **Video2**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**