

C-BWS-2-1

2 AWG Solid Core Bare Ground Wire

Product ID: 270534

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

C-BWS-2-1

Size: 2 AWG

Outside Diameter: 0.258 inches

Weight: 0.209 lbs per ft

Ratings/Features

Special Orders - Special Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-270-1187

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

2 AWG Solid Bare Copper Wire, Soft Drawn

Insulation:

Uninsulated

Jacket:

Unjacketed

Standards:

SOLID: ASTM B-3=Soft-drawn temper

Applications:

Used on insulators for overhead distribution or as grounding conductors.

Frequently Asked Questions (FAQ)



C-BWS-2-1

Product ID: 270534

Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- [HigResPic1](#)
- [ISO 9001 Certification](#)
- [Business Certificate](#)
- [Shipping Time Map](#)