Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

GAU-TRF-2X2-3L-LVR-UVC-T8-NL-V1

60W 2X2 Recessed Troffer Mount Germicidal UV-C Fixture - 120/277V AC - Holds (3) T8 Fluorescent Lamps (NOT Included) - Kills 99% of Viruses

Product ID: 271494

Please see last page for supporting documentation for this product(certificates, CAD files & drawings, IES files, wiring diagrams, etc).



Larson Electronics LLC manufactures a wide variety of products, including custom built to spec designs. The pictures displayed for this unit are a general representation of form factor for the product line and may not accurately represent this exact configuration in every detail due to custom builds and changes between similar products in our standard catalog. The specifics for this configuration are listed in the specification table and supporting documentation (CAD files, Dimensional Drawing, Name Plate Diagram, Wiring Diagram, etc.). This means that specific details (receptacles, plugs, wires, connections, mounting brackets, external finishes, etc.) may not be accurately represented in images vs specifications. Please review specifications and do not order based solely on images.

This unit is Made In USA - Manufactured in Texas

GAU-TRF-2X2-3L-LVR-UVC-T8-NL-V1 Recessed Troffer Mount UV-C Sanitation Light - NO Lamps

Unit Type: UV-C Germicidal Fluorescent Troffer Light
Lamp Technology: UV Fluorescent - Sanitation
Lamp Capacity: (3)
Dimensions: 2' x 2'
Weight: -
Voltage: 120-277 V AC, 50/60 Hz
Maximum Total Watts: 60W
Maximum Single-lamp Watts: 20W
Single-lamp UV-C Output: -
UV Wavelength: -
Maximum Area Coverage: 200 Square Feet (Depending on Mounting Height)
Lamp Type: UV-C Fluorescent T8
Lamp Base: G13 Bi-Pin
Replacement Lamp: FRL-24-1X-T8-20W-UV-C
Beam Angle: -
Lighting Configuration: Flood Pattern
Power Factor: -
Operating Temperature Range: -
Housing: Cold Rolled Steel
Finish: Flat White Polyester Finish
Mounting: Troffer in Inverted T-Bar Grid Ceiling

Ratings

Micro-Perforated Steel Diffuser
Built-in Earthquake Brackets
Lamps NOT Included
EPA Reg. No 98409-1
EPA Est. No. 98409-TX-1

Special Orders - Special Requirements

Contact us for special requirements

Intl: 1-903-270-1187

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Cord: -

PLEASE NOTE: UV-C light can cause temporary or permanent loss of vision, and temporary acute redness or ulceration (mild to severe sunburn) to exposed skin. To prevent exposure, do not operate the device in any application that allows UV-C light to be visible during operation. NEVER LOOK DIRECTLY AT THE BULB OR DISINFECTING TARGET ZONE. DO NOT touch bulb with bare hands. The oils in your skin will damage the lamp. Fingerprints will result in reduced performance and significantly reduce the lifespan of the lamp unless they are removed with alcohol. Please read instruction manual for UV safety requirements before operating.

This unit is Made In USA - Manufactured in Texas

The GAU-TRF-2X2-3L-LVR-UVC-T8-NL-V1 from Larson Electronics is a UV-C Germicidal Recessed Troffer Mount Fluorescent Fixture that offers high light output from a compact form factor, making it suitable for disinfecting 99% of viruses, bacteria, mold, and spores in large facilities. This germicidal fixture is configured to operate on 120-277 V AC @ 50/60 Hz and is designed to accept three 20W T8 fluorescent lamps (not included) for a total of 60W. A single GAU-TRF-2X2-3L-LVR-UVC-T8-NL-V1 unit can cover a maximum of 200 square feet depending on the mounting height.

Please note: This product produces UV light. Make sure to follow all safety guidelines and protocols found in the user manual. UVC light in the proper setting kills up to 99.9% of viruses, mold, spores, and bacteria. Click here to learn more about UVC and the coronavirus*

PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO POWER DISTRIBUTION PANELS, TRANSFORMERS, OR SUBSTATIONS*

Please note: NO lamps are included with this unit. It is for the light fixture ONLY.

The GAU-TRF-2X2-3L-LVR-UVC-T8-NL-V1 UV sanitation fixture is a 2-foot long by 2-foot wide, powerful 3-lamp lighting solution for general area lighting systems and commercial indoor spaces. This troffer mount unit is designed to work with three, 20-watt T8 fluorescent bulbs (not included). Equipped with an expected lifespan of 8,000+ hours, the lighting accessory emits a flood beam pattern.

The housing on this sanitation unit is constructed of direct/indirect formed cold rolled steel housing with a nanoceramic treatment for enhanced resistance to corrosion, and topped off with a flat white powder coat finish. This recessed troffer mount fixture also includes built-in earthquake brackets for resistance to violent vibrations.

Mounting: The low profile allows operators to install it in shallow or compact spaces. This troffer mount UV-C germicidal fixture is for recessed mounting in inverted T-Bar grid ceilings.

Note on Environment: Sunlight and visible light fixtures do not impact the effectiveness of the disinfecting on this UVC sanitation product. Metal halide, high pressure sodium, fluorescent, and LED light fixtures can be left on. The UV radiation emitted from this product is not disrupted by any type of lighting in the environment. Put simply, NO it DOES NOT need to be dark in the area you plan to disinfect. The UV radiation is harmful to the eyes and skin, and that is why you should not be in the area while it is in operation. Please see user manual for additional safety information.

Applications: Sanitation, disinfection, kill 99% of viruses, bacteria, mold, and spores, retail spaces, lobbies, commercial locations, industrial parks, schools, public transportation hubs, airports, office buildings, medical centers and more.

Larson Electronics is a manufacturer and as such can build stationary and portable transformer systems to your specifications. Although we carry several models of power distribution transformer systems, we can deliver custom ordered units almost as quickly as our prebuilt units. If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364

Frequently Asked Questions (FAQ)


LARSON
ELECTRONICS
LARSONELECTRONICS.COM
1-800-369-6671
GAU-TRF-2X2-3L-LVR-UVC-T8-V1

Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364



Larson Electronics LLC
9419 E US HWY 175, Kemp, TX 75143
Phone: 800.369.6671

www.LarsonElectronics.com
Email: sales@LarsonElectronics.com
Fax: 903.498.3364





Export Control Classification Number (ECCN): EAR99

Links (Click on the below items to view):

- **Certificate 4, Misc**
- **Eye Safety Information/Certificate**
- **HigResPic1**
- **HigResPic2**
- **HigResPic3**
- **HigResPic4**
- **HigResPic5**
- **HigResPic6**
- **HigResPic7**
- **HigResPic8**
- **Video1**
- **Video4**
- **ISO 9001 Certification**
- **Business Certificate**
- **Shipping Time Map**